Datasheet: MCA90SBB700 BATCH NUMBER 100008108

Description:	MOUSE ANTI HUMAN CD90:StarBright Blue 700	
Specificity:	CD90	
Other names:	THY1	
Format:	StarBright Blue 700	
Product Type:	Monoclonal Antibody	
Clone:	F15-42-1	
Isotype:	lgG1	
Quantity:	100 TESTS/0.5ml	

Product Details

Applications	derived from testing w communications from	ithin our laboratorie the originators. Ple al protocol recomm	n the following application s, peer-reviewed publica ase refer to references ir endations, please visit <u>w</u>	ations or personal ndicated for further
		Yes No	Not Determined	Suggested Dilution
	Flow Cytometry	•		Neat
	Where this product ha	s not been tested f	or use in a particular tech	nnique this does not
	•	mmended that the	dures. Suggested workin user titrates the product f e controls.	•
Target Species	Human			
Species Cross	Reacts with: Cynomolgus monkey			
Reactivity	reactivity is derived fro	om testing within ou	litions may vary betweer r laboratories, peer-revie ators. Please refer to refe	ewed publications or
Product Form	Purified IgG conjugated to StarBright Blue 700 - liquid			
Max Ex/Em	Fluorophore	Excitation Max (nn	n) Emission Max (nm)	
	StarBright Blue 700	473	703	
Preparation	Purified IgG prepared supernatant	by affinity chromate	ography on Protein A fror	m tissue culture

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 0.1% Pluronic F68 0.1% PEG 3350 0.05% Tween 20
Immunogen	Purified human brain Thy-1.
External Database Links	UniProt: <u>P04216</u> <u>Related reagents</u> Entrez Gene: <u>7070</u> THY1 <u>Related reagents</u>
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the mouse NS-1 myeloma cell line.
Specificity	 Mouse anti Human CD90 antibody, clone F15-42-1 recognizes the human CD90 cell surface antigen, a ~25 kDa glycoprotein homologous to rat Thy1. The antigen is expressed by a subset of CD34+ve cells in the bone marrow and by prothymocytes within the thymus. CD90 is also expressed extensively within the brain. Mouse anti Human CD90 antibody, clone F15-42-1 is routinely tested in flow cytometry on the MOLT4 cell line.
Flow Cytometry	Use 5µl of the suggested working dilution to label 10 ⁶ cells in 100µl. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.
References	 Daar, A.S. & Fabre, J.W. (1981) Demonstration with monoclonal antibodies of an unusual mononuclear cell infiltrate and loss of normal epithelial membrane antigens in human breast carcinomas. <u>Lancet. 2 (8244): 434-8.</u> Fiegel, H.C. <i>et al.</i> (2004) Stem-like cells in human hepatoblastoma. <u>J Histochem</u> <u>Cytochem. 52 (11): 1495-501.</u> Hagood, J.S. <i>et al.</i> (2005) Loss of fibroblast Thy-1 expression correlates with lung fibrogenesis. <u>Am J Pathol. 167 (2): 365-79.</u> Tome, M. <i>et al.</i> (2007) Calponin is expressed by subpopulations of connective tissue cells but not olfactory ensheathing cells in the neonatal olfactory mucosa. <u>BMC Neurosci. 8: 74.</u> Diaz-Romero, J. <i>et al.</i> (2008) Immunophenotypic changes of human articular chondrocytes during monolayer culture reflect bona fide dedifferentiation rather than amplification of progenitor cells. J Cell Physiol. 214: 75-83. Pessina, A. <i>et al.</i> (2010) CD45+/CD133+ positive cells expanded from umbilical cord blood expressing PDX-1 and markers of pluripotency. <u>Cell Biol Int. 34: 783-90.</u> Manochantr, S. <i>et al.</i> (2010) Isolation, characterization and neural differentiation potential of amnion derived mesenchymal stem cells. <u>J Med Assoc Thai. 93 Suppl 7:</u>

<u>S183-91.</u>

8. Karlsen, T.A. *et al.* (2010) Human primary articular chondrocytes, chondroblasts-like cells, and dedifferentiated chondrocytes: differences in gene, microRNA, and protein expression and phenotype. <u>Tissue Eng Part C Methods</u>. 17: 219-27.

9. Hauser, P.V. *et al.* (2010) Stem cells derived from human amniotic fluid contribute to acute kidney injury recovery. <u>Am J Pathol. 177: 2011-21.</u>

10. Yin, S. *et al.* (2010) Chondrogenic transdifferentiation of human dermal fibroblasts stimulated with cartilage-derived morphogenetic protein 1. <u>Tissue Eng Part A. 16:</u> <u>1633-43.</u>

11. Gieseke, F. *et al.* (2010) Human multipotent mesenchymal stromal cells use galectin-1 to inhibit immune effector cells. <u>Blood. 116: 3770-9.</u>

Holzwarth, C. *et al.* (2010) Low physiologic oxygen tensions reduce proliferation and differentiation of human multipotent mesenchymal stromal cells. <u>BMC Cell Biol. 11:11</u>
 Meng, J. *et al* (2011) Contribution of human muscle-derived cells to skeletal muscle regeneration in dystrophic host mice. <u>PLoS One. 6: e17454.</u>

14. Cizeau, J. *et al.* (2011) Fusogenics: a recombinant immunotoxin-based screening platform to select internalizing tumor-specific antibody fragments. <u>J Biomol Screen. 16:</u> <u>90-100.</u>

15. Cox, G. *et al.* (2011) The use of the reamer-irrigator-aspirator to harvest mesenchymal stem cells. J Bone Joint Surg Br. 93: 517-24.

16. Shafaei, H. *et al.* (2011) Effects of human placental serum on proliferation and morphology of human adipose tissue-derived stem cells. <u>Bone Marrow Transplant. 46:</u> 1464-71.

17. Paul, G. *et al.* (2012) The adult human brain harbors multipotent perivascular mesenchymal stem cells. <u>PLoS One. 7: e35577.</u>

 Supokawej, A. *et al.* (2013) Cardiogenic and myogenic gene expression in mesenchymal stem cells after 5-azacytidine treatment. <u>Turk J Haematol. 30 (2): 115-21.</u>
 Escobar, C.H. & Chaparro, O. (2016) Xeno-Free Extraction, Culture, and

Cryopreservation of Human Adipose-Derived Mesenchymal Stem Cells. <u>Stem Cells Transl</u> <u>Med. 5 (3): 358-65.</u>

20. Shinoda, K. *et al.* (2016) Thy1+IL-7+ lymphatic endothelial cells in iBALT provide a survival niche for memory T-helper cells in allergic airway inflammation. <u>Proc Natl Acad</u> <u>Sci U S A. 113 (20): E2842-51.</u>

21. Kamprom, W. *et al.* (2016) Endothelial Progenitor Cell Migration-Enhancing Factors in the Secretome of Placental-Derived Mesenchymal Stem Cells. <u>Stem Cells Int. 2016</u>: <u>2514326</u>.

22. Vaquero, J. *et al.* (2016) An approach to personalized cell therapy in chronic complete paraplegia: The Puerta de Hierro phase I/II clinical trial. <u>Cytotherapy. 18 (8): 1025-36.</u>
23. Zhang, X. *et al.* (2017) Regeneration of hyaline-like cartilage in situ with SOX9 stimulation of bone marrow-derived mesenchymal stem cells. <u>PLoS One. 12 (6):</u> e0180138.

24. Garikipati, V. N.S. *et al.* (2018) Isolation and characterization of mesenchymal stem cells from human fetus heart. <u>PLoS One. 13 (2): e0192244.</u>

25. Chaturvedi, C.P. *et al.* (2018) Altered Expression of Hematopoiesis Regulatory Molecules in Lipopolysaccharide-Induced Bone Marrow Mesenchymal Stem Cells of Patients with Aplastic Anemia. <u>Stem Cells Int. 2018: 6901761.</u>

26. Noda, S. et al. (2019) Effect of cell culture density on dental pulp-derived

Storage	 mesenchymal stem cells with reference to osteogenic differentiation. <u>Sci Rep. 9 (1): 5430</u>, 27. Song, H. <i>et al.</i> (2019) MIF/CD74 axis participates in inflammatory activation of Schwann cells following sciatic nerve injury. <u>J Mol Histol. 50 (4): 355-67</u>, 28. Paiboon, N. <i>et al.</i> (2019) Gestational Tissue-Derived Human Mesenchymal Stem Cells Use Distinct Combinations of Bioactive Molecules to Suppress the Proliferation of Human Hepatoblastoma and Colorectal Cancer Cells. <u>Stem Cells Int. 2019; 9748795</u>, 29. Sanjurjo-Rodriguez, C. <i>et al.</i> (2020) Gene Expression Signatures of Synovial Fluid Multipotent Stromal Cells in Advanced Knee Osteoarthritis and Following Knee Joint Distraction. <u>Front Bioeng Biotechnol. 8: 579751</u>, 30. Fujii-Tezuka, R. <i>et al.</i> (2021) Umbilical artery tissue contains p75 neurotrophin receptor-positive pericyte-like cells that possess neurosphere formation capacity and neurogenic differentiation potential. <u>Regen Ther. 16: 1-11.</u> 31. Orikasa, S. <i>et al.</i> (2022) Hypoxia-inducible factor 1α induces osteo/dontoblast differentiation of human dental pulp stem cells via Wnt/β-catenin transcriptional cofactor BCL9. <u>Sci Rep. 12 (1): 682</u>. 32. Sirithammajak, S. <i>et al.</i> (2022) Human Mesenchymal Stem Cells Derived from the Placenta and Chorion Suppress the Proliferation while Enhancing the Migration of Human Breast Cancer Cells. <u>Stem Cells Int. 2022</u>: 4020845. 33. Arenal, Å. <i>et al.</i> (2023) Epigenetic Modification of Mesenchymal Stromal Cells Derived from Bone Marrow and Embryonal Tumors to Facilitate Immunotherapeutic Approaches in Pediatric Malignancies. <u>Curr Issues Mol Biol. 45 (3): 2121-35</u>. 35. Payet, M. <i>et al.</i> (2023) A Sequential Culturing System for Generating Epithelial-Like Stem Cells from Human Mesenchymal Stem Cells Derived from Adipose Tissue Cell <u>Tissue Biol. 17 (6): 639-52</u>. 37. Tripathy, N.K. <i>et al.</i> (2018) Cardiomyogenic Heterogeneity of Clonal Subpopulations of Human Bone Marrow Mesenchymal Stem Cells. J Stem Cells Regen
	This product should be stored undiluted.
Guarantee	12 months from date of despatch
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts
Health And Safety Information	Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA90SBB700 20471
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700 Europe Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M421949:230815'

Printed on 15 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint