

Datasheet: MCA929PB

Description:	MOUSE IgG2a NEGATIVE CONTROL:Pacific Blue®			
Specificity:	MOUSE IgG2a NEGATIVE CONTROL			
Format:	Pacific Blue®			
Product Type:	Negative/Isotype Control			
Isotype:	lgG2a			
Quantity:	100 TESTS/1ml			

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			*

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures.

* It is recommended that the user dilutes the antibody for use in their own system to a concentration equivalent to their test reagents.

Target Species	Negative Control						
Product Form	Purified IgG conjugate						
Max Ex/Em	Fluorophore Pacific Blue®	Excitation Max (nm)	Emission Max (nm)				
Preparation	-			tissue culture superpatant			
	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin						
	170 Bovine Gerain	7 (IDGITIII)					
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml						
Immunogen	Activated rat T-helper cells.						
RRID	AB_567344						
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the NS1 mouse myeloma cell line.						
Specificity	Mouse IgG2a negative control antibody, clone OX-34 is suitable for use as a negative control						

reagent for the measurement of non-specific binding of mouse monoclonal antibodies of isotype IgG2a to human tissue.

Clone MRC OX-34 recognises a rat cell surface marker, and therefore cannot be used as a negative control in this species.

This product is routinely tested in flow cytometry on rat splenocytes to confirm antibody activity and on human whole blood to test for suitability as a negative control.

Test results have shown that MCA929 is also suitable for use as a negative control with bovine, ovine, porcine, equine, canine, lapine and guinea-pig tissues.

This antibody may not be suitable for intracellular staining on some cell types.

Use 10ul of the suggested working dilution to label 10⁶ cells in 100ul. **Flow Cytometry** References 1. Avigdor, A. et al. (2004) CD44 and hyaluronic acid cooperate with SDF-1 in the trafficking of human CD34+ stem/progenitor cells to bone marrow. Blood. 103 (8): 2981-9. 2. Kamble, N.M. et al. (2016) Interaction of a live attenuated Salmonella gallinarum vaccine candidate with chicken bone marrow-derived dendritic cells. Avian Pathol. Jan 26:1-24. [Epub ahead of print] 3. Wattegedera, S.R. et al. (2017) Enhancing the toolbox to study IL-17A in cattle and sheep. Vet Res. 48 (1): 20. Storage Store at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch **Acknowledgements** The Pacific Blue® dye antibody conjugates in this product are sold under license from Molecular Probes, Inc. for research use only, except for use in combination with microarrays, and are covered by pending and issued patents. **Health And Safety** Material Safety Datasheet documentation #10041 available at: Information 10041: https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf Regulatory For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG2a NEGATIVE CONTROL:Pacific Blue® (MCA1210PB)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 'M369196:200529'

Printed on 11 Aug 2020

© 2020 Bio-Rad Laboratories Inc | Legal | Imprint