

Datasheet: MCA938F BATCH NUMBER 152126

Description:	MOUSE ANTI RAT CD8 BETA:FITC		
Specificity:	CD8 BETA		
Format:	FITC		
Product Type:	Monoclonal Antibody		
Clone:	341		
Isotype:	lgG1		
Quantity:	0.1 mg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/2 - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Immunogen	Rat/mouse T cell hybrids expressing CD8.		
External Database Links	UniProt: P05541 Related reagents Entrez Gene: 24931 Cd8b Related reagents		
Synonyms	Cd8b1		
RRID	AB_321485		
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the mouse X63Ag8.653 myeloma cell line.		
Specificity	Mouse anti Rat CD8 beta antibody, clone 341 recognizes the beta chain of the rat CD8 cell surface antigen, expressed on thymocytes and peripheral cytotoxic/suppressor cells. CD8b is not expressed by NK cells or by intestinal intraepithelial T cells. Mouse anti Rat CD8 beta antibody, clone 341 is reported to block proliferative and cytotoxic responses of CD8 +ve effector cells <i>in vitro</i> .		
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.		
References	 Pérez-Cano, F.J. et al. (2010) Influence of breast milk polyamines on suckling rat immune system maturation. Dev Comp Immunol. 34: 210-8. Torres-nagel, N. et al. (1992) Differential thymus dependence of rat CD8 isoform expression. Eur J Immunol. 22 (11): 2841-8. Yan, Y. et al. (2003) Pathogenesis of Autoimmunity After Xenogeneic Thymus Transplantation J Immunol. 170: 5936-46. Jörns, A. et al. (2010) Diabetes prevention by immunomodulatory FTY720 treatment in the LEW.1AR1-iddm rat despite immune cell activation. Endocrinology. 151: 3555-65. Feferman, T. et al. (2005) Overexpression of IFN-induced protein 10 and its receptor CXCR3 in myasthenia gravis. J Immunol. 174 (9): 5324-31. 		
Storage	Store at +4°C for one month or at -20°C for longer. This product should be stored undiluted. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.		
Guarantee	12 months from date of despatch		
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA938F 10041		

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:FITC (MCA1209F)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M369202:200529'

Printed on 13 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint