

# Datasheet: MCA938GA

Description:	MOUSE ANTI RAT CD8 BETA
Specificity:	CD8 BETA
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	341
lsotype:	lgG1
Quantity:	0.1 mg

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.				
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry	-			1/100 - 1/200
	Immunohistology - Frozen				
	Immunohistology - Paraffin				
	ELISA			•	
	Immunoprecipitation	-			
	Immunofluorescence	-			
	Where this antibody has necessarily exclude its us a guide only. It is recomn system using appropriate	se in such nended th	procedu at the use	res. Suggested workin er titrates the antibody	g dilutions are given as
Target Species	Rat				
Product Form	Purified IgG - liquid				
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant				
Buffer Solution	Phosphate buffered saline				
Preservative Stabilisers	0.09% Sodium Azide				
Carrier Free	Yes				

Approx. Protein Concentrations	IgG concentration 1 mg/ml
Immunogen	Rat/mouse T cell hybrids expressing CD8.
External Database Links	UniProt:         P05541       Related reagents         Entrez Gene:         24931       Cd8b       Related reagents
Synonyms	Cd8b1
RRID	AB_2075766
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the mouse X63Ag8.653 myeloma cell line.
Specificity	<b>Mouse anti Rat CD8 beta antibody, clone 341</b> recognizes the beta chain of the rat CD8 cell surface antigen, expressed on thymocytes and peripheral cytotoxic/suppressor cells. CD8b is not expressed by NK cells or by intestinal intraepithelial T cells. Mouse anti Rat CD8 beta antibody, clone 341 is reported to block proliferative and cytotoxic responses of CD8 +ve effector cells <i>in vitro</i> .
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
References	<ol> <li>Torres-Nagel, N. <i>et al.</i> (1992) Differential thymus dependence of rat CD8 isoform expression. <u>Eur J Immunol. 22 (11): 2841-8.</u></li> <li>Yan, Y. <i>et al.</i> (2003) Pathogenesis of Autoimmunity After Xenogeneic Thymus Transplantation <u>J Immunol. 170: 5936-46.</u></li> <li>Feferman, T. <i>et al.</i> (2005) Overexpression of IFN-induced protein 10 and its receptor CXCR3 in myasthenia gravis. <u>J Immunol. 174 (9): 5324-31.</u></li> <li>Pérez-Cano, F.J. <i>et al.</i> (2010) Influence of breast milk polyamines on suckling rat immune system maturation. <u>Dev Comp Immunol. 34: 210-8.</u></li> <li>Morales-Ferré, C. <i>et al.</i> (2022) <i>Staphylococcus epidermidis</i>' Overload During Suckling Impacts the Immune Development in Rats. <u>Front Nutr. 9: 916690.</u></li> <li>Azagra-Boronat, I. <i>et al.</i> (2020) <i>Lactobacillus fermentum</i> CECT5716 Supplementation in Rats during Pregnancy and Lactation Impacts Maternal and Offspring Lipid Profile, Immune System and Microbiota. <u>Cells. 9 (3): 575.</u></li> </ol>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch

Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA938GA 10040
Regulatory	For research purposes only

### **Related Products**

#### **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12)	RPE			
Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>				
Goat Anti Mouse IgG (STAR76)	RPE			
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>			
Goat Anti Mouse IgG (H/L) (STAR117)	<u>Alk. Phos., DyLight®488, DyLight®550,</u>			
	DyLight®650, DyLight®680, DyLight®800,			
	<u>FITC, HRP</u>			
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>			
Goat Anti Mouse IgG (STAR77)	HRP			
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP			
Rabbit Anti Mouse IgG (STAR13)	HRP			
<b>Recommended Negative Controls</b>				

MOUSE IgG1 NEGATIVE CONTROL (MCA1209)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M381628:210512'

#### Printed on 13 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint