

## Datasheet: MCA970GA

**BATCH NUMBER 159060**

<b>Description:</b>	MOUSE ANTI RAT RECA-1
<b>Specificity:</b>	RECA-1
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	HIS52
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.1 mg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	
Immunofluorescence	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. The suggested working dilution is given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Rat
<b>Species Cross Reactivity</b>	Does not react with:Goat, Chicken, Guinea Pig, Sheep, Mouse, Rabbit, Pig
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline

<b>Preservative Stabilisers</b>	0.09% Sodium Azide
<b>Approx. Protein Concentrations</b>	IgG concentration 0.5 mg/ml
<b>Immunogen</b>	Stromal cells from rat lymph node.
<b>RRID</b>	AB_567193
<b>Fusion Partners</b>	Spleen cells from immunised mice were fused with cells of the SP2/0 mouse myeloma cell line.
<b>Specificity</b>	<b>Mouse anti Rat RECA-1 antibody, clone HIS52</b> recognizes RECA-1, a cell surface antigen which is expressed by all rat endothelial cells. The endothelium is the thin layer of cells that line the interior surface of blood vessels, forming an interface between circulating blood in the lumen and the rest of the vessel wall. Endothelial cells line the entire circulatory system, from the heart to the smallest capillary.
<b>References</b>	<ol style="list-style-type: none"> <li>Duijvestijn, A.M. <i>et al.</i> (1992) Antibodies defining rat endothelial cells: RECA-1, a pan-endothelial cell-specific monoclonal antibody. <a href="#">Lab Invest. 66 (4): 459-66.</a></li> <li>Konno, T. <i>et al.</i> (2007) Pregnancy in the brown Norway rat: a model for investigating the genetics of placentation. <a href="#">Biol Reprod. 76 (4): 709-18.</a></li> <li>Alam, S.M. <i>et al.</i> (2008) Decidual cells produce a heparin-binding prolactin family cytokine with putative intrauterine regulatory actions. <a href="#">J Biol Chem. 283 (27): 18957-68.</a></li> <li>Benton RL <i>et al.</i> (2009) Transcriptional activation of endothelial cells by TGF<math>\beta</math> coincides with acute microvascular plasticity following focal spinal cord ischaemia/reperfusion injury. <a href="#">ASN Neuro. 1 (3): pii: e00015.</a></li> <li>Androutsellis-Theotokis, A. <i>et al.</i> (2010) Angiogenic factors stimulate growth of adult neural stem cells. <a href="#">PLoS One. 5 (2): e9414.</a></li> <li>Schödel, J. <i>et al.</i> (2010) Factor inhibiting HIF limits the expression of hypoxia-inducible genes in podocytes and distal tubular cells. <a href="#">Kidney Int. 78 (9): 857-67.</a></li> <li>March, S. <i>et al.</i> (2009) Microenvironmental regulation of the sinusoidal endothelial cell phenotype <i>in vitro</i>. <a href="#">Hepatology. 50: 920-8.</a></li> <li>Szmydynger-Chodobska, J. <i>et al.</i> (2011) Multiple sites of vasopressin synthesis in the injured brain. <a href="#">J Cereb Blood Flow Metab. 31: 47-51.</a></li> <li>Bexell, D. <i>et al.</i> (2009) Bone marrow multipotent mesenchymal stroma cells act as pericyte-like migratory vehicles in experimental gliomas. <a href="#">Mol Ther. 17: 183-90.</a></li> <li>Valable, S. <i>et al.</i> (2009) MRI assessment of hemodynamic effects of angiopoietin-2 overexpression in a brain tumor model. <a href="#">Neuro Oncol. 11: 488-502.</a></li> <li>Hamdi, H. <i>et al.</i> (2011) Epicardial adipose stem cell sheets results in greater post-infarction survival than intramyocardial injections. <a href="#">Cardiovasc Res. 91 (3): 483-91.</a></li> <li>Morin-Brureau, M. <i>et al.</i> (2011) Epileptiform activity induces vascular remodeling and zonula occludens 1 downregulation in organotypic hippocampal cultures: role of VEGF signaling pathways. <a href="#">J Neurosci. 31: 10677-88</a></li> <li>Hawthorne, A.L. <i>et al.</i> (2011) The unusual response of serotonergic neurons after CNS Injury: lack of axonal dieback and enhanced sprouting within the inhibitory environment of the glial scar. <a href="#">J Neurosci. 31: 5605-16.</a></li> </ol>

14. Jantaratnotai, N. *et al.* (2011) Comparison of Vascular Perturbations in an A $\beta$ -Injected Animal Model and in AD Brain. [Int J Alzheimers Dis. 2011: 918280.](#)
15. Cattaruzza, F. *et al.* (2009) Endothelin-converting enzyme 1 promotes re-sensitization of neurokinin 1 receptor-dependent neurogenic inflammation. [Br J Pharmacol. 156: 730-9.](#)
16. Valable, S. *et al.* (2009) MRI assessment of hemodynamic effects of angiopoietin-2 overexpression in a brain tumor model. [Neuro Oncol. 11: 488-502.](#)
17. Miya, M. *et al.* (2012) Age-related decline in label-retaining tubular cells: implication for reduced regenerative capacity after injury in the aging kidney. [Am J Physiol Renal Physiol. 302: F694-702.](#)
18. Blondiaux, E. *et al.* (2013) Evaluation of Rat Heart Microvasculature with High-Spatial-Resolution Susceptibility-weighted MR Imaging. [Radiology. 269: 277-82.](#)
19. Mitkari, B. *et al.* (2014) Human bone marrow mesenchymal stem/stromal cells produce efficient localization in the brain and enhanced angiogenesis after intra-arterial delivery in rats with cerebral ischemia, but this is not translated to behavioral recovery. [Behav Brain Res. 259: 50-9.](#)
20. Valiente-Soriano, F.J. *et al.* (2015) BDNF rescues RGCs but not ipRGCs in ocular hypertensive albino rat retinas. [Invest Ophthalmol Vis Sci. pii: IOVS-15-16454.](#)
21. Cantaluppi V *et al.* (2015) Endothelial progenitor cell-derived extracellular vesicles protect from complement-mediated mesangial injury in experimental anti-Thy1.1 glomerulonephritis. [Nephrol Dial Transplant. 30 \(3\): 410-22.](#)
22. Imberti, B. *et al.* (2015) Renal Primordia Activate Kidney Regenerative Events in a Rat Model of Progressive Renal Disease. [PLoS One. 10 \(3\): e0120235.](#)
23. Zhang, W. *et al.* (2016) Omega-3 polyunsaturated fatty acids mitigate blood-brain barrier disruption after hypoxic-ischemic brain injury. [Neurobiol Dis. 91: 37-46.](#)
24. Wada, Y. *et al.* (2002) Impairment of vascular regeneration precedes progressive glomerulosclerosis in anti-Thy 1 glomerulonephritis. [Kidney Int. 61 \(2\): 432-43.](#)
25. Wong, K-H. *et al.* (2015) Restoration of sensory dysfunction following peripheral nerve injury by the polysaccharide from culinary and medicinal mushroom, *Hericium erinaceus* (Bull.: Fr.) Pers. through its neuroregenerative action [Food Science and Technology \(Campinas\). 35 \(4\): 712-21.](#)
26. Syrjälä, S.O. *et al.* (2015) Donor Heart Treatment With COMP-Ang1 Limits Ischemia-Reperfusion Injury and Rejection of Cardiac Allografts. [Am J Transplant. 15 \(8\): 2075-84.](#)
27. Matsushita T *et al.* (2015) Diffuse and persistent blood-spinal cord barrier disruption after contusive spinal cord injury rapidly recovers following intravenous infusion of bone marrow mesenchymal stem cells. [Exp Neurol. 267: 152-64.](#)
28. Wang, L. *et al.* (2015) Lobe-specific expression of phosphodiesterase 5 in rat prostate. [Urology. 85 \(3\): 703.e7-13.](#)
29. Van Slooten, A.R. *et al.* (2015) L-NIO as a novel mechanism for inducing focal cerebral ischemia in the adult rat brain. [J Neurosci Methods. 245: 44-57.](#)
30. Nakahara, T. *et al.* (2015) Structural and functional changes in retinal vasculature induced by retinal ischemia-reperfusion in rats. [Exp Eye Res. 135: 134-45.](#)
31. Ramessur Chandran, S. *et al.* (2015) Spleen tyrosine kinase contributes to acute renal allograft rejection in the rat. [Int J Exp Pathol. 96 \(1\): 54-62.](#)
32. Alves-Sampaio, A. *et al.* (2016) Biofunctionalized PEDOT-coated microfibers for the treatment of spinal cord injury. [Biomaterials. 89: 98-113.](#)
33. Wang, J. *et al.* (2016) Nafamostat mesilate protects against acute cerebral ischemia via blood-brain barrier protection. [Neuropharmacology. 105: 398-410.](#)

34. Takahashi Y *et al.* (2016) Rituximab protects podocytes and exerts anti-proteinuric effects in rat adriamycin-induced nephropathy independent of B-lymphocytes. [Nephrology \(Carlton\). Feb 2. \[Epub ahead of print\]](#)
35. Cutiongco, M.F. *et al.* (2016) Planar and tubular patterning of micro and nano-topographies on poly(vinyl alcohol) hydrogel for improved endothelial cell responses. [Biomaterials. 84: 184-95.](#)
36. Nozawa-Inoue, K. *et al.* (2016) Contribution of synovial lining cells to synovial vascularization of the rat temporomandibular joint. [J Anat. 228 \(3\): 520-9.](#)
37. Nakano, A. *et al.* (2016) Short-term treatment with VEGF receptor inhibitors induces retinopathy of prematurity-like abnormal vascular growth in neonatal rats. [Exp Eye Res. 143: 120-31.](#)
38. Garbelli, R. *et al.* (2015) PDGFR $\beta$ (+) cells in human and experimental neuro-vascular dysplasia and seizures. [Neuroscience. 306: 18-27.](#)
39. Walker, C.L. *et al.* (2015) Biphasic bisperoxovanadium administration and Schwann cell transplantation for repair after cervical contusive spinal cord injury. [Exp Neurol. 264: 163-72.](#)
40. Wakamatsu, A. *et al.* (2016) Role of calcineurin (CN) in kidney glomerular podocyte: CN inhibitor ameliorated proteinuria by inhibiting the redistribution of CN at the slit diaphragm. [Physiol Rep. 4 \(6\): pii: e12679.](#)
41. Holmström, E.J. *et al.* (2016) Simvastatin Treatment Upregulates Anti-Fibrotic Bone Morphogenetic Protein-7 Expression at Rat Cardiac Allograft Rejection. [Pharmacology. 98 \(5-6\): 204-208.](#)
42. Liberini Claudia G. *et al.* (2016) The satiating hormone amylin enhances neurogenesis in the area postrema of adult rats [Molecular Metabolism. Jul 5 \[Epub ahead of print\]](#)
43. Badner A *et al.* (2016) Early Intravenous Delivery of Human Brain Stromal Cells Modulates Systemic Inflammation and Leads to Vasoprotection in Traumatic Spinal Cord Injury. [Stem Cells Transl Med. 5 \(8\): 991-1003.](#)
44. Hartner, A. *et al.* (2016) Impaired Neovascularization and Reduced Capillary Supply in the Malignant vs. Non-malignant Course of Experimental Renovascular Hypertension [Frontiers in Physiology. 7: 730.](#)
45. Szmydynger-Chodobska, J. *et al.* (2016) The Involvement of Pial Microvessels in Leukocyte Invasion after Mild Traumatic Brain Injury. [PLoS One. 11 \(12\): e0167677.](#)
46. Morita, T. *et al.* (2016) Intravenous infusion of mesenchymal stem cells promotes functional recovery in a model of chronic spinal cord injury. [Neuroscience. 335: 221-31.](#)
47. Takahashi, T. *et al.* (2017) Methylmercury Causes Blood-Brain Barrier Damage in Rats via Upregulation of Vascular Endothelial Growth Factor Expression. [PLoS One. 12 \(1\): e0170623.](#)
48. Raissadati, A. *et al.* (2017) Vascular Endothelial Growth Factor-B Overexpressing Hearts Are Not Protected From Transplant-Associated Ischemia-Reperfusion Injury. [Exp Clin Transplant. 15 \(2\): 203-12.](#)
49. Becchi, S. *et al.* (2017) Inhibition of semicarbazide-sensitive amine oxidase/vascular adhesion protein-1 reduces lipopolysaccharide-induced neuroinflammation. [Br J Pharmacol. 174 \(14\): 2302-17.](#)
50. Nakamura, K. *et al.* (2014) Soluble thrombomodulin attenuates sinusoidal obstruction syndrome in rat through suppression of high mobility group box 1. [Liver Int. 34 \(10\): 1473-87.](#)
51. Acosta, S.A. *et al.* (2019) Endothelial Progenitor Cells Modulate Inflammation-

- Associated Stroke Vasculome. [Stem Cell Rev. Feb 09 \[Epub ahead of print\]](#).
52. van Vliet, E.A. *et al.* (2020) Long-lasting blood-brain barrier dysfunction and neuroinflammation after traumatic brain injury. [Neurobiol Dis. 145: 105080.](#)
53. Menezes, K. *et al.* (2020) Human mesenchymal stromal/stem cells recruit resident pericytes and induce blood vessels maturation to repair experimental spinal cord injury in rats. [Sci Rep. 10 \(1\): 19604.](#)
54. Kim, S.W. *et al.* (2020) Ninjurin 1 dodecamer peptide containing the N-terminal adhesion motif (N-NAM) exerts proangiogenic effects in HUVECs and in the postischemic brain. [Sci Rep. 10 \(1\): 16656.](#)
55. Hu, J. *et al.* (2015) 3D angioarchitecture changes after spinal cord injury in rats using synchrotron radiation phase-contrast tomography. [Spinal Cord. 53 \(8\): 585-90.](#)
56. Taguchi, D. *et al.* (2020) Microhemorrhage in a Rat Model of Neonatal Shaking Brain Injury: Correlation between MRI and Iron Histochemistry. [Acta Histochem Cytochem. 53 \(4\): 83-91.](#)
57. Nakano, A. *et al.* (2020) Changes in components of the neurovascular unit in the retina in a rat model of retinopathy of prematurity. [Cell Tissue Res. 379 \(3\): 473-86.](#)
58. Mori, A. *et al.* (2021) Impairment of endothelium-dependent vasodilator function of retinal blood vessels in adult rats with a history of retinopathy of prematurity [J Pharmacol Sci. May 7 \[Epub ahead of print\]](#).
59. Okumura, S. *et al.* (2017) Liver graft preservation using perfluorocarbon improves the outcomes of simulated donation after cardiac death liver transplantation in rats. [Liver Transpl. 23 \(9\): 1171-85.](#)

---

**Storage** This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

---

**Guarantee** 12 months from date of despatch

---

**Health And Safety Information** Material Safety Datasheet documentation #10040 available at: <https://www.bio-rad-antibodies.com/SDS/MCA970GA>  
10040

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

- Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
- Goat Anti Mouse IgG IgA IgM (STAR87...) [HRP](#)
- Goat Anti Mouse IgG (STAR76...) [RPE](#)
- Goat Anti Mouse IgG (STAR70...) [FITC](#)
- Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
- Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)

Rabbit Anti Mouse IgG (STAR9...) [FITC](#)  
Goat Anti Mouse IgG (STAR77...) [HRP](#)  
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®550](#),  
[DyLight®650](#), [DyLight®680](#), [DyLight®800](#),  
[FITC](#), [HRP](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M381551:210512'

**Printed on 18 Feb 2025**

---

© 2025 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)