

# Datasheet: MCA986 BATCH NUMBER 1705

Description:	MOUSE ANTI HUMAN HLA B7		
Specificity:	HLA B7		
Format:	Purified		
Product Type:	Monoclonal Antibody		
Clone:	BB7.1		
Isotype:	lgG1		
Quantity:	0.2 mg		

# **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				1/50
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation			•	
Western Blotting				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human		
Species Cross Reactivity	Reacts with: Cynomolgus monkey  N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.		
Product Form	Purified IgG - liquid		
Preparation	Purified IgG prepared by affinity chromatography on Protein A.		

Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide		
Carrier Free	Yes		
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml		
Immunogen	Papain solubilized HLA-B7 antigen		
External Database Links	UniProt: P01889 Related reagents  Entrez Gene:		
	3106 HLA-B Related reagents		
Synonyms	HLAB		
RRID	AB_322227		
Specificity	Mouse anti Human HLA B7 antibody, clone BB7.1 recognizes the HLA B7 antigen and does not cross-react with HLA B27 or other related antigens. It can be used to distinguish true HLA B27 positives from false HLA B27 positives (i.e. HLA B7 positive) in the investigation of diseases such as ankylosing spondylitis and anterior uveitis. The major histocompatibility complex (MHC) is a cluster of genes that are important in the immune response to infections. In humans, this complex is referred to as the human leukocyte antigen (HLA) region. There are 3 major MHC class I proteins encoded by the HLA which are HLA A, HLA B and HLA C.		
	The HLA B gene is part of the human HLA complex on chromosome 6 and there are a large number of variant alleles of this gene.		
Flow Cytometry	Use 10ul of the suggested working dilution to label 1 x $10^6$ cells or 100ul whole blood.		
References	1. Brodsky, F.M. <i>et al.</i> (1979) Monoclonal antibodies for analysis of the HLA system. <a href="Immunol Rev. 47: 3-61">Immunol Rev. 47: 3-61</a> .  2. Yoshino N <i>et al.</i> (2000) Upgrading of flow cytometric analysis for absolute counts, cytokines and other antigenic molecules of cynomolgus monkeys ( <i>Macaca fascicularis</i> ) by using anti-human cross-reactive antibodies. <a href="Exp Anim. 49">Exp Anim. 49</a> (2): 97-110.  3. Anania, V.G. & Coscoy, L. (2011) Palmitoylation of MIR2 is required for its function. <a href="July Virol. 85">July Virol. 85</a> (5): 2288-95.  4. Bonaparte, M.I. and Barker, E. (2004) Killing of human immunodeficiency virus-infected primary T-cell blasts by autologous natural killer cells is dependent on the ability of the virus to alter the expression of major histocompatibility complex class I molecules. <a href="Blood.104: 2087-94">Blood. 104: 2087-94</a> .  5. Dellgren, C. <i>et al.</i> (2016) Low Constitutive Cell Surface Expression of HLA-B Is Caused		

by a Posttranslational Mechanism Involving Glu180 and Arg239. <u>J Immunol. 197 (12):</u>

4807-4816.

Storage Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may

denature the antibody. Should this product contain a precipitate we recommend

microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/MCA986

10040

**Regulatory** For research purposes only

### Related Products

## **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) HRP

Goat Anti Mouse IgG (STAR76...) RPE

Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Goat Anti Mouse IgG (STAR77...) HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR13...) HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

### **Recommended Negative Controls**

#### MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M369230:200529'

#### Printed on 26 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint