

Datasheet: MCA987T BATCH NUMBER 156732

Description:	MOUSE ANTI HUMAN TCR ALPHA CHAIN
Specificity:	TCR ALPHA
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	3A8
Isotype:	lgG2a
Quantity:	50 µg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry		•		
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	Does not react with:Mouse, Rat
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared from ascites by affinity chromatography on Protein A
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide 0.5% Bovine Serum Albumin

Approx. Protein Concentrations	IgG concentration 0.1 mg/ml
External Database Links	UniProt: P01848 Related reagents
	Entrez Gene: 28755 TRAC Related reagents
Synonyms	TCRA
RRID	AB_322682
Specificity	Mouse anti Human TCR alpha Chain antibody, clone 3A8 reacts with the alpha chain constant region found on all alpha/beta TCR bearing T-lymphocytes. It reacts with 92-989 of all CD3 + peripheral blood lymphocytes.
Further Reading	 Minami, Y. et al. (1987) Building a multichain receptor: synthesis, degradation, and assembly of the T-cell antigen receptor. Proc Natl Acad Sci U S A. 84 (9): 2688-92. Koning, F. et al. (1988) The biosynthesis and assembly of T cell receptor alpha- and beta-chains with the CD3 complex. J Immunol. 140 (9): 3126-34. van Dongen, J.J. et al. (1987) T cell receptor-CD3 complex during early T cell differentiation. Analysis of immature T cell acute lymphoblastic leukemias (T-ALL) at DNA RNA, and cell membrane level. J Immunol. 138 (4): 1260-9.
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA987T

Related Products

Regulatory

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)

Goat Anti Mouse IgG IgA IgM (STAR87...) HRP

Goat Anti Mouse IgG (STAR76...)

RPE

Goat Anti Mouse IgG (STAR70...)

Rabbit Anti Mouse IgG (STAR13...)

Goat Anti Mouse IgG (Fc) (STAR120...)

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...)

FITC

10041

For research purposes only

Goat Anti Mouse IgG (STAR77...) HRP

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M369237:200529'

Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint