Datasheet: OBT0012 BATCH NUMBER 155404

Description:	MOUSE ANTI HUMAN TdT:FITC
Specificity:	TdT
Other names:	TERMINAL DEOXYNUCLEOTIDYL TRANSFERASE
Format:	FITC
Product Type:	Monoclonal Antibody Panel
Clone:	HT-1, HT-4, HT-8, HT-9
Isotype:	Cocktail
Quantity:	25 μg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal								
	communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>								
	rad-antibodies.com/protocols.								
		Yes No	Not Determined	Suggested Dilution					
	Flow Cytometry (1)	•		Neat					
	Immunohistology - Frozen								
	Immunohistology - Paraffi	n							
	ELISA								
	Where this product has	Where this product has not been tested for use in a particular technique this does not							
	necessarily exclude its	necessarily exclude its use in such procedures. Suggested working dilutions are given as							
	a guide only. It is recommended that the user titrates the product for use in their own								
	a quide only. It is recom	mended that the	user titrates the product	for use in their own					
	v		•	for use in their own					
	system using appropria	te negative/positi	ve controls.						
	system using appropria (1) Membrane permea	te negative/positi bilisation is requ	ve controls. uired for this application	n. Bio-Rad					
	system using appropria (1) Membrane permea	te negative/positi bilisation is requ	ve controls.	n. Bio-Rad					
Target Species	system using appropria (1) Membrane permea	te negative/positi bilisation is requ	ve controls. uired for this application	n. Bio-Rad					
Target Species Product Form	system using appropria (1) Membrane permea recommends the use Human	te negative/positi bilisation is requ of Leucoperm™	ve controls. uired for this application	n. Bio-Rad for this purpose.					
	system using appropria (1) Membrane permea recommends the use Human Purified IgG conjugated	te negative/positi bilisation is requ of Leucoperm™	ve controls. uired for this application (Product Code <u>BUF09</u>) sothiocyanate Isomer 1 (F	n. Bio-Rad for this purpose.					
Product Form	system using appropria (1) Membrane permea recommends the use Human Purified IgG conjugated	te negative/positi bilisation is requ of Leucoperm™ to Fluorescein Is	ve controls. uired for this application (Product Code <u>BUF09</u>) sothiocyanate Isomer 1 (F	n. Bio-Rad for this purpose.					
Product Form	system using appropria (1) Membrane permea recommends the use Human Purified IgG conjugated Fluorophore	te negative/positi bilisation is requ of Leucoperm™ to Fluorescein Is Excitation Max (ni 490	ve controls. Jired for this application (Product Code <u>BUF09</u>) sothiocyanate Isomer 1 (F m) Emission Max (nm)	n. Bio-Rad for this purpose.					
Product Form Max Ex/Em	system using appropria (1) Membrane permea recommends the use Human Purified IgG conjugated Fluorophore FITC	te negative/positiv bilisation is requ of Leucoperm™ to Fluorescein Is Excitation Max (ni 490	ve controls. Jired for this application (Product Code <u>BUF09</u>) sothiocyanate Isomer 1 (F m) Emission Max (nm)	n. Bio-Rad for this purpose.					

Approx. Protein Concentrations	IgG concentration 50.0 ug/ml
External Database Links	UniProt: P04053 Related reagents Entrez Gene: 1791 DNTT Related reagents
Synonyms	TDT
RRID	AB_609798
Specificity	Mouse anti Human TdT antibody panel, clones HT-1, HT-4, Ht-8 and HT-9 is a mixture of 4 monoclonal antibodies specific for human terminal deoxynucleotidyl transferase (TdT). TdT is a DNA polymerase responsible for the catalysis of non-reversible addition of deoxynucleotides to the 3' end hydroxy groups of DNA. TdT levels are enhanced in all forms of acute lymphoblastic leukaemia (ALL) and in a significant number of chronic lymphoblastic leukaemia cases (CML). TdT is not expressed in the majority of myeloid leukaemias, non-Hodgkins lymphomas or mature lymphoid leukaemias.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.
References	1. Wolgast, L.R. <i>et al.</i> (2011) Spectrin isoforms: differential expression in normal hematopoiesis and alterations in neoplastic bone marrow disorders. <u>Am J Clin Pathol.</u> <u>2011 Aug;136(2):300-8.</u>
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	Guaranteed until date of expiry. Please see product label.
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/OBT0012 10041
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-r	Worldwide ad.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-	Europe rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-ra	To ^{d.} ფეუკე		
batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M360170:191030'								

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint