

Datasheet: OBT1500P

BATCH NUMBER 157477

Description:	DONKEY ANTI GOAT IgG:HRP (MULTI SPECIES ADSORBED)
Specificity:	IgG
Format:	HRP
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.5 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen	▪			1/500 - 1/5,000
Immunohistology - Paraffin	▪			1/500 - 1/5,000
ELISA	▪			1/5,000 - 1/100,000
Immunoprecipitation			▪	
Western Blotting	▪			1/5,000 - 1/100,000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Goat
Product Form	Purified IgG conjugated to Horseradish Peroxidase (HRP) - lyophilised
Reconstitution	Reconstitute with 0.5 ml distilled water Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.
Preparation	Purified IgG prepared by affinity chromatography
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	1.5% Bovine Serum Albumin

Approx. Protein Concentrations	IgG concentration 0.8 mg/ml after reconstitution
RRID	AB_616828
Specificity	Donkey anti goat IgG antibody recognizes goat immunoglobulin G. This antibody has been absorbed against human, rabbit, rat, horse, guinea pig, hamster, chicken and mouse to minimize naturally occurring cross reactivities.
References	<ol style="list-style-type: none"> 1. Maas, C. <i>et al.</i> (2010) Activated factor V is a cofactor for the activation of factor XI by thrombin in plasma. Proc Natl Acad Sci U S A. 2010 May 18;107(20):9083-7. 2. Rau, J.C.<i>et al.</i> (2009) Heparin cofactor II in atherosclerotic lesions from the Pathobiological Determinants of Atherosclerosis in Youth (PDAY) study. Exp Mol Pathol. 87: 178-83. 3. Guitton, C. <i>et al.</i> (2011) Protective cross talk between activated protein C and TNF signaling in vascular endothelial cells: implication of EPCR, noncanonical NF-κB, and ERK1/2 MAP kinases. Am J Physiol Cell Physiol. 300: C833-42. 4. Elders, R.C. <i>et al.</i> (2014) Recombinant canine IgE Fc and an IgE Fc-TRAIL fusion protein bind to neoplastic canine mast cells. Vet Immunol Immunopathol. 159 (1-2): 29-40. 5. Riesbeck, K. & Forsgren, A. (2016) Interaction of <i>Moraxella catarrhalis</i> with Epithelial Cells, Extracellular Matrix Proteins and the Complement System. Patent Application Publication No. 20160318979 6. Tamarozzi, F. <i>et al.</i> (2014) A lack of confirmation with alternative assays questions the validity of IL-17A expression in human neutrophils using immunohistochemistry. Immunol Lett. 162 (2 Pt B): 194-8. 7. Nicol, M.Q. <i>et al.</i> (2019) Lack of IFNγ signaling attenuates spread of influenza A virus in vivo and leads to reduced pathogenesis. Virology. 526: 155-64.
Storage	<p>Prior to reconstitution store at +4°C.</p> <p>After reconstitution store at -20°C.</p> <p>Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	<p>Material Safety Datasheet documentation #10363 available at: https://www.bio-rad-antibodies.com/SDS/OBT1500P</p> <p>10363</p>
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

[AbGUARD® HRP STABILIZER PLUS \(BUF052A\)](#)
[AbGUARD® HRP STABILIZER PLUS \(BUF052B\)](#)
[AbGUARD® HRP STABILIZER PLUS \(BUF052C\)](#)
[TMB CORE \(BUF056A\)](#)

[TMB CORE+ \(BUF062A\)](#)
[TMB SIGNAL+ \(BUF054A\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M378970:210319'

Printed on 25 Mar 2023

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)