

Datasheet: PBP034

Description:	RECOMBINANT BOVINE INSULIN-LIKE GROWTH FACTOR I
Name:	IGF-I
Other names:	SOMATOMEDIN C
Format:	Rec. Protein
Product Type:	Recombinant Protein
Quantity:	5 µg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			
Western Blotting	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Bovine
Product Form	Purified recombinant protein - lyophilized
Reconstitution	Reconstitute with 20 µl sterile PBS containing 0.1% carrier protein Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.
Preparation	Recombinant protein expressed in <i>Pichia pastoris</i> and purified by ion-exchange chromatography
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	10% Trehalose
External Database Links	<p>UniProt: P07455 Related reagents</p> <p>Entrez Gene: 281239 IGF1 Related reagents</p>

Product Information **Recombinant Bovine insulin-like growth factor I (IGF-I)** is a recombinant protein corresponding to aa 50-119 of native bovine IGF-I.

IGF-I is a secreted mitogenic polypeptide and member of the insulin gene family, produced primarily by the liver, which effects a wide range of cells and plays a key role in cell proliferation and growth, inhibition of apoptosis, and is linked with tumor cell growth.

IGF-I signals by binding to the type 1 insulin-like growth factor receptor (IGF-IR) and also to the insulin receptor (IR), resulting in the activation of the AKT signaling pathway. IGF-I production is stimulated by growth hormone (GH) and can be hindered by GH insensitivity, deficiency in GH receptors or a malfunction in the post GH receptor signalling pathway.

Protein Molecular Weight	7.6 kDa
---------------------------------	---------

Purity	>95% by SDS PAGE analysis
---------------	---------------------------

ELISA	This reagent may be used as a standard in a sandwich ELISA assay in conjunction with AHP2372 as a coating antibody and AHP2372B as a detection antibody.
--------------	--

Storage	Prior to reconstitution store at -20°C. After reconstitution store at -20°C. Storage in frost-free freezers is not recommended. This product should be stored undiluted.
----------------	--

Guarantee	12 months from date of despatch
------------------	---------------------------------

Health And Safety Information	Material Safety Datasheet documentation #10591 available at: 10591: https://www.bio-rad-antibodies.com/uploads/MSDS/10591.pdf
--------------------------------------	--

Regulatory	For research purposes only
-------------------	----------------------------

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M334958:181203'

Printed on 01 May 2020

© 2020 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)