Datasheet: PHP100 BATCH NUMBER 080515

Description:	RECOMBINANT HUMAN INTERLEUKIN-12
Name:	IL-12
Format:	Rec. Protein
Product Type:	Recombinant Protein
Quantity:	10 µg

Product Details

Applications	This product has been r derived from testing with communications from th information. For general rad-antibodies.com/prot	nin our lab le originato l protocol r	oratories, ors. Please	peer-reviewed publica e refer to references in	tions or personal dicated for further	
	.	Yes	No	Not Determined	Suggested Dilution	
	ELISA	-			0.2 - 0.4 ng/well	
	Western Blotting	•			1.5 - 3.0 ng/lane	
	Functional Assays	•			0.1 - 10 ng/ml	
	Where this protein has not been tested for use in a particular technique this does not					
	necessarily exclude its a guide only. It is recom system using appropriat	mended th	nat the use	er titrates the product f		
Target Species	Human					
Product Form	Purified recombinant pro	otein - Iyop	hilised			
Reconstitution	Reconstitute with 50ul sterile PBS. For extended storage, the addition of 0.1% bovine serum albumin is recommended.					
	Care should be taken de bottom of the vial. Bio-F Do not vortex.	-				
Preparation	Purified recombinant Hucells.	uman Inter	leukin-12	expressed in Chinese	Hamster Ovary (CHO)	
Buffer Solution	Phosphate buffered sali	ne				
Preservative Stabilisers	None present					

Carrier Free	Yes
Endotoxin Level	< 0.1 ng/ug
Approx. Protein Concentrations	0.2 mg/ml after reconstitution
External Database Links	UniProt:P29460Related reagentsP29459Related reagentsEntrez Gene:3593IL12BRelated reagents3592IL12ARelated reagents
Synonyms	NKSF1, NKSF2
Product Information	Recombinant human Interleukin-12 (IL-12) produced in CHO cells is a ~75 kDa glycoprotein comprised of disulfide-linked 35kDa (p35) and 40kDa (p40) subunits.
	IL-12 is produced by activated B lymphocytes and macrophages. The properties of IL-12 include the stimulation of growth of activated T lymphocytes, and actions in the development of Th1 CD4 +ve cells and CD8 +ve cytotoxic T cells. IL-12 also promotes activity and division of NK cells and promotes formation of TH1 cells producing &gamma-interferon.
Protein Molecular Weight	75kDa (503 Amino acid sequence)
Purity	>98% by SDS PAGE and HPLC analysis
ELISA	Recombinant human IL-12 may be used as a standard for ELISA applications with either anti-human IL-12:purified (AHP779) or anti-human IL-12:biotin conjugate (AHP779B).
Western Blotting	Recombinant human IL-12 may be used as the positive control for western blotting applications with either <u>anti-human IL-12:purified</u> (AHP779) or <u>anti-human IL-12:biotin</u> <u>conjugate</u> (AHP779B).
Storage	Prior to reconstitution store at -20°C. Following reconstitution store at -20°C.
	This product should be stored undiluted.
	Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.

Informati	on	https://www.bio-rad- 10527	antibodies.com/SDS/PHP	<u>100</u>	
Regulatory For res		For research purpos	es only		
North & South America	Tel: +1 800 265 73 Fax: +1 919 878 3		Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50
		ales us@bio-rad.com	Email: antibody sales uk@bio	-rad com	Email: antibody sales de@bio-rad.com

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint