

## Datasheet: PHP125

<b>Description:</b>	RECOMBINANT HUMAN CD253
<b>Name:</b>	CD253
<b>Other names:</b>	TRAIL
<b>Format:</b>	Rec. Protein
<b>Product Type:</b>	Recombinant Protein
<b>Quantity:</b>	50 µg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			0.2 - 0.4ng/well
Western Blotting	▪			1.5 - 3.0ng/lane
Functional Assays	▪			0.2 - 20ng/ml

Where this protein has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the protein for use in their own system using appropriate positive/negative controls.

#### Target Species

Human

#### Species Cross Reactivity

Reacts with: Mouse

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

#### Product Form

Purified recombinant protein - lyophilized

#### Reconstitution

Reconstitute with 0.1 ml distilled water. For extended storage, the addition of 0.1% BSA is recommended.

Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.

#### Preparation

Recombinant protein expressed in *E.coli*

#### Source

*E.coli*

<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	None present
<b>Carrier Free</b>	Yes
<b>Endotoxin Level</b>	< 0.1 ng/ug
<b>Approx. Protein Concentrations</b>	0.5 mg/ml after reconstitution.
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P50591</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">8743</a>    TNFSF10    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	APO2L, TRAIL
<b>Product Information</b>	<p><b>Recombinant human CD253</b> is a 19.6 kDa protein comprised of 168 amino acids which correspond to the TNF-homologous region of the extracellular domain of human TRAIL/ApoL2.</p> <p>TNF-related apoptosis-inducing ligand (TRAIL) is expressed in many tissues including spleen, lung and prostate (<a href="#">Wiley et al, 1995</a>) and is capable of inducing apoptosis in a tumor specific manner (<a href="#">Walczak et al, 1997</a>). Apoptosis is initiated by the binding of the two death receptors DR4 and DR5 which initiate cell death signaling via the caspase cascade. There are however two decoy receptors DcR1 and DcR2 which competitively bind to CD253 but do not initiate apoptosis (<a href="#">Allen and El-Deiry, 2012</a>).</p> <p>A potential use for TRAIL as an anti-tumor therapeutic agent has been identified, demonstrating tumoricidal activity in approximately two thirds of tumor cell lines tested (<a href="#">Griffith et al, 1999</a>).</p> <p>Recombinant human CD253 is the immunogen used to produce Rabbit anti human CD253 (<a href="#">AHP1215</a>).</p>
<b>Protein Molecular Weight</b>	19.6kD (169 amino acid sequence)
<b>Purity</b>	>98% by SDS PAGE and HPLC analysis
<b>ELISA</b>	Recombinant human CD253 may be used as a standard for ELISA applications with <a href="#">anti human CD253 (purified)</a>
<b>Western Blotting</b>	Recombinant human CD253 may be used as the positive control for western blotting applications with <a href="#">anti human CD253 (purified)</a>

---

**References**

1. Bumdelger, B. *et al.* (2016) Osteoprotegerin Prevents Development of Abdominal Aortic Aneurysms. [PLoS One. 11 \(1\): e0147088.](#)
2. Kamata, R. *et al.* (2016) EPA Prevents the Development of Abdominal Aortic Aneurysms through Gpr-120/Ffar-4. [PLoS One. 11 \(10\): e0165132.](#)

---

**Storage** Prior to reconstitution store at -20°C. Following reconstitution store at -20°C.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Guarantee** Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.

---

**Health And Safety Information** Material Safety Datasheet documentation #10527 available at: <https://www.bio-rad-antibodies.com/SDS/PHP125>  
10527

---

**Regulatory** For research purposes only

---

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)  
'M420097:230706'

**Printed on 12 Aug 2023**

---

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)