Datasheet: PHP200 BATCH NUMBER 157262

Description:	RECOMBINANT HUMAN RESISTIN	
Name:	RESISTIN	
Other names:	ADIPOSE TISSUE-SPECIFIC SECRETORY FACTOR	
Format:	Rec. Protein	
Product Type:	Recombinant Protein	
Quantity:	25 µg	

Product Details

Applications	This product has been re derived from testing with communications from the	in our lab	oratories,	peer-reviewed publicat	tions or personal	
	information. For general protocol recommendations, please visit <u>www.bio-</u>					
	rad-antibodies.com/protocols.					
		Yes	No	Not Determined	Suggested Dilution	
	ELISA	-			0.2 - 0.4ng/well	
	Western Blotting	-			1.5 - 3.0ng/lane	
	Functional Assays	-				
	Where this product has not been tested for use in a particular technique this does not					
	necessarily exclude its use in such procedures. Suggested working dilutions are given as					
	a guide only. It is recomr	mended th	at the use	er titrates the product for	or use in their own	
	system using appropriate negative/positive controls.					
	, , , , , , , , , , , , , , , , , , , ,	5	• 1			
Target Species	Human					
Product Form	Purified recombinant protein - lyophilized					
Reconstitution	Reconstitute with 250 ul distilled water. Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.					
Preparation	Purified recombinant resistin expressed in <i>E.coli</i>					
Buffer Solution	10mM Sodium Citrate					
Preservative Stabilisers	None present					
Carrier Free	Yes					

Endotoxin Level	< 1.0 EU/ug				
Approx. Protein Concentrations	Total protein concentration 0.1 mg/ml after reconstitution				
External Database Links	UniProt: <u>Q9HD89</u> <u>Related reagents</u>				
	Entrez Gene: 56729 RETN <u>Related reagents</u>				
Synonyms	FIZZ3, HXCP1, RSTN				
Product Information	Human resistin, a disulfide-linked homodimeric protein otherwise known as adipose tissue-specific secretory factor, is an adipose-derived hormone and member of the resistin/FIZZ family, implicated as a suppressor of the ability of insulin to reduce blood sugar, and to play a role in type 2 diabetes and obesity.				
	Resistin is involved in an increase in the transcription/expression of many pro-inflammatory cytokines, including interleukin-1,-6 and -12, and also upregulates vascular cell-adhesion molecule-1 (VCAM-1), intracellular adhesion molecule-1 (ICAM-1) and monocyte chemotactic protein-1 (MCP-1/CCL2).				
Protein Molecular Weight	19.5 kDa				
Activity	Determined by its ability to stimulate lipolysis in cultured human adipocytes				
Purity	>98% by SDS PAGE and HPLC analysis				
Storage	Prior to reconstitution store at -20°C. After reconstitution store at -20°C. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should				
	this product contain a precipitate we recommend microcentrifugation before use.				
Guarantee	Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.				
Health And Safety Information	Material Safety Datasheet documentation #10175 available at: https://www.bio-rad-antibodies.com/SDS/PHP200 10175				
Regulatory	For research purposes only				
th & South Tel: +1 800 265 3	7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21				

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

Email: antibody_sales_us@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M362370:200501'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint