

Datasheet: PHP211

Description:	RECOMBINANT HUMAN DEFENSIN BETA 3
Name:	DEFENSIN BETA 3
Other names:	BD-3
Format:	Rec. Protein
Product Type:	Recombinant Protein
Quantity:	20 µg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			0.2 - 0.4ng/well
Western Blotting	▪			1.5 - 3.0ng/lane
Functional Assays	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified recombinant protein - lyophilized
Reconstitution	<p>Reconstitute with 20 ul 10mM acetic acid. Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.</p> <p>N.B. For long term storage, further dilutions may be made in buffer containing 0.1% bovine serum albumin (BSA).</p>
Preparation	Purified recombinant defensin beta 3 expressed in <i>E.coli</i>
Source	<i>E.coli</i>
Preservative Stabilisers	None present
Carrier Free	Yes

Endotoxin Level	< 1.0 EU/ug
Approx. Protein Concentrations	1.0 mg/ml after reconstitution
External Database Links	<p>UniProt: P81534 Related reagents</p> <p>Entrez Gene: 55894 DEFB103B Related reagents</p>
Synonyms	BD3, DEFB103, DEFB3
Product Information	Defensin beta 3 (BD-3) is a cationic non-haemolytic antimicrobial peptide and member of the beta-defensin family, highly expressed by skin and tonsils, which plays an important role in the innate immune response to potentially pathogenic microbes, including multiresistant <i>S. aureus</i> and vancomycin-resistant <i>E. faecium</i> .
Protein Molecular Weight	5.1 kDa (45 amino acid residues)
Activity	Exhibits chemotactic activity on monocytes
Purity	>98% by SDS PAGE and HPLC analysis
ELISA	PHP211 may be used in ELISA applications with AHP1802 .
Western Blotting	PHP211 may be used under reducing or non-reducing western blotting conditions with AHP1802 .
References	1. Boesch, A.W. <i>et al.</i> (2013) A Multiplexed Assay to Detect Antimicrobial Peptides in Biological Fluids and Cell Secretions. J Immunol Methods. pii: S0022-1759(13)00241-X.
Storage	<p>Prior to reconstitution store at -20°C.</p> <p>After reconstitution store at -20°C.</p> <p>Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10268 available at: https://www.bio-rad-antibodies.com/SDS/PHP211 10268
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

[RABBIT ANTI HUMAN DEFENSIN BETA 3 \(AHP1802\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M420117:230706'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)