

Datasheet: PHP220

Description:	RECOMBINANT HUMAN M-CSF
Name:	M-CSF
Other names:	MACROPHAGE COLONY-STIMULATING FACTOR
Format:	Rec. Protein
Product Type:	Recombinant Protein
Quantity:	10 µg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			0.2 - 0.4ng/well
Western Blotting	▪			1.5 - 3.0ng/lane
Functional Assays	▪			1.0 - 10.0ng/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified recombinant protein - lyophilized
Reconstitution	<p>Reconstitute with 0.1 ml distilled water. For extended storage the addition of 0.1% BSA is recommended.</p> <p>Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.</p>
Preparation	Purified recombinant M-CSF expressed in <i>E.coli</i>
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None present
Carrier Free	Yes

Endotoxin Level	< 1.0 EU/ug
Approx. Protein Concentrations	0.1 mg/ml after reconstitution
External Database Links	<p>UniProt: P09603 Related reagents</p> <p>Entrez Gene: 1435 CSF1 Related reagents</p>
Product Information	<p>M-CSF (Macrophage colony-stimulating factor) is a potent lineage restricted haematopoietic growth factor and member of the CSF family of hormone-like glycoproteins, which plays a key role in the regulation of cellular differentiation, proliferation, and the survival of blood monocytes, tissue macrophages and their progenitor cells.</p> <p>Along with sRANKL/CD254/OPGL, M-CSF is essential for osteoclastogenesis, acting through the tyrosine kinase receptor c-fms (colony stimulating factor 1 receptor), and facilitates haematopoietic recovery following bone marrow transplantation.</p>
Protein Molecular Weight	36.8 kDa (159 amino acid homodimer)
Activity	The ED ₅₀ , determined by the dose-dependent stimulation of the proliferation of M-NSF-60 cells, was ≤ 1 ng/ml corresponding to a specific activity of ≥ 1 x 10 ⁶ units/mg.
Purity	≥ 98% by SDS PAGE and HPLC
ELISA	PHP220 may be used in ELISA applications with AHP1915 .
Western Blotting	PHP220 may be used under reducing or non-reducing western blotting conditions with AHP1915 .
Storage	<p>Prior to reconstitution store at +4°C.</p> <p>After reconstitution store at -20°C.</p> <p>Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	3 months from date of reconstitution
Health And Safety Information	Material Safety Datasheet documentation #10527 available at: 10527: https://www.bio-rad-antibodies.com/uploads/MSDS/10527.pdf
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

RABBIT ANTI HUMAN M-CSF (AHP1915)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M362377:200501'

Printed on 07 Jan 2022

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)