

## Datasheet: PHP250

**BATCH NUMBER 159854**

<b>Description:</b>	RECOMBINANT HUMAN CD54
<b>Name:</b>	CD54
<b>Other names:</b>	ICAM-1
<b>Format:</b>	Rec. Protein
<b>Product Type:</b>	Recombinant Protein
<b>Quantity:</b>	50 µg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			0.2 - 0.4ng/well
Western Blotting	▪			1.5 - 3.0ng/lane
Functional Assays	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified recombinant protein - lyophilized
<b>Reconstitution</b>	Reconstitute with 0.5 ml distilled water. Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.
<b>Preparation</b>	Purified recombinant CD54 expressed in CHO cells
<b>Buffer Solution</b>	10mM Sodium Phosphate
<b>Preservative Stabilisers</b>	None present
<b>Carrier Free</b>	Yes

<b>Endotoxin Level</b>	< 1.0 EU/ug
<b>Approx. Protein Concentrations</b>	0.1 mg/ml after reconstitution
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P05362</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">3383</a> ICAM1    <a href="#">Related reagents</a></p>
<b>Product Information</b>	<p>CD54, otherwise known as ICAM-1, is a widely expressed type I integral membrane glycoprotein and member of the immunoglobulin superfamily, which acts as a ligand for the leukocyte integrin LFA-1 (CD11a/CD18) and Mac-1 integrins, and is the major receptor for human rhinovirus. CD54 is highly expressed on activated endothelial cells and plays a role in transendothelial cell migration to sites of acute inflammation, functioning primarily as an adhesion molecule between endothelial cells and leucocytes, following injury or stress. Levels of soluble CD54 in serum, can be potentially used as an indication of infection, inflammation and certain tumours, and as a target for immunosuppression in transplantation.</p>
<b>Protein Molecular Weight</b>	49.5 kDa (453 amino acid residues)
<b>Activity</b>	CD54 supported the adhesion of more than 50% PMA-stimulated HSB2 cells to plates coated at a CD54 concentration of 25ng/ml.
<b>Purity</b>	>98% by SDS PAGE and HPLC analysis
<b>ELISA</b>	PHP250 may be used as a standard in ELISA applications involving <a href="#">AHP2183</a> or <a href="#">AHP2183B</a> .
<b>Western Blotting</b>	PHP250 may be used as a positive control for western blotting applications involving <a href="#">AHP2183</a> or <a href="#">AHP2183B</a> .
<b>Storage</b>	<p>Prior to reconstitution store at -20°C.  After reconstitution store at -20°C.  Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
<b>Guarantee</b>	Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.
<b>Health And Safety Information</b>	<p>Material Safety Datasheet documentation #10527 available at:  <a href="https://www.bio-rad-antibodies.com/SDS/PHP250">https://www.bio-rad-antibodies.com/SDS/PHP250</a>  10527</p>

**North & South** Tel: +1 800 265 7376

**Worldwide**

Tel: +44 (0)1865 852 700

**Europe**

Tel: +49 (0) 89 8090 95 21

**America** Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M414368:221206'

**Printed on 25 Mar 2023**

---

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)