

## Datasheet: PHP280

**BATCH NUMBER 172694**

<b>Description:</b>	NATIVE HUMAN KAPPA LIGHT CHAIN
<b>Name:</b>	KAPPA LIGHT CHAIN
<b>Format:</b>	Purified
<b>Product Type:</b>	Purified Protein
<b>Quantity:</b>	1 mg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified human kappa light chain - liquid
<b>Preparation</b>	Purified from human myeloma urine
<b>Preservative Stabilisers</b>	<0.1% Sodium Azide (NaN <sub>3</sub> )
<b>Approx. Protein Concentrations</b>	5.0 mg/ml
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P01834</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">3514</a>    IGKC    <a href="#">Related reagents</a></p>

**Storage** This product is shipped at ambient temperature. It is recommended to aliquot and store at

-20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

---

**Guarantee** 12 months from date of despatch

---

**Health And Safety Information** Material Safety Datasheet documentation #10112 available at: <https://www.bio-rad-antibodies.com/SDS/PHP280>

Donor material tested and found negative for HIV1 antigen, HIV antibodies and HBsAg.

As no test can completely guarantee this material to be free of pathogens it should be handled as potentially infectious.

---

**Regulatory** For research purposes only

---

**Product inquiries:** [www.bio-rad-antibodies.com/technical-support](http://www.bio-rad-antibodies.com/technical-support)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](http://bio-rad-antibodies.com/datasheets)  
'M426287:231207'

**Printed on 29 Jan 2026**

---

© 2026 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)