

## Datasheet: PHP280XZ

**BATCH NUMBER 169912**

<b>Description:</b>	NATIVE HUMAN KAPPA LIGHT CHAIN:Preservative Free
<b>Name:</b>	KAPPA LIGHT CHAIN
<b>Format:</b>	Preservative Free
<b>Product Type:</b>	Purified Protein
<b>Quantity:</b>	1 mg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified human kappa light chain - liquid
<b>Preparation</b>	Purified from human myeloma urine
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	None present
<b>Approx. Protein Concentrations</b>	5.0 mg/ml
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P01834</a>   <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">3514</a> IGKC   <a href="#">Related reagents</a></p>

**Storage** Store at -20°C only.  
Storage in frost-free freezers is not recommended.  
This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Guarantee** 12 months from date of despatch

---

**Health And Safety Information** Material Safety Datasheet documentation #10162 available at:  
<https://www.bio-rad-antibodies.com/SDS/PHP280XZ>

Donor material tested and found negative for HIV1 antigen, HIV antibodies and HBsAg.

As no test can completely guarantee this material to be free of pathogens it should be handled as potentially infectious.

---

**Regulatory** For research purposes only

---

**Product inquiries:** [www.bio-rad-antibodies.com/technical-support](http://www.bio-rad-antibodies.com/technical-support)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](http://bio-rad-antibodies.com/datasheets)  
'M426288:231207'

**Printed on 29 Jan 2026**

---

© 2026 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)