

Datasheet: PIP014

BATCH NUMBER 151308

Description:	NATIVE MUMPS VIRUS
Name:	MUMPS VIRUS
Format:	Inactivated Pathogen
Product Type:	Antigen
Quantity:	1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species

Viral

Product Form

Inactivated Mumps virus - liquid

Preparation

Mumps virus, Enders strain, cultured in BSC-1 cells. Optimally infected cells are harvested, disrupted by sonication in culture medium and subjected to low speed centrifugation. The supernatant from the infected culture is concentrated by crossflow ultrafiltration. The antigen preparation is inactivated using gamma radiation, which primarily damages viral genetic material.

Buffer Solution

Culture medium 1969B

Preservative Stabilisers

None present

Approx. Protein Concentrations

Total protein concentration 1.92 mg/ml

External Database Links

UniProt:

Synonyms	NP
-----------------	----

Product Information	<p>Native mumps virus preparation Native mumps virus contains a high concentration of virus and viral components. The preparation also contains some cellular material suspended in tissue culture medium (1969B).</p> <p>Mumps virus is a member of the <i>Paramyxoviridae</i> family and is the causative agent of mumps. Mumps is most typically characterised by painful swelling of the salivary glands and fever. In some adult men, the virus might also infect the testicles, rarely causing sterility. The virus is spread by airborne droplets from the nose or throat and can have an incubation period of up to three weeks. Infected individuals are contagious from approximately 6 days before until about 9 days after the onset of symptoms. The disease is self-limiting and treatment involves controlling specific symptoms. An effective vaccine exists and may be given separately or as part of the MMR vaccine.</p>
----------------------------	--

Activity	Antigenic activity is 124% of internal reference batch
-----------------	--

Instructions For Use	PIP014 should be sonicated immediately before use to ensure the preparation is uniform. The product may be used in a variety of immunoassay formats or may be further purified to meet the requirements of a particular assay format.
-----------------------------	---

References	1. Bhoj, V.G. <i>et al.</i> (2016) Persistence of long-lived plasma cells and humoral immunity in individuals responding to CD19-directed CAR T-cell therapy. Blood. 128 (3): 360-70.
-------------------	---

Storage	Store at -70°C. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the protein.
----------------	---

Guarantee	18 months from date of despatch
------------------	---------------------------------

Health And Safety Information	Material Safety Datasheet documentation #10286 available at: https://www.bio-rad-antibodies.com/SDS/PIP014 10286 This product has been rendered inactive by standard procedures. However this material should still be handled as infectious and should be disposed of appropriately.
--------------------------------------	---

Regulatory	For research purposes only
-------------------	----------------------------

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M360739:200117'

Printed on 06 May 2024

