

## Datasheet: PMP21 BATCH NUMBER 159703

Description:	RECOMBINANT MOUSE INTERLEUKIN-10
Name:	IL-10
Format:	Rec. Protein
Product Type:	Recombinant Protein
Quantity:	10 µg

## **Product Details**

Applications	•	This product has been reported to work in the following applications. This information is					
	derived from testing with	in our lab	oratories,	peer-reviewed publica	reviewed publications or personal		
	communications from th	communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>					
	information. For general						
	rad-antibodies.com/protocols.						
		Yes	No	Not Determined	Suggested Dilution		
	ELISA	•			0.2 - 0.4ng/well		
	Western Blotting	•			1.5 - 3.0ng/lane		
	Functional Assays	-			0.2 - 20ng/ml		
	Where this product has not been tested for use in a particular technique this does not						
	necessarily exclude its u	ise in sucl	n procedu	res. Suggested workin	g dilutions are given as		
	a guide only. It is recom	mended th	nat the use	er titrates the product f	or use in their own		
	system using appropriate negative/positive controls.						
Target Species	Mouse						
Product Form	Purified recombinant pro	otein expre	essed in <i>E</i>	. <i>coli</i> - lyophilized			
Reconstitution	Reconstitute with 0.1 ml protein may appear as a gently mixed after recon	i film at th			•		
Buffer Solution	5mM Sodium Phosphate	9					
Preservative Stabilisers	None present						
Carrier Free	Yes						
Endotoxin Level	< 0.1 ng/ug						
Approx. Protein	0.1 mg/ml after reconstit	ution					

## Concentrations

External Databases UniProt:   P18993 Related reagents   Synonyms II-10   Product Information LI-10 has a range of biological properties, including inhibition of macrophage mediated cytokine synthesis, suppression of the delayed type hypersensitivity response, and stimulation of the TH2 cell response.   Product Information LI-10 has a range of biological properties, including inhibition of macrophage mediated cytokine synthesis, suppression of the delayed type hypersensitivity response, and stimulation of the TH2 cell response.   Protein Molecular B.7 kDa (161 amino acid sequence)   Activity 5 x 10 <sup>5</sup> units/mg   Purity >98% by SDS PAGE and HPLC analysis   ELISA PMP21 may be used as a positive control for Western blotting applications with AAM32   References 1. Gelderborn, H. <i>et al.</i> (2007) Role of interleukin 10 during persistent infection with the relaying fever Spirochete Borrelia turicatae. Arm J Pathol. 170: 251-62.   Storage Prior to reconstitution store at -20°C. Following reconstitution store at -20°C.   Forences 1. Gelderborn, H. <i>et al.</i> (2007) Role of interleukin 10 during persistent infection with the relaying fever Spirochete Borrelia turicatae. Arm J Pathol. 170: 251-62.   Storage Prior to reconstitution store at -20°C. Following reconstitution store at -20°C.   This product should be stored undiluted Storage in frost free freezers is not reconstitution		
16153 110 Related reagents   Synonyms II-10   Product Information IL-10 has a range of biological properties, including inhibition of macrophage mediated cytokine synthesis, suppression of the delayed type hypersensitivity response, and a stimulation of the TH2 cell response.   ED50 is <2.0ng/ml, as determined by the dose dependent co-stimulation of MC/9 cells (with murine IL-4).   Protein Molecular Weight 18.7 kDa (161 amino acid sequence)   Activity 5 x 10 <sup>5</sup> units/mg   Purity >98% by SDS PAGE and HPLC analysis   ELISA PMP21 may be used as a standard for ELISA applications with AAM32   Western Blotting PMP21 may be used as a positive control for Western blotting applications with AAM32   References 1. Gelderblom, H. <i>et al.</i> (2007) Role of interleukin 10 during persistent infection with the relapsing fever Spirochete Borrelia turicatae. Am J Pathol. 170: 251-62.   Storage Prior to reconstitution store at -20°C. Following reconstitution store at -20°C.   This product should be stored undiluted Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.   Guaranteed Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety		
Product Information IL-10 has a range of biological properties, including inhibition of macrophage mediated cytokine synthesis, suppression of the delayed type hypersensitivity response, and stimulation of the TH2 cell response.   ED50 is <2.0ng/ml, as determined by the dose dependent co-stimulation of MC/9 cells (with murine IL-4).   Protein Molecular Weight 18.7 kDa (161 amino acid sequence)   Activity 5 x 10 <sup>5</sup> units/mg   Purity >98% by SDS PAGE and HPLC analysis   ELISA PMP21 may be used as a standard for ELISA applications with AAM32   Western Blotting PMP21 may be used as a positive control for Western blotting applications with AAM32   References 1. Gelderblom, H. <i>et al.</i> (2007) Role of interleukin 10 during persistent infection with the relapsing fever Spirochete Borrelia turicatae. Am J Pathol. 170: 251-62.   Storage Prior to reconstitution store at -20°C. Following reconstitution store at -20°C. This product should be stored undiluted   Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.   Guarantee Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Material Safety Datasheet documentation #10527 available at: <a href="https://www.bio-rad-antibodies.com/SDS/PMP21" https:="" pmp21"https:="" sds="" th="" w<="" www.bio-rad-antibodies.com=""><th></th><th></th></a>		
Initial and the set of t	Synonyms	II-10
(with murine IL-4).   Protein Molecular 18.7 kDa (161 amino acid sequence)   Activity 5 x 10 <sup>5</sup> units/mg   Purity >98% by SDS PAGE and HPLC analysis   ELISA PMP21 may be used as a standard for ELISA applications with AAM32   Western Blotting PMP21 may be used as a positive control for Western blotting applications with AAM32   References 1. Gelderblom, H. <i>et al.</i> (2007) Role of interleukin 10 during persistent infection with the relapsing fever Spirochete Borrelia turicatae. Am J Pathol. 170: 251-62.   Storage Prior to reconstitution store at -20°C. Following reconstitution store at -20°C. This product should be stored undiluted   Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.   Guarantee Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Material Safety Datasheet documentation #10527 available at: https://www.bio-rad-antibodies.com/SDS/PMP21 10527	Product Information	cytokine synthesis, suppression of the delayed type hypersensitivity response, and
Weight 18.7 kDa (161 amino acid sequence)   Activity 5 x 10 <sup>5</sup> units/mg   Purity >98% by SDS PAGE and HPLC analysis   ELISA PMP21 may be used as a standard for ELISA applications with AAM32   Western Blotting PMP21 may be used as a positive control for Western blotting applications with AAM32   References 1. Gelderblom, H. <i>et al.</i> (2007) Role of interleukin 10 during persistent infection with the relapsing fever Spirochete Borrelia turicatae. Am J Pathol. 170: 251-62.   Storage Prior to reconstitution store at -20°C. Following reconstitution store at -20°C.   This product should be stored undiluted Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.   Guarantee Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Material Safety Datasheet documentation #10527 available at: https://www.bio-rad-antibodies.com/SDS/PMP21 10527		
Purity >98% by SDS PAGE and HPLC analysis   ELISA PMP21 may be used as a standard for ELISA applications with AAM32   Western Blotting PMP21 may be used as a positive control for Western blotting applications with AAM32   References 1. Gelderblom, H. <i>et al.</i> (2007) Role of interleukin 10 during persistent infection with the relapsing fever Spirochete Borrelia turicatae. Am J Pathol. 170: 251-62.   Storage Prior to reconstitution store at -20°C. Following reconstitution store at -20°C.   This product should be stored undiluted Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.   Guarantee Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Material Safety Datasheet documentation #10527 available at: https://www.bio-rad-antibodies.com/SDS/PMP21 10527		18.7 kDa (161 amino acid sequence)
ELISA PMP21 may be used as a standard for ELISA applications with AAM32   Western Blotting PMP21 may be used as a positive control for Western blotting applications with AAM32   References 1. Gelderblom, H. <i>et al.</i> (2007) Role of interleukin 10 during persistent infection with the relapsing fever Spirochete Borrelia turicatae. Am J Pathol. 170: 251-62.   Storage Prior to reconstitution store at -20°C. Following reconstitution store at -20°C.   This product should be stored undiluted Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.   Guarantee Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Material Safety Datasheet documentation #10527 available at: https://www.bio-rad-antibodies.com/SDS/PMP21 10527	Activity	5 x 10 <sup>5</sup> units/mg
Western Blotting PMP21 may be used as a positive control for Western blotting applications with AAM32   References 1. Gelderblom, H. et al. (2007) Role of interleukin 10 during persistent infection with the relapsing fever Spirochete Borrelia turicatae. Am J Pathol. 170: 251-62.   Storage Prior to reconstitution store at -20°C. Following reconstitution store at -20°C.   This product should be stored undiluted Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommended microcentrifugation before use.   Guarantee Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Information Material Safety Datasheet documentation #10527 available at: https://www.bio-rad-antibodies.com/SDS/PMP21 10527	Purity	>98% by SDS PAGE and HPLC analysis
References 1. Gelderblom, H. <i>et al.</i> (2007) Role of interleukin 10 during persistent infection with the relapsing fever Spirochete Borrelia turicatae. Am J Pathol. 170: 251-62.   Storage Prior to reconstitution store at -20°C. Following reconstitution store at -20°C.   This product should be stored undiluted Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommended microcentrifugation before use.   Guarantee Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Material Safety Datasheet documentation #10527 available at: <a href="https://www.bio-rad-antibodies.com/SDS/PMP21">https://www.bio-rad-antibodies.com/SDS/PMP21</a> 10527	ELISA	PMP21 may be used as a standard for ELISA applications with <u>AAM32</u>
StoragePrior to reconstitution store at -20°C. Following reconstitution store at -20°C. This product should be stored undiluted Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.GuaranteeGuaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.Health And Safety InformationMaterial Safety Datasheet documentation #10527 available at: https://www.bio-rad-antibodies.com/SDS/PMP21 10527	Western Blotting	PMP21 may be used as a positive control for Western blotting applications with <u>AAM32</u>
This product should be stored undiluted   Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.   Guarantee Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Material Safety Datasheet documentation #10527 available at: https://www.bio-rad-antibodies.com/SDS/PMP21 10527	References	
Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.GuaranteeGuaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.Health And Safety InformationMaterial Safety Datasheet documentation #10527 available at: https://www.bio-rad-antibodies.com/SDS/PMP21 10527	Storage	Prior to reconstitution store at -20°C. Following reconstitution store at -20°C.
as this may denature the protein. Should this product contain a precipitate we recommend   microcentrifugation before use.   Guarantee Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Material Safety Datasheet documentation #10527 available at: <a href="https://www.bio-rad-antibodies.com/SDS/PMP21">https://www.bio-rad-antibodies.com/SDS/PMP21</a> 10527		This product should be stored undiluted
Health And Safety Material Safety Datasheet documentation #10527 available at:   Information https://www.bio-rad-antibodies.com/SDS/PMP21   10527		as this may denature the protein. Should this product contain a precipitate we recommend
Information <u>https://www.bio-rad-antibodies.com/SDS/PMP21</u> 10527	Guarantee	
Regulatory For research purposes only		https://www.bio-rad-antibodies.com/SDS/PMP21
	Regulatory	For research purposes only

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-r	Worldwide ad.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-	Europe rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-ra	To <sup>d.</sup> ფეუკე		
batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M375126:201216'								

## Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint