

Datasheet: PMP38

Description:	RECOMBINANT MOUSE INTERLEUKIN-2
Name:	IL-2
Format:	Rec. Protein
Product Type:	Recombinant Protein
Quantity:	20 µg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			0.2 - 0.4 ng/well
Western Blotting	▪			1.5 - 3.0 ng/lane
Functional Assays	▪			0.1 - 1.0 ng/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified recombinant protein - lyophilized
Reconstitution	Reconstitute with 0.2ml distilled water Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.
Preparation	Recombinant protein expressed in <i>E.coli</i>
Source	E.coli
Buffer Solution	10mM Sodium Citrate pH4.0
Preservative Stabilisers	None present
Carrier Free	Yes

Endotoxin Level	< 0.1 ng/ug
Approx. Protein Concentrations	0.1 mg/ml after reconstitution
External Database Links	<p>UniProt: P04351 Related reagents</p> <p>Entrez Gene: 16183 IL2 Related reagents</p>
Synonyms	IL-2
Product Information	Interleukin-2 (IL-2) is a potent lymphoid cell growth factor which primarily acts on T-cells.
Protein Molecular Weight	17.2 kDa (149 amino acid sequence)
Activity	5 x 10 ⁶ Units/mg
Purity	>98% by SDS PAGE and HPLC
ELISA	This product may be used as a standard in ELISA applications either AAM35 or AAM35B .
Western Blotting	This product may be used as the positive control in Western Blotting applications either AAM35 or AAM35B .
References	<ol style="list-style-type: none"> 1. Bénétiau, M. <i>et al.</i> (2012) Combination of glycolysis inhibition with chemotherapy results in an antitumor immune response. Proc Natl Acad Sci U S A. 109: 20071-6. 2. Weigelin, B. <i>et al.</i> (2021) Cytotoxic T cells are able to efficiently eliminate cancer cells by additive cytotoxicity. Nat Commun. 12 (1): 5217.
Storage	<p>Prior to reconstitution store at -20°C. Following reconstitution store at -20°C.</p> <p>This product should be stored undiluted.</p> <p>Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10527 available at: https://www.bio-rad-antibodies.com/SDS/PMP3810527
Regulatory	For research purposes only

North & South Tel: +1 800 265 7376

Worldwide Tel: +44 (0)1865 852 700

Europe Tel: +49 (0) 89 8090 95 21

America Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M420149:230706'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)