

Datasheet: PMP55

Description:	RECOMBINANT MOUSE MIP-2
Name:	MIP-2
Other names:	CXCL2
Format:	Rec. Protein
Product Type:	Recombinant Protein
Quantity:	20 µg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			0.2 - 0.4ng/well
Western Blotting	▪			1.5 - 3.0ng/lane
Functional Assays	▪			1.0 - 10.0ng/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified Recombinant Protein - lyophilized
Reconstitution	Reconstitute with 0.2 ml distilled water. Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution. For long term storage the addition of 0.1% bovine serum albumin (BSA) is recommended.
Preparation	Recombinant protein expressed in <i>E. coli</i>
Source	E.coli
Buffer Solution	10mM Acetic Acid
Preservative Stabilisers	None present

Carrier Free	Yes
Endotoxin Level	< 0.1 ng/ug
Approx. Protein Concentrations	0.1mg/ml after reconstitution
External Database Links	<p>UniProt: P10889 Related reagents</p> <p>Entrez Gene: 20310 Cxcl2 Related reagents</p>
Synonyms	Mip2, Mip-2, Scyb2
Product Information	Mouse macrophage inflammatory protein-2 (MIP-2) is a 7.8 kDa chemokine, also known as CXCL2. MIP-2 is chemotactic for neutrophils and is expressed by macrophages and epidermal langerhans cells.
Protein Molecular Weight	7.8 kDa (73 amino acid residues)
Purity	>98% by SDS PAGE and HPLC analysis
ELISA	PMP55 may be used as a standard for ELISA applications with either AAM48 or AAM48B .
Western Blotting	PMP55 may be used as a positive control for western blotting applications with AAM48 or AAM48B .
Storage	<p>Prior to reconstitution store at +4°C. Following reconstitution store at -20°C.</p> <p>This product should be stored undiluted.</p> <p>Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	3 months from date of reconstitution
Health And Safety Information	Material Safety Datasheet documentation #10527 available at: 10527: https://www.bio-rad-antibodies.com/uploads/MSDS/10527.pdf
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

[RABBIT ANTI MOUSE MIP-2 \(AAM48\)](#)

[RABBIT ANTI MOUSE MIP-2:Biotin \(AAM48B\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M415798:230113'

Printed on 08 Feb 2023

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)