

## Datasheet: PMP77 BATCH NUMBER 160114

Description:	RECOMBINANT MOUSE SDF-1 ALPHA
Name:	SDF-1 ALPHA
Other names:	CXCL12a
Format:	Rec. Protein
Product Type:	Recombinant Protein
Quantity:	10 µg

## **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	<b>Not Determined</b>	<b>Suggested Dilution</b>
Functional Assays				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse	
Product Form	Purified recombinant protein - lyophilized	
Reconstitution	Reconstitute with 100 ul distilled water. Care should be taken of protein may appear as a film at the bottom of the vial. Bio-Rad gently mixed after reconstitution.	· ·
Preparation	Purified recombinant SDF-1 alpha expressed in <i>E.coli</i>	
Preservative Stabilisers	None present	
Carrier Free	Yes	
Endotoxin Level	< 1.0 EU/ug	
Approx. Protein Concentrations	0.1 mg/ml after reconstitution	

External Database Links	UniProt: P40224 Related reagents  Entrez Gene:
	20315 Cxcl12 Related reagents
Synonyms	Sdf1
Product Information	SDF-1 alpha, otherwise known as CXCL12a, is a stromal cell derived CXC chemokine which, together with SDF-1 beta, arises from alternative splicing of the SDF-1 gene, and acts as a chemoattractant for T and B lymphocytes, monocytes and migratory neurons.
	SDF-1 binds with high-affinity to the G protein–coupled receptor CXCR4 (fusin), and acts as an inhibitor of the CXCR4-mediated entry of HIV-1 virus into target T-cells.
Protein Molecular Weight	7.9 kDa (68 amino acid residue homodimer)
Activity	Determined by its ability to chemoattract human peripheral blood monocytes, using a concentration of 50-100 ng/ml.
Purity	>98% by SDS PAGE and HPLC analysis
Storage	Prior to reconstitution store at -20°C.  After reconstitution store at -20°C.  Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10268 available at: <a href="https://www.bio-rad-antibodies.com/SDS/PMP77">https://www.bio-rad-antibodies.com/SDS/PMP77</a> 10268
Regulatory	For research purposes only

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

 Email: antibody\_sales\_us@bio-rad.com
 Email: antibody\_sales\_uk@bio-rad.com
 Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M372579:200707'

## Printed on 13 Aug 2023