

Datasheet: PMP80 BATCH NUMBER 153415

Description:	RECOMBINANT MOUSE M-CSF	
Name:	M-CSF	
Other names:	MACROPHAGE COLONY-STIMULATING FACTOR	
Format:	Rec. Protein	
Product Type:	Recombinant Protein	
Quantity:	10 µg	

Product Details

Applications	This product has been re derived from testing with communications from the information. For general	in our labo e originato	oratories, p rs. Please	peer-reviewed publica refer to references in	tions or personal dicated for further
	rad-antibodies.com/proto	•		, p <u></u>	
		Yes	No	Not Determined	Suggested Dilution
	Functional Assays	•			
	Where this product has r	not been te	ested for u	ise in a particular tech	nique this does not
	necessarily exclude its u	ise in such	procedur	es. Suggested workin	g dilutions are given as
	a guide only. It is recomr	mended th	at the use	r titrates the product f	or use in their own
	system using appropriate	e negative	/positive c	ontrols.	
Target Species	Mouse				
Product Form	Purified recombinant pro	otein - Iyop	hilized		
Reconstitution	Reconstitute with 100 ul	distilled w	ater		
	Care should be taken du	iring recon	stitution a	s the protein may app	ear as a film at the
	bottom of the vial. Bio-Ra	-			
Preparation	Purified recombinant M-	CSF expre	ssed in E.	.coli	
Preservative Stabilisers	None present				
Carrier Free	Yes				
Endotoxin Level	< 1.0 EU/ug				
Approx. Protein Concentrations	0.1 mg/ml after reconstit	ution			

External Database Links	UniProt: <u>P07141</u> <u>Related reagents</u>
	Entrez Gene: <u>12977</u> Csf1 <u>Related reagents</u>
Synonyms	Csfm
Product Information	M-CSF (macrophage colony-stimulating factor) is a potent lineage restricted hematopoie growth factor and member of the CSF family of hormone-like glycoproteins, which plays key role in the regulation of cellular differentiation, proliferation, and the survival of blood monocytes, tissue macrophages and their progenitor cells.
	Along with sRANKL/CD254/OPGL, M-CSF is essential for osteoclastogenesis, acting through the tyrosine kinase receptor c-fms (colony stimulating factor 1 receptor). A gene defect in M-CSF is responsible for osteopetrosis in mice (op/op), which are severely deficient in mature macrophages and have a restricted capacity for bone remodeling.
Protein Molecular Weight	36.4 kDa (156 amino acid homodimer)
Activity	The ED ₅₀ was determined by the dose-dependent stimulation of the proliferation of muri M-NFS-60 cells is < 1.0 ng/ml, corresponding to a specific activity of > 1 x 10^6 units/mg.
Purity	%98 by SDS PAGE and HPLC analysis
Storage	Prior to reconstitution store at -20°C.
	After reconstitution store at -20°C. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Shou this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10268 available at: https://www.bio-rad-antibodies.com/SDS/PMP80 10268
Regulatory	For research purposes only
th & South Tel: +1 800 265 erica Fax: +1 919 878	

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M362406:200501'

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint