

Datasheet: PRP07A BATCH NUMBER 154191

Description:	n: RAT IgE KAPPA	
Name:	IgE KAPPA	
Format:	Purified	
Product Type:	Purified Protein	
Clone:	IR162	
Isotype:	IgE	
Quantity:	0.1 mg	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	-			0.1ug/ml - 1.25ug/ml

Where this protein has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the protein for use in their own system using appropriate positive/negative controls.

Target Species	Rat	
Product Form	IgE purified (myeloma IR162) - liquid	
Preparation	Purified IgE prepared by affinity chromatography from tissue cu	ulture supernatant
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.1% Sodium Azide	
Approx. Protein Concentrations	IgE concentration 1.0 mg/ml	
External Database Links	UniProt:	

P01855 Related reagents

Entrez Gene:

299351 Ighe Related reagents

Specificity Rat IgE is generated by a spontaneous immunocytoma isolated from a LOU/WsI rat (Bazin 1974, Bazin & Beckers 1974). The determinant recognized by IgE clone IR162 appears to be shared by several helminthic parasites, including Anisakis simplex, Clonorchis sinensis and Toxocara canis (Cho et al. 2000). Purity Single band by agarose eletrophoresis (5) and immunoelectrophoresis (6) References 1. Bazin, H. (Ed) (1990) Rat Hybridomas and Rat Monoclonal Antibodies CRC Press, Boca Raton, Florida, USA. 2. Bazin, H. et al. (1973) Brief communication: Transplantable immunoglobulin-secreting tumors in rats. V. Monoclonal immunoglobulins secreted by 250 ileocecal immunocytoma in LOU-WsI rats. J. Natl. Cancer inst. 51: 1359-1361. 3. Bazin, H. and Beckers, A. (1974) IgE- Myelomas in Rats Nobel Symposium 33: Molecular and Biological Aspects of the Acute Allergic Reaction. 4. Bazin, H. et al. (1974) Transplantable immunoglobulin-secreting tumours in rats. IV. Sixty-three IgE-secreting immunocytoma tumours. Immunology, 26: 713-723. 5. Bazin, H. et al. (1984) Rat monoclonal antibodies. II. A rapid and efficient method of purification from ascitic fluid or serum. J. Immunol. Methods. 71: 9-16. 6. Bazin, H. J. et al. (1984) Rat monoclonal antibodies. II. Rapid purification from in vitro culture supernatants. Immunol. Methods, 66: 261-269. 7. Zeuthen, J. et al. (1984) Ry Broduction in vitro by two rat myeloma tumor lines (IR2 and IR162). Cell Differ. 9 (3): 137-51. 8. Tulinská J et al. (2018) Humoral and cellular immune response in Wistar Han RCC rate fed two genetically modified maize MON810 varieties for 90 days (EU 7th Framework Programme project GRACE). Arch Toxicol. 92 (7): 2385-99. Storage Store at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommen microcentrifugation before use. Guarantee 12 months from date of		
(Bazin 1974, Bazin & Beckers 1974). The determinant recognized by IgE clone IR162 appears to be shared by several helminthic parasites, including <i>Anisakis simplex</i> , <i>Clonorchis sinensis</i> and <i>Toxocara canis</i> (Cho et al. 2000). Purity Single band by agarose eletrophoresis (5) and immunoelectrophoresis (6) 1. Bazin, H. (Ed) (1990) Rat Hybridomas and Rat Monoclonal Antibodies CRC Press, Boca Raton, Florida, USA. 2. Bazin, H. et al. (1973) Brief communication: Transplantable immunoglobulin-secreting tumors in rats. V. Monoclonal immunoglobulins secreted by 250 ileocecal immunocytoma in LOU-Wsl rats. J. Natl. Cancer Inst. 51: 1359-1361. 3. Bazin, H. and Beckers, A. (1974) IgE- Myelomas in Rats Nobel Symposium 33: Molecular and Biological Aspects of the Acute Alleroic Reaction. 4. Bazin, H. at al. (1974) Transplantable immunoglobulin-secreting tumours in rats. IV. Sixty-three IgE-secreting immunocytoma tumours. Immunology. 26: 713-723. 5. Bazin, H. at al. (1984) Rat monoclonal antibodies. II. A rapid and efficient method of purification from ascitic fluid or serum. J. Immunol. Methods. 71: 9-16. 6. Bazin, H. J. et al. (1984) Rat monoclonal antibodies. II. Rapid purification from in vitro culture supernatants. Immunol. Methods. 66: 261-269. 7. Zeuthen, J. et al. (1980) IgE production in vitro by two rat myeloma tumor lines (IR2 and IRf22). Cell Differ. 9 (3): 137-51. 8. Tulinská J et al. (2018) Humoral and cellular immune response in Wistar Han RCC rated two genetically modified maize MON810 varieties for 90 days (EU 7th Framework Programme project GRACE). Arch Toxicol. 92 (7): 2385-99. Storage In frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommen microcentrifugation before use. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10335 available at: https://www.bio-rad-antibodies.com/SDS/PRP07A	RRID	AB_482877
References 1. Bazin, H. (Ed) (1990) Rat Hybridomas and Rat Monoclonal Antibodies CRC Press, Boca Raton, Florida, USA. 2. Bazin, H. et al. (1973) Brief communication: Transplantable immunoglobulin-secreting tumors in rats. V. Monoclonal immunoglobulins secreted by 250 ileocecal immunocytoma in LOU-Wsl rats. J. Natl. Cancer Inst. 51; 1359-1361. 3. Bazin, H. and Beckers, A. (1974) IgE- Myelomas in Rats Nobel Symposium 33: Molecular and Biological Aspects of the Acute Allergic Reaction. 4. Bazin, H. et al. (1974) Transplantable immunoglobulin-secreting tumours in rats. IV. Sixty-three IgE-secreting immunocytoma tumours. Immunology. 26: 713-723. 5. Bazin, H. et al. (1984) Rat monoclonal antibodies. II. A rapid and efficient method of purification from ascitic fluid or serum. J. Immunol. Methods. 71: 9-16. 6. Bazin, H. J. et al. (1984) Rat monoclonal antibodies. II. Rapid purification from in vitro culture supernatants. Immunol. Methods. 66: 261-269. 7. Zeuthen, J. et al. (1980) IgE production in vitro by two rat myeloma tumor lines (IR2 and IR162). Cell Differ. 9 (3): 137-51. 8. Tulinská J et al. (2018) Humoral and cellular immune response in Wistar Han RCC ratifed two genetically modified maize MON810 varieties for 90 days (EU 7th Framework Programme project GRACE). Arch Toxicol. 92 (7): 2385-99. Storage Storage Store at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommen microcentrifugation before use. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10335 available at: https://www.bio-rad-antibodies.com/SDS/PRP07A 10335	Specificity	(<u>Bazin 1974</u> , <u>Bazin & Beckers 1974</u>). The determinant recognized by IgE clone IR162 appears to be shared by several helminthic parasites, including <i>Anisakis simplex</i> ,
Boca Raton, Florida, USA. 2. Bazin, H. et al. (1973) Brief communication: Transplantable immunoglobulin-secreting tumors in rats. V. Monoclonal immunoglobulins secreted by 250 ileocecal immunocytoma in LOU-Wsl rats. J. Natl. Cancer Inst. 51: 1359-1361. 3. Bazin, H. and Beckers, A. (1974) IgE- Myelomas in Rats Nobel Symposium 33: Molecular and Biological Aspects of the Acute Allergic Reaction. 4. Bazin, H. et al. (1974) Transplantable immunoglobulin-secreting tumours in rats. IV. Sixty-three IgE-secreting immunocytoma tumours. Immunology. 26: 713-723. 5. Bazin, H. et al. (1984) Rat monoclonal antibodies. II. A rapid and efficient method of purification from ascitic fluid or serum. J. Immunol. Methods. 71: 9-16. 6. Bazin, H. J. et al. (1984) Rat monoclonal antibodies. I. Rapid purification from in vitro culture supernatants. Immunol. Methods. 66: 261-269. 7. Zeuthen, J. et al. (1980) IgE production in vitro by two rat myeloma tumor lines (IR2 and IR162). Cell Differ. 9 (3): 137-51. 8. Tulinská J et al. (2018) Humoral and cellular immune response in Wistar Han RCC rate fed two genetically modified maize MON810 varieties for 90 days (EU 7th Framework Programme project GRACE). Arch Toxicol. 92 (7): 2385-99. Storage Stora t +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommen microcentrifugation before use. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10335 available at: https://www.bio-rad-antibodies.com/SDS/PRP07A 10335	Purity	Single band by agarose eletrophoresis (5) and immunoelectrophoresis (6)
This product should be stored undiluted. Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10335 available at: https://www.bio-rad-antibodies.com/SDS/PRP07A 10335	References	Boca Raton, Florida, USA. 2. Bazin, H. <i>et al.</i> (1973) Brief communication: Transplantable immunoglobulin-secreting tumors in rats. V. Monoclonal immunoglobulins secreted by 250 ileocecal immunocytomas in LOU-Wsl rats. J. Natl. Cancer Inst. 51: 1359-1361. 3. Bazin, H. and Beckers, A. (1974) IgE- Myelomas in Rats Nobel Symposium 33: Molecular and Biological Aspects of the Acute Allergic Reaction. 4. Bazin, H. <i>et al.</i> (1974) Transplantable immunoglobulin-secreting tumours in rats. IV. Sixty-three IgE-secreting immunocytoma tumours. Immunology. 26: 713-723. 5. Bazin, H. <i>et al.</i> (1984) Rat monoclonal antibodies. II. A rapid and efficient method of purification from ascitic fluid or serum. J. Immunol. Methods. 71: 9-16. 6. Bazin, H. J. <i>et al.</i> (1984) Rat monoclonal antibodies. I. Rapid purification from in vitro culture supernatants. Immunol. Methods. 66: 261-269. 7. Zeuthen, J. <i>et al.</i> (1980) IgE production in vitro by two rat myeloma tumor lines (IR2 and IR162). Cell Differ. 9 (3): 137-51. 8. Tulinská J <i>et al.</i> (2018) Humoral and cellular immune response in Wistar Han RCC rats fed two genetically modified maize MON810 varieties for 90 days (EU 7th Framework
microcentrifugation before use. 12 months from date of despatch Health And Safety Information Material Safety Datasheet documentation #10335 available at: https://www.bio-rad-antibodies.com/SDS/PRP07A 10335	Storage	This product should be stored undiluted. Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing
Health And Safety Information Material Safety Datasheet documentation #10335 available at: https://www.bio-rad-antibodies.com/SDS/PRP07A 10335		
Information https://www.bio-rad-antibodies.com/SDS/PRP07A 10335	Guarantee	12 months from date of despatch
Regulatory For research purposes only	Health And Safety Information	https://www.bio-rad-antibodies.com/SDS/PRP07A
	Regulatory	For research purposes only

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 To Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com Email: antibody_sales_de@bio-rad.com a

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M369585:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint