

Datasheet: STAR110 BATCH NUMBER 151187

Description:	GOAT ANTI MOUSE IgE	
Specificity:	IgE	
Format:	Purified	
Product Type:	Polyclonal Antibody	
Isotype:	Polyclonal IgG	
Quantity:	0.5 mg	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA	-			1/100 - 1/1000
Immunoprecipitation			•	
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography	
Antiserum Preparatio	n Antisera to mouse IgE were raised by repeated immunisations antigen.	s of goats with highly purified
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide	

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Native mouse IgE.
External Database Links	UniProt: P06336 Related reagents
	Entrez Gene: 380792 Gm900 Related reagents
RRID	AB_324344
Specificity	Goat anti mouse IgE polyclonal antibody recognizes mouse IgE and shows negligible cross - reactivity with other immunoglobulins.
References	 Xia,Z.W. et al (2007) Heme oxygenase-1 attenuates ovalbumin-induced airway inflammation by up-regulation of foxp3 T-regulatory cells, interleukin-10, and membrane-bound transforming growth factor- 1. Am J Pathol. 171: 1904-14. Hartmann, W. et al. (2011) A novel and divergent role of granzyme a and B in resistance to helminth infection. J Immunol. 186: 2472-81. Hadzhieva, M. et al. (2015) Mechanism and functional implications of the heme-induced binding promiscuity of IgE. Biochemistry. 54 (11): 2061-72. Su, W. et al. (2012) Synthesized OVA323-339MAP octamers mitigate OVA-induced airway inflammation by regulating Foxp3 T regulatory cells. BMC Immunol. 13: 34. Conde, E. et al. (2021) Dual vaccination against IL-4 and IL-13 protects against chronic allergic asthma in mice. Nat Commun. 12 (1): 2574.
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/STAR110 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

America

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

Tel: +44 (0)1865 852 700

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint