

Datasheet: STAR117D680GA

BATCH NUMBER 166492

Description:	GOAT ANTI MOUSE IgG (H/L):DyLight®680 (MULTI SPECIES ADSORBED)
Specificity:	IgG (H/L)
Format:	DyLight®680
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/500 - 1/1000
Western Blotting	-			1/500 - 1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse					
Product Form	Purified IgG conju	Purified IgG conjugated to DyLight 680 - liquid				
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm))		
	Dylight®680	692	712			
Preparation Antiserum Preparation		ared by affinity chromatog e IgG were raised by repe		of goats with highl		
Buffer Solution	Phosphate buffer	ed saline.				
Preservative Stabilisers	0.09% Sodium Az	zide (NaN ₃)				
Approx. Protein	IgG concentration	n 1.0 mg/ml.				

Concentrations

Immunogen	Whole mou	ise IgG	
External Database	llmiD-at-		
Links	UniProt:	Polotod ro	aganta
	P01837 P01869	Related re Related re	
	P01867		
	P01864	Related re Related re	
	P01843	Related re	
	P01865	Related re	
	P01844	Related re	
	P01868	Related re	
	P01724	Related re	
	P03987	Related re	
	P01863	Related re	
	P01845	Related re	
	Entrez Ge	ne:	
	<u>16071</u>	lgk-C	Related reagents
	<u>16017</u>	lghg1	Related reagents
	<u>16016</u>	lghg2b	Related reagents
	<u>380793</u>	lgh-1a	Related reagents
	<u>380793</u>	lgh-1a	Related reagents
	<u>433053</u>	LOC433053	Related reagents
	<u>16017</u>	lghg1	Related reagents
	<u>16142</u>	lglv1	Related reagents
	<u>110786</u>	lglc2	Related reagents
	<u>110787</u>	lglc3	Related reagents
	<u>380793</u>	lgh-1a	Related reagents
	<u>380795</u>	Al324046	Related reagents
Synonyms	lgh-4		
Specificity		Mouse IgG ant nunoglobulin cla	tibody recognizes mouse IgG and light chains common to asses.
		_	been cross-adsorbed using human, bovine, porcine, equinoabsorbants to remove cross-reactive antibodies. Less that

0.1% cross reactivity was detected to human, bovine, porcine, equine, caprine, lapine and

Goat anti Mouse IgG antibody is highly recommended for use as a secondary antibody with human and veterinary samples. Goat anti Mouse IgG antibody has been used successfully as a secondary detection reagent in combination with mouse clone CC327

chicken IgG by immunoelectrophoresis and ELISA.

for the detection of TNF α and mouse clone <u>8M6</u> for the detection of interleukin-8 in bovine respiritory syncitial virus infected, neonatal ovine lung tissue by immunohistochemistry (Redondo *et al.* 2013).

Flow Cytometry

Use 50 µl of the suggested working dilution to label 1x106 cells in 100µl

References

- 1. Banerjee, K. *et al.* (2012) Occluding the mannose moieties on human immunodeficiency virus type 1 gp120 with griffithsin improves the antibody responses to both proteins in mice. AIDS Res Hum Retroviruses. 28 (2): 206-14.
- 2. Abdala-Valencia, H. *et al.* (2012) Vitamin E isoforms differentially regulate intercellular adhesion molecule-1 activation of PKCα in human microvascular endothelial cells. <u>PLoS</u> One. 7: e41054.
- 3. Redondo, E. *et al.* (2014) Induction of interleukin-8 and interleukin-12 in neonatal ovine lung following experimental inoculation of bovine respiratory syncytial virus. <u>J Comp Pathol. 150 (4): 434-48.</u>
- 4. Askari, N. *et al.* (2015) Tetracycline-regulated expression of OLIG2 gene in human dental pulp stem cells lead to mouse sciatic nerve regeneration upon transplantation. Neuroscience. 305: 197-208.
- 5. Iwaszko-Simonik, A. *et al.* (2015) Expression of surface platelet receptors (CD62P and CD41/61) in horses with recurrent airway obstruction (RAO). <u>Vet Immunol Immunopathol.</u> 164 (1-2): 87-92.
- 6. Singh, S.M. *et al.* (2016) Characterization of Immune Responses to an Inactivated Avian Influenza Virus Vaccine Adjuvanted with Nanoparticles Containing CpG ODN. <u>Viral Immunol</u>. 29 (5): 269-75.
- 7. Alimolaei, M. *et al.* (2017) A Recombinant Probiotic, *Lactobacillus casei*, Expressing the *Clostridium perfringens* α-toxoid, as an Orally Vaccine Candidate Against Gas Gangrene and Necrotic Enteritis. Probiotics Antimicrob Proteins. Apr 11 [Epub ahead of print].
- 8. Topoluk, N. *et al.* (2017) Amniotic Mesenchymal Stromal Cells Exhibit Preferential Osteogenic and Chondrogenic Differentiation and Enhanced Matrix Production Compared With Adipose Mesenchymal Stromal Cells. Am J Sports Med. 45 (11): 2637-46.
- 9. Schmidli, M.R. *et al.* (2018) Inflammatory pattern of the infrapatellar fat pad in dogs with canine cruciate ligament disease. BMC Vet Res. 14 (1): 161.
- 10. Li, T. *et al.* (2021) RNF167 activates mTORC1 and promotes tumorigenesis by targeting CASTOR1 for ubiquitination and degradation. <u>Nat Commun. 12 (1): 1055.</u>
- 11. Dicks, M.D.J. *et al.* (2022) Modular capsid decoration boosts adenovirus vaccine-induced humoral immunity against SARS-CoV-2. <u>Mol Ther. 30 (12): 3639-57.</u>
- 12. Soleimani, M. *et al.* (2022) Covalent JNK Inhibitor, JNK-IN-8, Suppresses Tumor Growth in Triple-Negative Breast Cancer by Activating TFEB- and TFE3-Mediated Lysosome Biogenesis and Autophagy. Mol Cancer Ther. 21 (10): 1547-60.

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Guarantee	12 months from date of despatch.
Acknowledgements	DyLight is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/STAR117D680GA 10040
Regulatory	For research purposes only.

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M421216:230706'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint