Datasheet: STAR11B BATCH NUMBER 1701

Description:	RABBIT F(ab')2 ANTI MOUSE IgG:Biotin
Specificity:	lgG
Format:	Biotin
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information					
	derived from testing within our laboratories, peer-reviewed publications or personal					
	communications from the	originato	rs. Please	refer to references inc	licated for further	
	information. For general g	orotocol re	commenda	ations, please visit ww	vw.bio-	
	rad-antibodies.com/proto	cols.				
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry				1/50 - 1/100	
	Immunohistology - Frozen	-			1/50 - 1/200	
	Immunohistology - Paraffin	•			1/50 - 1/200	
	ELISA	-			1/1000 - 1/2000	
	Where this antibody has not been tested for use in a particular technique this does not					
	necessarily exclude its use in such procedures. Suggested working dilutions are given as					
	a quide only. It is recomm	nended that	at the user	titrates the antibody f	or use in their own	
system using appropriate negative/positive controls						
	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	J	•			
Target Species	Mouse					
Species Cross	Reacts with: Rat					
Reactivity	N.B. Antibody reactivity and working conditions may vary between species. Cross					
	reactivity is derived from	testina wit	5 hin our lab	oratories, peer-review	ved publications or	
	nersonal communications from the originators. Please refer to references indicated for					
	further information		onginatore			
Product Form	F(ab')2 fragment of IgG conjugated to biotin - liquid					
Antiserum Preparation	Antisera to Mouse IaG w	ere raised	by repeate	ed immunisation of ral	bbits with highly	
	purified antigen Purified	laG was n	prepared fro	om whole serum by af	finity chromatography	
	$F(ab')_{2}$ fragments were p	renared by	v nensin di	aestion of the IaG foll	owed by a gel filtration	
	sten to remove the remai	ning intac	t laG or Ec	fragments		
				naymento.		
Buffer Solution	Phosphate buffered salin	<u>م</u>				
		0				

Preservative Stabilisers	0.09% Sodi	um Azide		
Approx. Protein Concentrations	F(ab')2 con	centration 1.		
Immunogen	Purified mo			
External Database				
Links	UniProt:			
	<u>P01869</u>	Related	reagents	
	<u>P03987</u>	Related	reagents	
	<u>P01867</u>	Related	reagents	
	<u>P01868</u>	Related	reagents	
	<u>P01865</u>	Related	reagents	
	P01864	Related	reagents	
	<u>P01863</u>	Related	reagents	
	Entrez Ger	ne:		
	<u>16017</u>	lghg1	Related reagents	
	<u>380795</u>	AI324046	Related reagents	
	<u>16016</u>	lghg2b	Related reagents	
	<u>16017</u>	lghg1	Related reagents	
	<u>380793</u>	lgh-1a	Related reagents	
	<u>380793</u>	lgh-1a	Related reagents	
	<u>380793</u>	lgh-1a	Related reagents	
Synonyms	lgh-4			
RRID	AB_321919			
Specificity	Biotin conjugated Rabbit F(ab') ₂ anti Mouse IgG antibody recognizes all subclasses of mouse IgG.			
	Cross reactivity with rat IgG is expected. Cross reactivity to human serum proteins has been minimised by solid phase adsorbtion.			
Flow Cytometry	Use 50ul of the suggested working dilution to label 10 ⁶ cells in 100ul.			
References	 Silveira, M.R. <i>et al.</i> (2002) Infection with <i>Strongyloides venezuelensis</i> induces transient airway eosinophilic inflammation, an increase in immunoglobulin E, and hyperresponsiveness in rats. <u>Infect Immun. 70 (11): 6263-72.</u> Conlon, T.M. <i>et al.</i> (2012) Germinal center alloantibody responses are mediated exclusively by indirect-pathway CD4 T follicular helper cells. <u>J Immunol. 188 (6): 2643-52.</u> Harper, I.G. <i>et al.</i> (2016) Augmentation of Recipient Adaptive Alloimmunity by Donor Passenger Lymphocytes within the Transplant. <u>Cell Rep. 15 (6): 1214-27.</u> 			

Further Reading1. Motallebzadeh, R. et al. (2012) Blocking lymphotoxin sig development of ectopic lymphoid tissue within cardiac allog antibody responses. FASEB J. 26 (1): 51-62.						gnaling abrogates the ografts and inhibits effector	
Storage		Store at +4°C or at -20°C if preferred. This product should be stored undiluted.					
		Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.					
Guarante	90	12 months from date of despatch Material Safety Datasheet documentation #10040 available at: <u>https://www.bio-rad-antibodies.com/SDS/STAR11B</u> 10040					
Health A Informat	nd Safety ion						
Regulato	Regulatory		arch purpose				
North & South America	Tel: +1 800 265 73 Fax: +1 919 878 3 Email: antibody_sa	376 3751 ales_us@bio	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bic	Europe -rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com	
To find a b	atch/lot specific	c datashee	et for this produ	ict, please use our online 'M369643:200529'	search tool at	t: bio-rad-antibodies.com/datasheets	
				Printed on 21 Mar 2024			

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint