

Datasheet: STAR11B

Description:	RABBIT F(ab') ₂ ANTI MOUSE IgG:Biotin
Specificity:	IgG
Format:	Biotin
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

RRID AB_321919

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/100
Immunohistology - Frozen	▪			1/50 - 1/200
Immunohistology - Paraffin	▪			1/50 - 1/200
ELISA	▪			1/1000 - 1/2000

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species Mouse

Species Cross Reactivity Reacts with: Rat
N.B. Antibody reactivity and working conditions may vary between species.

Product Form F(ab')₂ fragment of IgG conjugated to biotin - liquid

Antiserum Preparation Antisera to Mouse IgG were raised by repeated immunisation of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. F(ab')₂ fragments were prepared by pepsin digestion of the IgG followed by a gel filtration step to remove the remaining intact IgG or Fc fragments.

Buffer Solution Phosphate buffered saline

Preservative Stabilisers 0.09% Sodium Azide

Approx. Protein Concentrations F(ab')₂ concentration 1.0mg/ml

Immunogen Purified mouse IgG.

External Database**Links****UniProt:**

P01869	Related reagents
P03987	Related reagents
P01867	Related reagents
P01868	Related reagents
P01865	Related reagents
P01864	Related reagents
P01863	Related reagents

Entrez Gene:

16017	Ighg1	Related reagents
380795	AI324046	Related reagents
16016	Ighg2b	Related reagents
16017	Ighg1	Related reagents
380793	Igh-1a	Related reagents
380793	Igh-1a	Related reagents
380793	Igh-1a	Related reagents

Synonyms

Igh-4

Specificity

Biotin conjugated Rabbit F(ab')₂ anti Mouse IgG antibody recognizes all subclasses of mouse IgG.

Cross reactivity with rat IgG is expected. Cross reactivity to human serum proteins has been minimised by solid phase adsorption.

Flow Cytometry

Use 50ul of the suggested working dilution to label 10⁶ cells in 100ul.

References

1. Silveira, M.R. *et al.* (2002) Infection with *Strongyloides venezuelensis* induces transient airway eosinophilic inflammation, an increase in immunoglobulin E, and hyperresponsiveness in rats. [Infect Immun. 70 \(11\): 6263-72.](#)
2. Conlon, T.M. *et al.* (2012) Germinal center alloantibody responses are mediated exclusively by indirect-pathway CD4 T follicular helper cells. [J Immunol. 188 \(6\): 2643-52.](#)
3. Harper, I.G. *et al.* (2016) Augmentation of Recipient Adaptive Alloimmunity by Donor Passenger Lymphocytes within the Transplant. [Cell Rep. 15 \(6\): 1214-27.](#)

Further Reading

1. Motallebzadeh, R. *et al.* (2012) Blocking lymphotoxin signaling abrogates the development of ectopic lymphoid tissue within cardiac allografts and inhibits effector antibody responses. [FASEB J. 26 \(1\): 51-62.](#)

Storage

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

18 months from date of despatch.

**Health And Safety
Information**

Material Safety Datasheet documentation #10040 available at:
10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

Regulatory

For research purposes only

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M353016:190409'

Printed on 20 May 2019

© 2019 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)