

Datasheet: STAR120F BATCH NUMBER 150178

| Description: | GOAT ANTI MOUSE IgG (Fc):FITC |
|---------------|-------------------------------|
| Specificity: | lgG (Fc) |
| Format: | FITC |
| Product Type: | Polyclonal Antibody |
| lsotype: | Polyclonal IgG |
| Quantity: | 1 mg |

Product Details

| Applications | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> . | | | | | | |
|-----------------------------------|--|---------------|-------------|------------------------|---|--|--|
| | <u>rad-antibodies.com/pre</u> | Yes | No | Not Determined | Suggested Dilution | | |
| | Flow Cytometry | • | | | 1/50 - 1/500 | | |
| | Immunohistology - Froze | n 🔹 | | | 1/50 - 1/500 | | |
| | Immunohistology - Paraf | | | | | | |
| | Where this product ha | s not been te | sted for us | e in a particular tecl | nnique this does not | | |
| | necessarily exclude its use in such procedures. Suggested working dilutions are given as | | | | | | |
| | a guide only. It is recor | mmended that | at the user | titrates the antibody | for use in their own | | |
| | system using appropriate negative/positive controls. | | | | | | |
| Target Species | Mouse | | | | | | |
| Product Form | Purified IgG conjugate | d to Fluoresc | ein Isothic | ocyanate Isomer 1 (F | FITC) - liquid | | |
| Max Ex/Em | Fluorophore | Excitation M | ax (nm) | Emission Max (nm) | | | |
| | FITC | 490 | | 525 | | | |
| Antiserum Preparatior | Antisera to mouse IgG purified antigen. Purifie | | | | goats with highly affinity chromatography. | | |
| Buffer Solution | Phosphate buffered sa | lline | | | | | |
| Preservative | 0.09% Sodium Azide | | | | | | |
| Stabilisers | 0.2% Bovine Serum Albumin | | | | | | |
| Approx. Protein Concentrations | IgG concentration 1.0 | mg/ml | | | | | |

| External Database | UniProt: | | | | | |
|-------------------|---|---|---|--|--|--|
| Links | <u>P01869</u> | Related | reagents | | | |
| | <u>P01865</u> | | | | | |
| | <u>P03987</u> | | | | | |
| | <u>P01867</u> | | | | | |
| | P01867Related reagentsP01864Related reagents | | | | | |
| | P01868 | | I reagents | | | |
| | P01863 Related reagents | | | | | |
| | Entrez Ge | ne: | | | | |
| | <u>16017</u> | lghg1 | Related reagents | | | |
| | <u>380793</u> | lgh-1a | Related reagents | | | |
| | <u>16016</u> | lghg2b | Related reagents | | | |
| | <u>16017</u> | lghg1 | Related reagents | | | |
| | <u>380793</u> | lgh-1a | Related reagents | | | |
| | <u>380795</u> | AI324046 | Related reagents | | | |
| | <u>380793</u> | lgh-1a | Related reagents | | | |
| Synonyms | lgh-4 | | | | | |
| RRID | AB_567027 | 7 | | | | |
| Specificity | Goat anti mouse IgG (Fc) polyclonal antibody reacts with mouse IgG at an epitope localised to the Fc region as assessed by immunoelectrophoresis and ELISA. Cross reactivity with IgA and IgM is negligible. | | | | | |
| | Goat anti n species. | nouse IgG (F | c) polyclonal antibody may cross react with IgG from other | | | |
| Flow Cytometry | Use 50ul o | f the sugges | ted working dilution to label 10 ⁶ cells in 100ul. | | | |
| References | Parasitolog 2. Yuan, T. mesenchyr 3. Wegmar Antibody R 4. Wegmar immune ac challenge ii 5. Liu, Z. ei | y. <u>136: 691-</u> et al. (2010) nal stem cel nn, F. et al. (2 esponses in nn F et al. (2 tivating prop n mice. <u>Clin</u> t al. (2016) F | 09) Population dynamics of <i>Trichuris suis</i> in trickle-infected pigs. 7.) Chondrogenic differentiation and immunological properties of Is in collagen type I hydrogel. <u>Biotechnol Prog. 26 (6): 1749-58.</u> 2011) A Novel Strategy for Inducing Enhanced Mucosal HIV-1 an Anti-Inflammatory Environment <u>PLoS One. 6(1):e15861.</u> 015) The carbomer-lecithin adjuvant Adjuplex [™] has potent berties and elicits protective adaptive immunity against influenza <u>Vaccine Immunol. pii: CVI.00736-14.</u> Partial protective immunity against toxoplasmosis in mice elicited b na gondii malate dehydrogenase. <u>Vaccine. 34 (7): 989-94.</u> | | | |

| | | differentiation potential. <u>Cell Prolif. 50(6):e12391.</u> 8. Wood, E. <i>et al.</i> (2021) Identification of mutants with increased variation in cell size at onset of mitosis in fission yeast. <u>J Cell Sci. jcs.251769.</u> 9. Li, Y. <i>et al.</i> (2022) Low-Temperature Plasma-Activated Medium Inhibited Proliferation and Progression of Lung Cancer by Targeting the PI3K/Akt and MAPK Pathways. <u>Oxid Med Cell Longev. 2022: 9014501.</u> | | | | |
|------------------------|--|---|------------------------|--|----------------|---|
| Storage | | Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use. | | | | |
| Guarante | 96 | 12 months from date of despatch | | | | |
| Health A Informati | nd Safety on | Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/STAR120F 10041 | | | | |
| Regulatory | | For research purposes only | | | | |
| orth & South nerica | Tel: +1 800 265 7 Fax: +1 919 878 Email: antibody_ | 3751 | Worldwide o-rad.com | Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio | Europe | Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.co |
| To find a b | atch/lot specif | ic datashe | et for this produ | ict, please use our online s 'M369645:200529' | earch tool at: | bio-rad-antibodies.com/datashe |

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint