

Datasheet: STAR120P BATCH NUMBER 151355

Description:	GOAT ANTI MOUSE IgG (Fc):HRP			
Specificity:	IgG (Fc)			
Format:	HRP			
Product Type:	Polyclonal Antibody			
lsotype:	Polyclonal IgG			
Quantity:	1 mg			

Product Details

Applications	This product has been reported to work in the following applications. This information i derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
	Yes No Not Determined Suggested Dilut					
	Flow Cytometry			•		
	Immunohistology - Frozen			•		
	Immunohistology - Paraffin			•		
	ELISA	-			1/10,000 - 1/100,000	
	Immunoprecipitation					
	Western Blotting	-			1/5,000 - 1/50,000	
	Where this product has r	not been te	ested for u	se in a particular tech	nnique this does not	
Target Species	necessarily exclude its us a guide only. It is recomm system using appropriate Mouse	nended th	at the use	r titrates the antibody		
Product Form	Purified IgG conjugated t	o Horsera	idish Pero	xidase (HRP) - liquid		
Antiserum Preparatio	n Antisera to mouse IgG w purified antigen. Purified					
Buffer Solution	Phosphate buffered salin	e				
Preservative	0.05% Proclin™ 300					
Stabilisers	0.2% Bovine Serum Albu	ımin				
Approx. Protein Concentrations	IgG concentration 1.0 mg	g/ml				

External Database	UniProt:					
Links	<u>P01869</u>	Related	l reagents			
	<u>P01865</u>		I reagents			
	<u>P03987</u>					
		P01867 Related reagents				
	<u>P01864</u>					
	<u>P01868</u>					
	<u>P01863</u>					
	P01863 Related reagents					
	Entrez Ge	ne:				
	<u>16017</u>	lghg1	Related reagents			
	<u>380793</u>	lgh-1a	Related reagents			
	<u>16016</u>	lghg2b	Related reagents			
	<u>16017</u>	lghg1	Related reagents			
	<u>380793</u>	lgh-1a	Related reagents			
	<u>380795</u>	AI324046	Related reagents			
	<u>380793</u>	lgh-1a	Related reagents			
Synonyms	lgh-4					
Synonyms RRID Specificity	AB_567024 Goat anti r	nouse IgG ((Fc) polyclonal antibody reacts with mouse IgG at an epitop			
RRID	AB_567024 Goat anti r localised to reactivity w	nouse IgG (the Fc regio ith IgA and I	(Fc) polyclonal antibody reacts with mouse IgG at an epitop on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible. Fc) polyclonal antibody may cross react with IgG from other			
RRID	AB_567024 Goat anti r localised to reactivity w	nouse IgG (the Fc regio ith IgA and I	on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible.			
RRID Specificity	AB_567024 Goat anti r localised to reactivity w Goat anti r species. 1. Nejsum,	nouse IgG (the Fc regio ith IgA and I nouse IgG (F P. <i>et al.</i> (200	on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible. Fc) polyclonal antibody may cross react with IgG from other 09) Population dynamics of <i>Trichuris suis</i> in trickle-infected pig			
RRID	AB_567024 Goat anti r localised to reactivity w Goat anti r species. 1. Nejsum, Parasitolog	nouse IgG (the Fc regio ith IgA and I nouse IgG (F P. <i>et al.</i> (200 y. 136: 691-	on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible. Fc) polyclonal antibody may cross react with IgG from other 09) Population dynamics of <i>Trichuris suis</i> in trickle-infected pig. <u>7.</u>			
RRID Specificity	AB_567024 Goat anti r localised to reactivity w Goat anti r species. 1. Nejsum, <u>Parasitolog</u> 2. Yuan, T.	nouse IgG (the Fc region ith IgA and I nouse IgG (F P. et al. (200 <u>y. 136: 691-</u> et al. (2010)	on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible. Fc) polyclonal antibody may cross react with IgG from other 09) Population dynamics of <i>Trichuris suis</i> in trickle-infected pig <u>7.</u>) Chondrogenic differentiation and immunological properties o			
RRID Specificity	AB_567024 Goat anti r localised to reactivity w Goat anti r species. 1. Nejsum, <u>Parasitolog</u> 2. Yuan, T. mesenchyn	nouse IgG (the Fc region ith IgA and I nouse IgG (F P. <i>et al.</i> (200 <u>y. 136: 691-</u> <i>et al.</i> (2010) nal stem cell	on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible. Fc) polyclonal antibody may cross react with IgG from other 09) Population dynamics of <i>Trichuris suis</i> in trickle-infected pig. <u>7.</u>			
RRID Specificity	AB_567024 Goat anti r localised to reactivity w Goat anti r species. 1. Nejsum, <u>Parasitolog</u> 2. Yuan, T. mesenchyn 3. Wegman	nouse IgG (the Fc region ith IgA and I nouse IgG (F P. <i>et al.</i> (2000 <u>y. 136: 691-</u> <i>et al.</i> (2010) nal stem cell nn, F. <i>et al.</i> (2010)	 on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible. Fc) polyclonal antibody may cross react with IgG from other 09) Population dynamics of <i>Trichuris suis</i> in trickle-infected pig 7.) Chondrogenic differentiation and immunological properties or Is in collagen type I hydrogel. <u>Biotechnol Prog. 26 (6): 1749-5</u> 			
RRID Specificity	AB_567024 Goat anti r localised to reactivity w Goat anti m species. 1. Nejsum, <u>Parasitolog</u> 2. Yuan, T. mesenchym 3. Wegman Antibody R	nouse IgG (the Fc regio ith IgA and I nouse IgG (F P. et al. (200 y. 136: 691- et al. (2010) nal stem cell nn, F. et al. (2 esponses in	 on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible. ⁵c) polyclonal antibody may cross react with IgG from other 09) Population dynamics of <i>Trichuris suis</i> in trickle-infected pig. 7.) Chondrogenic differentiation and immunological properties of Is in collagen type I hydrogel. <u>Biotechnol Prog. 26 (6): 1749-50</u> 2011) A Novel Strategy for Inducing Enhanced Mucosal HIV-1 			
RRID Specificity	AB_567024 Goat anti r localised to reactivity w Goat anti m species. 1. Nejsum, Parasitolog 2. Yuan, T. mesenchym 3. Wegman Antibody R 4. Wegman immune ac	nouse IgG (the Fc region ith IgA and I nouse IgG (F P. et al. (2010) nal stem cell nn, F. et al. (2 esponses in nn F et al. (2) tivating prop	on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible. =c) polyclonal antibody may cross react with IgG from other 09) Population dynamics of <i>Trichuris suis</i> in trickle-infected pig 7.) Chondrogenic differentiation and immunological properties of Is in collagen type I hydrogel. <u>Biotechnol Prog. 26 (6): 1749-5</u> 2011) A Novel Strategy for Inducing Enhanced Mucosal HIV-1 an Anti-Inflammatory Environment <u>PLoS One. 6(1):e15861.</u> 015) The carbomer-lecithin adjuvant Adjuplex [™] has potent perties and elicits protective adaptive immunity against influenz			
RRID Specificity	AB_567024 Goat anti r localised to reactivity w Goat anti m species. 1. Nejsum, <u>Parasitolog</u> 2. Yuan, T. mesenchym 3. Wegman Antibody R 4. Wegman immune ac challenge in	nouse IgG (the Fc region ith IgA and I nouse IgG (F P. <i>et al.</i> (2000 <u>y. 136: 691-</u> <i>et al.</i> (2010) nal stem cell on, F. <i>et al.</i> (20 esponses in on F <i>et al.</i> (20 tivating prop on mice. <u>Clin</u>	on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible. Fc) polyclonal antibody may cross react with IgG from other 09) Population dynamics of <i>Trichuris suis</i> in trickle-infected pig 7.) Chondrogenic differentiation and immunological properties of Is in collagen type I hydrogel. <u>Biotechnol Prog. 26 (6): 1749-5</u> 2011) A Novel Strategy for Inducing Enhanced Mucosal HIV-1 an Anti-Inflammatory Environment <u>PLoS One. 6(1):e15861.</u> 015) The carbomer-lecithin adjuvant Adjuplex [™] has potent perties and elicits protective adaptive immunity against influenz <u>Vaccine Immunol. pii: CVI.00736-14.</u>			
RRID Specificity	AB_567024 Goat anti r localised to reactivity w Goat anti r species. 1. Nejsum, Parasitolog 2. Yuan, T. mesenchyn 3. Wegman Antibody R 4. Wegman immune ac challenge in 5. Liu, Z. ea	nouse IgG (the Fc region ith IgA and I nouse IgG (F P. et al. (200 y. 136: 691- et al. (2010) nal stem cell on, F. et al. (2 esponses in on F et al. (2010) n mice. <u>Clin</u> t al. (2016) F	on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible. =c) polyclonal antibody may cross react with IgG from other 09) Population dynamics of <i>Trichuris suis</i> in trickle-infected pig 7.) Chondrogenic differentiation and immunological properties of Is in collagen type I hydrogel. <u>Biotechnol Prog. 26 (6): 1749-5</u> 2011) A Novel Strategy for Inducing Enhanced Mucosal HIV-1 an Anti-Inflammatory Environment <u>PLoS One. 6(1):e15861</u> . 015) The carbomer-lecithin adjuvant Adjuplex [™] has potent perties and elicits protective adaptive immunity against influenz <u>Vaccine Immunol. pii: CVI.00736-14</u> . Partial protective immunity against toxoplasmosis in mice elicit			
RRID Specificity	AB_567024 Goat anti r localised to reactivity w Goat anti m species. 1. Nejsum, <u>Parasitolog</u> 2. Yuan, T. mesenchym 3. Wegman Antibody R 4. Wegman immune ac challenge in 5. Liu, Z. <i>ea</i> recombinar	nouse IgG (the Fc region ith IgA and I nouse IgG (F P. <i>et al.</i> (2000 <u>y. 136: 691-</u> <i>et al.</i> (2010) nal stem cell on, F. <i>et al.</i> (2010) nal stem cell on F <i>et al.</i> (2010) n mice. <u>Clin</u> t <i>al.</i> (2016) F n Toxoplasm	on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible. Fc) polyclonal antibody may cross react with IgG from other 09) Population dynamics of <i>Trichuris suis</i> in trickle-infected pig 7.) Chondrogenic differentiation and immunological properties of Is in collagen type I hydrogel. <u>Biotechnol Prog. 26 (6): 1749-5</u> 2011) A Novel Strategy for Inducing Enhanced Mucosal HIV-1 an Anti-Inflammatory Environment <u>PLoS One. 6(1):e15861.</u> 015) The carbomer-lecithin adjuvant Adjuplex [™] has potent berties and elicits protective adaptive immunity against influenz <u>Vaccine Immunol. pii: CVI.00736-14.</u> Partial protective immunity against toxoplasmosis in mice elicit na gondii malate dehydrogenase. <u>Vaccine. 34 (7): 989-94.</u>			
RRID Specificity	AB_567024 Goat anti r localised to reactivity w Goat anti r species. 1. Nejsum, Parasitolog 2. Yuan, T. mesenchyn 3. Wegman Antibody R 4. Wegman immune ac challenge in 5. Liu, Z. ea recombinar 6. Swaffer,	nouse IgG (the Fc region ith IgA and I nouse IgG (F P. <i>et al.</i> (200 <u>y. 136: 691-</u> <i>et al.</i> (2010) nal stem cell an, F. <i>et al.</i> (2010) nal stem cell an, F. <i>et al.</i> (2010) n mice. <u>Clin</u> <i>t al.</i> (2016) F nt Toxoplasm M.P. <i>et al.</i> (2010)	on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible. =c) polyclonal antibody may cross react with IgG from other 09) Population dynamics of <i>Trichuris suis</i> in trickle-infected pig 7.) Chondrogenic differentiation and immunological properties of Is in collagen type I hydrogel. <u>Biotechnol Prog. 26 (6): 1749-50</u> 2011) A Novel Strategy for Inducing Enhanced Mucosal HIV-1 an Anti-Inflammatory Environment <u>PLoS One. 6(1):e15861.</u> 015) The carbomer-lecithin adjuvant Adjuplex [™] has potent berties and elicits protective adaptive immunity against influenz <u>Vaccine Immunol. pii: CVI.00736-14.</u> Partial protective immunity against toxoplasmosis in mice elicit na gondii malate dehydrogenase. <u>Vaccine. 34 (7): 989-94.</u> 2016) CDK Substrate Phosphorylation and Ordering the Cell O			
RRID Specificity	AB_567024 Goat anti r localised to reactivity w Goat anti m species. 1. Nejsum, <u>Parasitolog</u> 2. Yuan, T. mesenchym 3. Wegman Antibody R 4. Wegman immune ac challenge in 5. Liu, Z. <i>et</i> recombinar 6. Swaffer, <u>Cell. 167 (7</u>	nouse IgG (the Fc region ith IgA and I nouse IgG (F P. <i>et al.</i> (2000) y. <u>136: 691-</u> <i>et al.</i> (2010) nal stem cell on, F. <i>et al.</i> (2010) nal stem cell on F <i>et al.</i> (2010) nal stem cell on F <i>et al.</i> (2010) for Toxoplasm M.P. <i>et al.</i> (2016) for Toxoplasm M.P. <i>et al.</i> (2016)	on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible. =c) polyclonal antibody may cross react with IgG from other 09) Population dynamics of <i>Trichuris suis</i> in trickle-infected pig 7.) Chondrogenic differentiation and immunological properties of Is in collagen type I hydrogel. <u>Biotechnol Prog. 26 (6): 1749-50</u> 2011) A Novel Strategy for Inducing Enhanced Mucosal HIV-1 an Anti-Inflammatory Environment <u>PLoS One. 6(1):e15861.</u> 015) The carbomer-lecithin adjuvant Adjuplex [™] has potent berties and elicits protective adaptive immunity against influenz Vaccine Immunol. pii: CVI.00736-14. Partial protective immunity against toxoplasmosis in mice elicit in a gondii malate dehydrogenase. <u>Vaccine. 34 (7): 989-94.</u> 2016) CDK Substrate Phosphorylation and Ordering the Cell C 1.e16.			
RRID Specificity	AB_567024 Goat anti r localised to reactivity w Goat anti m species. 1. Nejsum, Parasitolog 2. Yuan, T. mesenchym 3. Wegman Antibody R 4. Wegman immune ac challenge in 5. Liu, Z. <i>et</i> recombinar 6. Swaffer, <u>Cell. 167 (7</u> 7. Trindade	nouse IgG (the Fc region ith IgA and I nouse IgG (F P. <i>et al.</i> (2000) <i>y.</i> 136: 691- <i>et al.</i> (2010) nal stem cell on, F. <i>et al.</i> (2010) nal stem cell on, F. <i>et al.</i> (2010) nal stem cell on, F. <i>et al.</i> (2010) non F <i>et al.</i> (2010) for mice. <u>Clin</u> <i>t al.</i> (2016) F nt Toxoplasm M.P. <i>et al.</i> (2016) <i>f</i> , A.B. <i>et al.</i> (2010)	on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible. =c) polyclonal antibody may cross react with IgG from other 09) Population dynamics of <i>Trichuris suis</i> in trickle-infected pig 7.) Chondrogenic differentiation and immunological properties of Is in collagen type I hydrogel. <u>Biotechnol Prog. 26 (6): 1749-5</u> 2011) A Novel Strategy for Inducing Enhanced Mucosal HIV-1 an Anti-Inflammatory Environment <u>PLoS One. 6(1):e15861.</u> 015) The carbomer-lecithin adjuvant Adjuplex™ has potent berties and elicits protective adaptive immunity against influenz Vaccine Immunol. pii: CVI.00736-14. Partial protective immunity against toxoplasmosis in mice elicit in a gondii malate dehydrogenase. <u>Vaccine. 34 (7): 989-94.</u> 2016) CDK Substrate Phosphorylation and Ordering the Cell O <u>1.e16.</u> (2017) Mesenchymal-like stem cells in canine ovary show hig			
RRID Specificity	AB_567024 Goat anti r localised to reactivity w Goat anti m species. 1. Nejsum, Parasitolog 2. Yuan, T. mesenchym 3. Wegman Antibody R 4. Wegman immune ac challenge in 5. Liu, Z. ea recombinar 6. Swaffer, <u>Cell. 167 (7</u> 7. Trindade differentiation	nouse IgG (the Fc region ith IgA and I nouse IgG (F P. <i>et al.</i> (200 y. 136: 691- <i>et al.</i> (2010) nal stem cell on, F. <i>et al.</i> (2010) nal stem cell on, F. <i>et al.</i> (2010) nal stem cell on F <i>et al.</i> (2010) nal stem cell on F. <i>et al.</i> (2016) fut Toxoplasm M.P. <i>et al.</i> (2016) fut Toxoplasm	on as assessed by immunoelectrophoresis and ELISA. Cross IgM is negligible. =c) polyclonal antibody may cross react with IgG from other 09) Population dynamics of <i>Trichuris suis</i> in trickle-infected pig 7.) Chondrogenic differentiation and immunological properties of Is in collagen type I hydrogel. <u>Biotechnol Prog. 26 (6): 1749-50</u> 2011) A Novel Strategy for Inducing Enhanced Mucosal HIV-1 an Anti-Inflammatory Environment <u>PLoS One. 6(1):e15861.</u> 015) The carbomer-lecithin adjuvant Adjuplex [™] has potent berties and elicits protective adaptive immunity against influenz Vaccine Immunol. pii: CVI.00736-14. Partial protective immunity against toxoplasmosis in mice elicit in a gondii malate dehydrogenase. <u>Vaccine. 34 (7): 989-94.</u> 2016) CDK Substrate Phosphorylation and Ordering the Cell C 1.e16.			

	9. Li, Y. <i>et al.</i> (2022) Low-Temperature Plasma-Activated Mediand Progression of Lung Cancer by Targeting the PI3K/Akt an Med Cell Longev. 2022: 9014501.	
Storage	Store at +4°C. DO NOT FREEZE.	
	This product should be stored undiluted. Should this product c recommend microcentrifugation before use.	ontain a precipitate we
Guarantee	12 months from date of despatch	
Acknowledgements	Proclin™ 300 is a trademark of The Dow Chemical Company company of Dow.	("Dow") or an affiliated
Health And Safety Information	Material Safety Datasheet documentation #20391 available at <u>https://www.bio-rad-antibodies.com/SDS/STAR120P</u> 20391	
Regulatory	For research purposes only	

Related Products

Recommended Useful Reagents

AbGUARD® HRP STABILIZER PLUS (BUF052A) AbGUARD® HRP STABILIZER PLUS (BUF052B) AbGUARD® HRP STABILIZER PLUS (BUF052C) TMB CORE (BUF056A) TMB CORE+ (BUF062A) TMB SIGNAL+ (BUF054A)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rac	d.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M369646:200529'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint