

Datasheet: STAR121P BATCH NUMBER 155240

| Description: | GOAT ANTI RABBIT IgG (Fc):HRP |
|---------------|-------------------------------|
| Specificity: | IgG (Fc) |
| Format: | HRP |
| Product Type: | Polyclonal Antibody |
| Isotype: | Polyclonal IgG |
| Quantity: | 1 mg |

Product Details

Concentrations

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|----------------------|
| Immunohistology - Frozen | | | • | |
| Immunohistology - Paraffin | | | | |
| ELISA | | | | 1/10,000 - 1/100,000 |
| Western Blotting | - | | | 1/ 5,000 - 1/ 50,000 |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

| Target Species | Rabbit | |
|-----------------------------|---|---------|
| Product Form | Purified IgG conjugated to Horseradish Peroxidase (HRP) - liq | uid |
| Antiserum Preparatio | n Antisera to rabbit IgG were raised by repeated immunisations antigen. Purified IgG was prepared from whole serum by affini | • • • • |
| Buffer Solution | Phosphate buffered saline | |
| Preservative Stabilisers | 0.05% Proclin™ 300 0.2% Bovine Serum Albumin | |
| Approx. Protein | IgG concentration 1.0 mg/ml | |

| External Database Links | UniProt: P01870 Related reagents Entrez Gene: 100009097 LOC100009097 Related reagents | | |
|----------------------------------|--|--|--|
| RRID | AB_567025 | | |
| Specificity | Goat anti rabbit IgG antibody recognizes the Fc region of rabbit immunoglobulin G, confirmed by ELISA and immunoelectrophoresis. The antibody has not been species cross adsorbed and may cross react with IgG from other species. It shows weak recognition of rabbit IgM in ELISA. | | |
| | Goat anti rabbit IgG antibody has been used successfully as a secondary detection reagent for rabbit primary antibodies using immunohistochemical techniques (Redondo et al. 2013). | | |
| References | Kalluri, S.R. <i>et al.</i> (2010) Quantification and functional characterization of antibodies to native aquaporin 4 in neuromyelitis optica. <u>Arch Neurol. 67:1201-8.</u> Redondo, E. <i>et al.</i> (2014) Induction of interleukin-8 and interleukin-12 in neonatal ovine lung following experimental inoculation of bovine respiratory syncytial virus. <u>J Comp Pathol. 150 (4): 434-48.</u> Tyrsina, E. <i>et al.</i> (2019) Detection and quantification of VEGFR-1 in the nuclei of tumor cells by a new flow cytometry-based method. <u>J Immunotoxicol. 16 (1): 74-81.</u> Lin, W. <i>et al.</i> (2020) Rapid identification of anti-idiotypic mAbs with high affinity and diverse epitopes by rabbit single B-cell sorting-culture and cloning technology. <u>PLoS One. 15 (12): e0244158.</u> Li, Y. <i>et al.</i> (2022) Low-Temperature Plasma-Activated Medium Inhibited Proliferation and Progression of Lung Cancer by Targeting the PI3K/Akt and MAPK Pathways. <u>Oxid Med Cell Longev. 2022: 9014501.</u> | | |
| Storage | Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use. | | |
| Guarantee | 12 months from date of despatch | | |
| Acknowledgements | Proclin™ 300 is a trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow. | | |
| Health And Safety Information | Material Safety Datasheet documentation #20391 available at: https://www.bio-rad-antibodies.com/SDS/STAR121P 20391 | | |
| Regulatory | For research purposes only | | |

Related Products

Recommended Useful Reagents

TMB CORE (BUF056A)
TMB CORE+ (BUF062A)
TMB SIGNAL+ (BUF054A)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

 $\label{lem:lemail:antibody_sales_uk@bio-rad.com} Email: antibody_sales_uk@bio-rad.com \\ Email: antibody_sales_uk@bio-rad.com \\ Email: antibody_sales_uk@bio-rad.com \\ Email: antibody_sales_de@bio-rad.com \\ Email:$

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M369651:200529'

Printed on 15 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint