

Datasheet: STAR124P

BATCH NUMBER 154688

Description:	GOAT ANTI RABBIT IgG (H/L):HRP
Specificity:	IgG (H/L)
Format:	HRP
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	•			1/1000 - 1/5000
Immunohistology - Paraffin			•	
ELISA	-			1/50000 - 1/100000
Immunoprecipitation				
Western Blotting	-			1/2000 - 1/10000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Rabbit	
Product Form	Purified IgG conjugated to Horseradish Peroxidase (HRP) - lyc	philised
Reconstitution	Reconstitute with 1.0ml distilled water	
	Care should be taken during reconstitution as the protein may	appear as a film at the
	bottom of the vial. Bio-Rad recommend that the vial is gently m	nixed after reconstitution.
Antiserum Preparation	Antisera to rabbit IgG were raised by repeated immunisations antigen. Purified IgG was prepared from whole serum by affinit	• • • •
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.01% Gentamicin sulfate	

Approx. Protein Concentrations	IgG concentrat			
Immunogen	Rabbit IgG, wh	Rabbit IgG, whole molecule.		
External Database Links	UniProt:			
	P01870	Related reagents		
	P01841	Related reagents		
	P01838	Related reagents		
	P01847	Related reagents		
	P01840	Related reagents		
	P01839	Related reagents		
	Entrez Gene:			
	100009097	LOC100009097	Related reagents	
	100422811	IGKC2	Related reagents	
DDID	AD 045040			
RRID	AB_615912			
Specificity	Goat anti Rab	ctivity with bovine,	conjugated to horseradish p chicken, goat, guinea pig, h eins has been minimized by	namster, horse, human
	Goat anti Rab IgG. Cross rea mouse, rat and	ctivity with bovine, sheep serum prot	chicken, goat, guinea pig, h	namster, horse, human y solid phase adsorption d on magnetoresistive
Specificity	Goat anti Rab IgG. Cross rea mouse, rat and 1. Fernandes, sensors for bac	ctivity with bovine, sheep serum prot	chicken, goat, guinea pig, heins has been minimized by ab-on-chip cytometry basemilk. Sensors (Basel). 14 (8)	namster, horse, human y solid phase adsorption d on magnetoresistive
Specificity References	Goat anti Rab IgG. Cross rea mouse, rat and 1. Fernandes, sensors for bac Store at +4°C of Storage in fros	ctivity with bovine, it sheep serum protection. A.C. et al. (2014) Leteria detection in record at -20°C if prefect-free freezers is not	chicken, goat, guinea pig, heins has been minimized by ab-on-chip cytometry basemilk. Sensors (Basel). 14 (8) arred.	namster, horse, human y solid phase adsorption d on magnetoresistive): 15496-524.
Specificity References	Goat anti Rab IgG. Cross rea mouse, rat and 1. Fernandes, sensors for bac Store at +4°C of Storage in fros This product sh	ctivity with bovine, disheep serum protection. A.C. et al. (2014) Leteria detection in record at -20°C if prefect-free freezers is no could be stored under the could be stored under the could be stored as the could be stored as the could be stored under the could be stored unde	chicken, goat, guinea pig, heins has been minimized by ab-on-chip cytometry basemilk. Sensors (Basel). 14 (8 pred. by recommended. diluted. Avoid repeated free	namster, horse, human y solid phase adsorption d on magnetoresistive): 15496-524.
Specificity References	Goat anti Rab IgG. Cross rea mouse, rat and 1. Fernandes, sensors for bac Store at +4°C of Storage in fros This product sh denature the a	ctivity with bovine, disheep serum protection. A.C. et al. (2014) Leteria detection in record at -20°C if prefect-free freezers is no could be stored under the could be stored under the could be stored as the could be stored as the could be stored under the could be stored unde	chicken, goat, guinea pig, heins has been minimized by ab-on-chip cytometry basemilk. Sensors (Basel). 14 (8) arred.	namster, horse, human y solid phase adsorption d on magnetoresistive): 15496-524.
Specificity References	Goat anti Rab IgG. Cross rea mouse, rat and 1. Fernandes, sensors for bac Store at +4°C of Storage in fros This product sh denature the a microcentrifuga	ctivity with bovine, disheep serum protection. A.C. et al. (2014) Leteria detection in record at -20°C if prefect-free freezers is not nould be stored unduliborate.	chicken, goat, guinea pig, heins has been minimized by ab-on-chip cytometry basemilk. Sensors (Basel). 14 (8 pred. by recommended. diluted. Avoid repeated free	namster, horse, human y solid phase adsorption d on magnetoresistive): 15496-524.
Specificity References Storage Guarantee Health And Safety	Goat anti Rab IgG. Cross rea mouse, rat and 1. Fernandes, sensors for bac Store at +4°C of Storage in fros This product sh denature the a microcentrifuga 12 months from	ctivity with bovine, disheep serum protection. A.C. et al. (2014) Leteria detection in record at -20°C if prefect-free freezers is not bould be stored und ntibody. Should this ation before use.	chicken, goat, guinea pig, heins has been minimized by ab-on-chip cytometry basemilk. Sensors (Basel). 14 (8 pred. by recommended. diluted. Avoid repeated free	namster, horse, humany solid phase adsorption of the domination of
Specificity References Storage Guarantee	Goat anti Rab IgG. Cross rea mouse, rat and 1. Fernandes, sensors for bac Store at +4°C of Storage in fros This product sh denature the a microcentrifuga 12 months from Material Safety	ctivity with bovine, disheep serum protection of the cterial detection in record at -20°C if prefects free freezers is not nould be stored unditable to before use.	chicken, goat, guinea pig, heins has been minimized by ab-on-chip cytometry basemilk. Sensors (Basel). 14 (8 pred. but recommended. diluted. Avoid repeated free seproduct contain a precipitation.	namster, horse, humany solid phase adsorption of the domination of

Related Products

Recommended Useful Reagents

TMB CORE (BUF056A)
TMB CORE+ (BUF062A)

TMB SIGNAL+ (BUF054A)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M375158:201217'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint