

Datasheet: STAR126A

Description:	GOAT ANTI HUMAN IgG F(ab') ₂ :Alk. Phos
Specificity:	IgG F(ab') ₂
Format:	Alk. Phos.
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.5 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			1/1000 - 1/10000
Western Blotting	▪			1/1000 - 1/10000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified Ig conjugated to Alkaline Phosphatase - liquid
Preparation	Purified Ig prepared by affinity chromatography
Buffer Solution	TRIS buffered saline
Preservative	<0.1% Sodium Azide (NaN ₃)
Stabilisers	1.5% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.6mg/ml
Immunogen	Human IgG F(ab') ₂

External Database Links

UniProt:

[P01834](https://www.uniprot.org/entry/P01834)

[Related reagents](#)

Entrez Gene:

[3514](#) IGKC [Related reagents](#)
[28815](#) IGLV2-14 [Related reagents](#)

RRID AB_1605086

Specificity **Goat anti Human IgG F(ab')₂ antibody** recognizes Fab and F(ab')₂ portion of human IgG by IEP. It reacts with other human immunoglobulins through common light chain reactivity.

Goat anti Human IgG F(ab')₂ antibody demonstrates minimal cross reactivity with bovine, horse and mouse IgG; other species have not been tested.

No reactivity is seen with the Fc portion of human IgG or non-immunoglobulin serum proteins.

This antibody is a performance tested, matched reagent for use with Bio-Rad HuCAL antibodies.

- References**
1. Eriksson, O. *et al.* (2011) Development of an antibody to bovine IL-2 reveals multifunctional CD4 T(EM) cells in cattle naturally infected with bovine tuberculosis. [PLoS One. 6 \(12\): e29194.](#)
 2. Back, J.W. *et al.* (2012) Selecting highly structure-specific antibodies using structured synthetic mimics of the cystine knot protein sclerostin. [Protein Eng Des Sel. 25: 251-9.](#)
 3. Eriksson, O. *et al.* (2018) Pancreatic imaging using an antibody fragment targeting the zinc transporter type 8: a direct comparison with radio-iodinated Exendin-4. [Acta Diabetol. 55 \(1\): 49-57.](#)
 4. Wege, A.K. *et al.* (2020) A novel rabbit derived anti-HER2 antibody with pronounced therapeutic effectiveness on HER2-positive breast cancer cells *in vitro* and in humanized tumor mice (HTM). [J Transl Med. 18 \(1\): 316.](#)
 5. Suskiewicz, M.J. *et al.* (2019) Structure of McsB, a protein kinase for regulated arginine phosphorylation. [Nat Chem Biol. 15 \(5\): 510-518.](#)
 6. Hentrich, C. *et al.* (2024) Engineered reversible inhibition of SpyCatcher reactivity enables rapid generation of bispecific antibodies. [Nat Commun. 15 \(1\): 5939.](#)
 7. Bonfiglio, J.J. *et al.* (2020) An HPF1/PARP1-Based Chemical Biology Strategy for Exploring ADP-Ribosylation. [Cell. 183 \(4\): 1086-1102.e23.](#)

Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee 12 months from date of despatch

Health And Safety Material Safety Datasheet documentation #10058 available at:

Information <https://www.bio-rad-antibodies.com/SDS/STAR126A>
10058

Regulatory For research purposes only

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M428658:240301'

Printed on 29 Oct 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)