

Datasheet: STAR132A

BATCH NUMBER 160091

GOAT ANTI MOUSE IgG1:Alk. Phos.
lgG1
Alk. Phos.
Polyclonal Antibody
Polyclonal IgG
1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	•			
Immunohistology - Paraffin	•			
ELISA				1/2000 - 1/4000
Western Blotting	•			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species Mouse Species Cross Reactivity Product Form Purified IgG conjugated to Alkaline Phosphatase - liquid Antiserum Preparation Antisera to mouse IgG were raised by repeated immunisation of goats with puri antigen. Purified IgG1 was prepared from whole serum by affinity chromatograph and MgCl2 Preservative Stabilisers Volume April 1988 April 1989 April 198			
Product Form Purified IgG conjugated to Alkaline Phosphatase - liquid Antiserum Preparation Antisera to mouse IgG were raised by repeated immunisation of goats with puri antigen. Purified IgG1 was prepared from whole serum by affinity chromatograph Buffer Solution	Target Species	Mouse	
Antiserum Preparation Antisera to mouse IgG were raised by repeated immunisation of goats with puri antigen. Purified IgG1 was prepared from whole serum by affinity chromatograph SomM TRIS 1mM MgCl ₂ Preservative <0.1% Sodium Azide (NaN ₃)	•	Does not react with:Human	
antigen. Purified IgG1 was prepared from whole serum by affinity chromatograp Buffer Solution 50mM TRIS 1mM MgCl ₂ Preservative <0.1% Sodium Azide (NaN ₃)	Product Form	Purified IgG conjugated to Alkaline Phosphatase - liquid	
1mM MgCl ₂ Preservative <0.1% Sodium Azide (NaN ₃)	Antiserum Preparation		•
O. 177 Codiant / Elao (Nativa)	Buffer Solution		
		· · · · · · · · · · · · · · · · · · ·	

Immunogen	
-----------	--

Mouse IgG1 paraproteins.

External Database Links

UniProt:

P01869Related reagentsP01868Related reagents

Entrez Gene:

16017 Ighg1 Related reagents16017 Ighg1 Related reagents

Synonyms

Igh-4

RRID

AB 2124270

Specificity

Goat anti Mouse IgG1 antibody recognizes Mouse IgG1. This antibody has been cross absorbed against mouse IgM, IgG2a, IgG2b, IgG3 and IgA, pooled human sera and purified human paraproteins. Goat anti Mouse IgG1 antibody shows minimal cross-reactivity with human immunoglobulins.

References

- 1. Croft, N.P. *et al.* (2009) Stage-specific inhibition of MHC class I presentation by the Epstein-Barr virus BNLF2a protein during virus lytic cycle. <u>PLoS Pathog. 5(6): e1000490</u>.
- 2. Zuo, J. *et al.* (2011) The Epstein-Barr virus-encoded BILF1 protein modulates immune recognition of endogenously processed antigen by targeting MHC class I molecules trafficking on both the exocytic and endocytic pathways. <u>J Virol. 85: 1604-14.</u>
- 3. Knipping, K. *et al.* (2011) A gastrointestinal rotavirus infection mouse model for immune modulation studies. Virol J. 8: 109.
- 4. Young, D. *et al.* (2012) Soy-derived di- and tripeptides alleviate colon and ileum inflammation in pigs with dextran sodium sulfate-induced colitis. <u>J Nutr. 142 (2): 363-8.</u>
- 5. Bagai, U. and Pawar, A. (2013) A blood stage fraction of *Plasmodium berghei* induces protective and long lasting immune response in BALB/c mice. <u>Parasitol Int. 62: 329-36.</u>
- 6. Anda, S. *et al.* (2014) Cell-cycle analyses using thymidine analogues in fission yeast. PLoS One. 9 (2): e88629.
- 7. Kamat, M.M. *et al.* (2016) Changes in Myeloid Lineage Cells in the Uterus and Peripheral Blood of Dairy Heifers During Early Pregnancy. <u>Biol Reprod. Aug 10. pii: biolreprod.116.141069. [Epub ahead of print]</u>
- 8. Ramanathan, R. *et al.* (2015) Transplantation of human stem cell-derived hepatocytes in an animal model of acute liver failure. <u>Surgery. 158 (2): 349-59.</u>
- 9. Hwang, S.R. *et al.* (2015) Altered expression levels of neurodevelopmental proteins in fetal brains of BTBR T+tf/J mice with autism-like behavioral characteristics. <u>J Toxicol Environ Health A. 78 (8): 516-23.</u>
- 10. Zhao, Z. *et al.* (2015) Multiple B-cell epitope vaccine induces a Staphylococcus enterotoxin B-specific IgG1 protective response against MRSA infection. <u>Sci Rep. 5:</u> 12371.
- 11. Gutiérrez-Miranda, B. *et al.* (2020) Oleacein Attenuates the Pathogenesis of Experimental Autoimmune Encephalomyelitis through Both Antioxidant and Anti-Inflammatory Effects. Antioxidants (Basel). 9 (11)Nov 21 [Epub ahead of print].
- 12. Gutierrez, B. et al. (2020) Oleanolic acid ameliorates intestinal alterations associated

- with EAE Journal of Neuroinflammation. 17 (1) [Epub ahead of print].
- 13. Apóstolo, N. *et al.* (2020) Synapse type-specific proteomic dissection identifies IgSF8 as a hippocampal CA3 microcircuit organizer. <u>Nat Commun. 11 (1): 5171.</u>
- 14. Zhuang, X. *et al.* (2020) CAR T cells targeting tumor endothelial marker CLEC14A inhibit tumor growth. <u>JCI Insight. 5 (19)Oct 02 [Epub ahead of print].</u>
- 15. Sparks, A.M. *et al.* (2018) Natural Selection on Antihelminth Antibodies in a Wild Mammal Population. <u>Am Nat. 192 (6): 745-760.</u>
- 16. Kushwaha, V. *et al.* (2019) Troponin 1 of human filarial parasite *Brugia malayi*.: cDNA cloning, expression, purification, and its immunoprophylactic potential. <u>Parasitol Res. 118</u> (6): 1849-63.
- 17. Kim, Y.H. *et al.* (2019) Effects of ruminal pH on gene expression in the rumen epithelium, peripheral blood mononuclear cell subpopulations, and blood metabolites from Holstein calves during weaning transition. J Vet Med Sci. 81 (6): 808-816.
- 18. Jimbo, S. *et al.* (2019) Natural and inducible regulatory B cells are widely distributed in ovine lymphoid tissues. <u>Vet Immunol Immunopathol. 211: 44-48.</u>
- 19. Sparks, A.M. *et al.* (2019) The genetic architecture of helminth-specific immune responses in a wild population of Soay sheep (*Ovis aries.*). <u>PLoS Genet. 15 (11):</u> e1008461.
- 20. Nedumpun, T. *et al.* (2019) Negative Immunomodulatory Effects of Type 2 Porcine Reproductive and Respiratory Syndrome Virus-Induced Interleukin-1 Receptor Antagonist on Porcine Innate and Adaptive Immune Functions. Front Immunol. 10: 579.
- 21. Verma, R. *et al.* (2018) *Leishmania donovani*. molecules recognized by sera of filaria infected host facilitate filarial infection. <u>Parasitol Res. 117 (9): 2901-12.</u>
- 22. Gatkowska, J. *et al.* (2019) The Impact of the Antigenic Composition of Chimeric Proteins on Their Immunoprotective Activity against Chronic Toxoplasmosis in Mice. Vaccines (Basel). 7(4):154.
- 23. Han, H. *et al.* (2021) Metal arsenic mediated enhancement of type-2 immunity in brains with altered locomotive activities in mice with autism-like behavioral characteristics Toxicological Research. 08 Oct [Epub ahead of print].
- 24. Anda, S. *et al.* (2021) Cosegregation of asymmetric features during cell division. <u>Open Biol. 11 (8): 210116.</u>
- 25. Minaei, S. *et al.* (2018) Propranolol efficacy as a novel adjuvant for immunization against *Toxoplasma gondii.* tachyzoites. <u>Exp Parasitol.</u> 194: 60-66.

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee	Guaranteed until date of expiry. Please see product label.
Health And Safety Information	Material Safety Datasheet documentation #10322 available at: https://www.bio-rad-antibodies.com/SDS/STAR132A 10322
Regulatory	For research purposes only

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M387608:210629'

Printed on 09 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint