

## Datasheet: STAR132A BATCH NUMBER 164389

Description:	GOAT ANTI MOUSE IgG1:Alk. Phos.
Specificity:	lgG1
Format:	Alk. Phos.
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

## **Product Details**

Applications	ions This product has been reported to work in the following applications. This informatio						
	derived from testing withi	n our labo	ratories, p	eer-reviewed pub	lications or personal		
	communications from the originators. Please refer to references indicated for						
	information. For general protocol recommendations, please visit www.bio-						
	rad-antibodies.com/protocols.						
		Yes	No	Not Determined	I Suggested Dilution		
	Immunohistology - Frozen	•					
	Immunohistology - Paraffin	-					
	ELISA	-			1/2000 - 1/4000		
	Western Blotting	-					
	Where this antibody has	not been t	ested for ι	use in a particular	technique this does not		
	necessarily exclude its us	se in such	procedure	s. Suggested wo	rking dilutions are given as		
	a quide only. It is recomm	nended that	at the user	titrates the antibo	ody for use in their own		
	system using appropriate	e negative/	positive co	ontrols.			
	5 5 11 1	<b>J</b>	•				
Target Species	Mouse						
Species Cross	Does not react with:Hum	an					
Reactivity							
Product Form	Purified IgG conjugated t	o Alkaline	Phosphat	ase - liquid			
A					с ,		
Antiserum Preparation	Antisera to mouse IgG w	ere raised	by repeat		of goats with purified		
	antigen. Purified IgG1 wa	as prepare	a from who	ble serum by affin	nity chromatography.		
Buffer Solution	50mM TRIS						
	1mM MaClo						
Preservative	<0.1% Sodium Azide (Na	aN <sub>3</sub> )					
Stabilisers	50% Glycerol	57					
	- ,						

Immunogen	Mouse IgG1 paraproteins.				
External Database Links	UniProt: P01869 Related reagents				
	P01868 Related reagents				
	Entrez Gene:16017Ighg1Related reagents16017Ighg1Related reagents				
Synonyms	lgh-4				
RRID	AB_2124270				
Specificity	<b>Goat anti Mouse IgG1 antibody</b> recognizes Mouse IgG1. This antibody has been cross absorbed against mouse IgM, IgG2a, IgG2b, IgG3 and IgA, pooled human sera and purified human paraproteins. Goat anti Mouse IgG1 antibody shows minimal cross-reactivity with human immunoglobulins.				
References	<ol> <li>Croft, N.P. <i>et al.</i> (2009) Stage-specific inhibition of MHC class I presentation by the Epstein-Barr virus BNLF2a protein during virus lytic cycle. PLoS Pathog. 5(6): e1000490.</li> <li>Zuo, J. <i>et al.</i> (2011) The Epstein-Barr virus-encoded BILF1 protein modulates immune recognition of endogenously processed antigen by targeting MHC class I molecules trafficking on both the exocytic and endocytic pathways. J Virol. 85: 1604-14.</li> <li>Knipping, K. <i>et al.</i> (2011) A gastrointestinal rotavirus infection mouse model for immune modulation studies. Virol J. 8: 109.</li> <li>Young, D. <i>et al.</i> (2012) Soy-derived di- and tripeptides alleviate colon and ileum inflammation in pigs with dextran sodium sulfate-induced colitis. J Nutr. 142 (2): 363-8.</li> <li>Bagai, U. and Pawar, A. (2013) A blood stage fraction of <i>Plasmodium berghei</i> induces protective and long lasting immune response in BALB/c mice. Parasitol Int. 62: 329-36.</li> <li>Anda, S. <i>et al.</i> (2014) Cell-cycle analyses using thymidine analogues in fission yeast. PLoS One. 9 (2): e88629.</li> <li>Kamat, M.M. <i>et al.</i> (2015) Changes in Myeloid Lineage Cells in the Uterus and Peripheral Blood of Dairy Heifers During Early Pregnancy. <u>Biol Reprod. 95 (3): 68</u>.</li> <li>Ramanathan, R. <i>et al.</i> (2015) Altered expression levels of neurodevelopmental proteins in fetal brains of BTBR T+tf/J mice with autism-like behavioral characteristics. J Toxicol Environ Health A. 78 (8): 516-23.</li> <li>Zhao, Z. <i>et al.</i> (2015) Multiple B-cell epitope vaccine induces a Staphylococcus enterotoxin B-specific lgG1 protective response against MRSA infection. <u>Sci Rep. 5</u>: 12371.</li> <li>Gutierrez-Miranda, B. <i>et al.</i> (2020) Oleacein Attenuates the Pathogenesis of Experimental Autoimmune Encephalomyelitis through Both Antioxidant and Anti-Inflammatory Effects. <u>Antioxidants (Basel). 9 (11): 1161.</u></li> <li>Gutierrez, B. <i>et al.</i> (2020) Oleanolic acid ameliorates intestinal alterations associated with EAE. J Neuroinflammation. 17</li></ol>				

	13. Apóstolo, N. et al. (2020) Synapse type-specific proteomic dissection identifies IgSF8
	as a hippocampal CA3 microcircuit organizer. <u>Nat Commun. 11 (1): 5171.</u>
	14. Zhuang, X. et al. (2020) CAR T cells targeting tumor endothelial marker CLEC14A
	inhibit tumor growth. <u>JCI Insight. 5 (19): e138808.</u>
	15. Sparks, A.M. et al. (2018) Natural Selection on Antihelminth Antibodies in a Wild
	Mammal Population. <u>Am Nat. 192 (6): 745-760.</u>
	16. Kushwaha, V. et al. (2019) Troponin 1 of human filarial parasite Brugia malayi.: cDNA
	cloning, expression, purification, and its immunoprophylactic potential. Parasitol Res. 118
	(6): 1849-63.
	17. Kim, Y.H. <i>et al.</i> (2019) Effects of ruminal pH on gene expression in the rumen
	epithelium, peripheral blood mononuclear cell subpopulations, and blood metabolites from
	Holstein calves during weaning transition. J Vet Med Sci. 81 (6): 808-816.
	18. Jimbo, S. et al. (2019) Natural and inducible regulatory B cells are widely distributed in
	ovine lymphoid tissues. Vet Immunol Immunopathol 211: 44-48
	19. Sparks, A.M. <i>et al.</i> (2019) The genetic architecture of helminth-specific immune
	responses in a wild population of Soay sheep (Ovis aries). PLoS Genet 15 (11):
	e1008461
	20 Nedumpun T <i>et al.</i> (2019) Negative Immunomodulatory Effects of Type 2 Porcing
	Poproductive and Pospiratory Syndrome Virus Induced Interloukin 1 Recenter Antagonist
	an Dereine Innete and Adentive Immune Functione, Front Immunel, 10: 570
	on Porcine innate and Adaptive inniture Functions. <u>Front Inniturior. 10, 579.</u>
	21. verma, R. et al. (2018) Leisrinaria donovani. molecules recognized by sera of mana
	Infected nost facilitate filarial infection. Parasitol Res. 117 (9): 2901-12.
	22. Gatkowska, J. et al. (2019) The Impact of the Antigenic Composition of Chimeric
	Proteins on Their Immunoprotective Activity against Chronic Toxoplasmosis in Mice.
	Vaccines (Basel). 7(4):154.
	23. Han, H.J. et al. (2022) Metal arsenic mediated enhancement of type-2 immunity in
	brains with altered locomotive activities in mice with autism-like behavioral characteristics.
	<u>Toxicol Res. 38 (1): 27-33.</u>
	24. Anda, S. et al. (2021) Cosegregation of asymmetric features during cell division. Open
	<u>Biol. 11 (8): 210116.</u>
	25. Minaei, S. et al. (2018) Propranolol efficacy as a novel adjuvant for immunization
	against Toxoplasma gondii. tachyzoites. Exp Parasitol. 194: 60-66.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at
	-20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for
	short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in
	frost-free freezers is not recommended.
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever
	comes first. Please see label for expiry date.
Health And Safety	Material Safety Datasheet documentation #10322 available at:
Information	https://www.bio-rad-antibodies.com/SDS/STAR132A 10322
Regulatory	For research purposes only

North & South	Tel: +1 800 265 7376 Worldwide	Tel: +44 (0)1865 852 700 Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751	Fax: +44 (0)1865 852 739	Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com	Email: antibody_sales_uk@bio-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M402088:220718'

## Printed on 09 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint