

Datasheet: STAR135F BATCH NUMBER 151071

Description:	GOAT ANTI MOUSE IgG2c:FITC
Specificity:	lgG2c
Other names:	lgh-1b ALLELE
Format:	FITC
Product Type:	Polyclonal Antibody
lsotype:	Polyclonal IgG
Quantity:	0.5 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry	-						
	Immunohistology - Froze	n		•				
	Immunohistology - Paraff	ïn		•				
	Where this antibody has not been tested for use in a particular technique this does not							
	necessarily exclude its use in such procedures. Suggested working dilutions are given as							
	a guide only. It is recor	nmended tha	t the use	er titrates the antibody	y for use in their own			
	system using the appro	opriate negati	ve/positi	ive controls.				
Target Species	Mouse							
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid							
Max Ex/Em	Fluorophore	Excitation Ma	ax (nm)	Emission Max (nm)				
	FITC	490		525				
Preparation	Purified IgG prepared by affinity chromatography							
Antiserum Preparation	n Antisera to mouse IgG purified antigen.	2c were raise	ed by rep	peated immunisations	of goats with highly			
Buffer Solution	Phosphate buffered sa							
Preservative Stabilisers	0.09% Sodium Azide							

	0.2% Bovine Serum Albumin					
Approx. Protein Concentrations	IgG concentration 1.0mg/ml					
Immunogen	Native mouse IgG2c.					
RRID	AB_1102667					
Specificity	Goat anti Mouse IgG2c antibody recognizes mouse IgG2c, otherwise known as the Igh 1b allele of IgG2a. Goat anti Mouse IgG2c antibody is assessed by ELISA and immunoelectrophoresis and has been shown to react with IgG2c in C57BL/6, SJL, C57BL/10, CB20, C57BL/6 by Balb/C crosses and pools of serum of outbred mice and does not react with L-chains or other IgG subclasses.					
Flow Cytometry	Use 10 ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.					
References	 Use 10 ul of the suggested working dilution to label 1x10° cells in 100ul. 1. Jalili, R.B. <i>et al.</i> (2010) Local Expression of Indoleamine 2,3 Dioxygenase in Syngeneic Fibroblasts Significantly Prolongs Survival of an Engineered Three-Dimensional Islet Allograft. <u>Diabetes 59: 2219-27</u> 2. Arnold, I.C. <i>et al.</i> (2011) The C-terminally encoded, MHC class II-restricted T cell antigenicity of the <i>Helicobacter pylori</i> virulence factor CagA promotes gastric preneoplasia. <u>J Immunol. 186: 6165-72.</u> 3. Paes, W. <i>et al.</i> (2016) Recombinant polymorphic membrane protein D in combination with a novel, second-generation lipid adjuvant protects against intra-vaginal Chlamydia trachomatis infection in mice. <u>Vaccine. 34 (35): 4123-31.</u> 4. Carroll, E.C. <i>et al.</i> (2016) The Vaccine Adjuvant Chitosan Promotes Cellular Immunity via DNA Sensor cGAS-STING-Dependent Induction of Type I Interferons. <u>Immunity. 44 (3): 597-608.</u> 5. Zouggari, Y. <i>et al.</i> (2021) Critical requirement for BCR, BAFF, and BAFFR in memory B cell survival. <u>J Exp Med. 218 (2) [Epub ahead of print].</u> 7. McEntee, C.P. <i>et al.</i> (2020) Type I IFN signalling is required for cationic adjuvant formulation (CAF)01-induced cellular immunity and mucosal priming. <u>Vaccine. 38 (3): 635-43.</u> 					
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.					
Guarantee	12 months from date of despatch					
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/STAR135F 10041					
Regulatory	For research purposes only					

North & Sout	th Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21	
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50	То
	Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com		o-rad.com	Email: antibody_sales_de@bio-rad.comd a		
hate	h/lot specific datasheet fo	or this product in	lease use our online sear	ch tool at: hio-	rad-antibodies com/datasheet	e

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M369685:200529'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint