

Datasheet: STAR136F BATCH NUMBER 180216

| Description: | GOAT ANTI MOUSE IgG3:FITC |
|---------------|---------------------------|
| Specificity: | lgG3 |
| Format: | FITC |
| Product Type: | Polyclonal Antibody |
| Isotype: | Polyclonal IgG |
| Quantity: | 0.5 mg |
| Quantity | |

Product Details

| Applications | This product has been derived from testing wit | hin our labo | oratories, p | peer-reviewed public | ations or personal | | |
|-----------------------------|--|------------------------|--------------|-----------------------|-----------------------------------|--|--|
| | communications from th information. For genera | - | | | | | |
| | - | - | comment | iations, please visit | <u>www.DIO-</u> | | |
| | rad-antibodies.com/prot | <u>tocols</u> . Yes | No | Not Determined | Suggested Dilution | | |
| | Flow Cytometry | 162 | NO | Not Determined | Suggested Dilution Neat - 1/10 | | |
| | Immunohistology - Frozer | | | | Neal - 1/10 | | |
| | Immunohistology - Prozer | | | - | | | |
| | Immunofluorescence | • | | - | Neat - 1/10 | | |
| | | | | | | | |
| | Where this antibody has not been tested for use in a particular technique this does not | | | | | | |
| | necessarily exclude its use in such procedures. Suggested working dilutions are given as | | | | | | |
| | a guide only. It is recommended that the user titrates the antibody for use in their own | | | | | | |
| | system using appropria | te negative | positive c | ontrols. | | | |
| Target Species | Mouse | | | | | | |
| Species Cross Reactivity | Does not react with:Hu | man | | | | | |
| Product Form | Purified IgG conjugated | to Fluores | cein Isothi | ocyanate Isomer 1 (| FITC) - liquid | | |
| Max Ex/Em | Fluorophore | Excitation M | lax (nm) | Emission Max (nm) | | | |
| | FITC | 490 | | 525 | | | |
| Antiserum Preparatio | n Antisera to mouse IgG3 antigen. Purified IgG wa | | • • | | • | | |
| Buffer Solution | Phosphate buffered sal | ine | | | | | |
| Preservative | 0.1% Sodium Azide (Na | aN ₃) | | | | | |

Stabilisers

| Approx. Protein Concentrations | IgG concentration 1.0mg/ml |
|-----------------------------------|---|
| Immunogen | Mouse IgG3 paraproteins. |
| External Database Links | UniProt: <u>P03987</u> <u>Related reagents</u> Entrez Gene: |
| | 380795 AI324046 Related reagents |
| RRID | AB_1102671 |
| Specificity | Goat anti Mouse IgG3 antibody recognizes Mouse IgG3 and has been cross absorbed against mouse IgM, IgG1, IgG2a, IgG2b and IgA, pooled human sera and purified human paraproteins. Goat anti Mouse IgG3 antibody shows minimal cross-reactivity with human immunoglobulins. |
| Flow Cytometry | Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul. |
| References | Knipping, K. <i>et al.</i> (2011) A gastrointestinal rotavirus infection mouse model for immune modulation studies. <u>Virol J. 8: 109.</u> Donius LR <i>et al.</i> (2013) Optimal germinal center B cell activation and T-dependent antibody responses require expression of the mouse complement receptor Cr1. <u>J</u> <u>Immunol. 191 (1): 434-47.</u> Hwang, S.R. <i>et al.</i> (2015) Altered expression levels of neurodevelopmental proteins in fetal brains of BTBR T+tf/J mice with autism-like behavioral characteristics. <u>J Toxicol Environ Health A. 78 (8): 516-23.</u> Zhao, Z. <i>et al.</i> (2015) Multiple B-cell epitope vaccine induces a <i>Staphylococcus</i> enterotoxin B-specific IgG1 protective response against MRSA infection. <u>Sci Rep. 5: 12371.</u> Thema, N. <i>et al.</i> (2019) Identification and characterisation of conserved epitopes of <i>E. ruminantium</i> that activate Th1 CD4⁺ T cells: Towards the development of a multi-epitope vaccine. <u>Mol Immunol. 107: 106-114.</u> |
| Storage | Store at +4°C or at -20°C if preferred. This product should be stored undiluted. |
| | Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light. |
| | Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. |
| Guarantee | 12 months from date of despatch |

| Regulato | ry | For research purpos | es only | | |
|----------|---|---------------------|--|----------|--|
| | Tel: +1 800 265 7376 Worldwide Fax: +1 919 878 3751 | | Tel: +44 (0)1865 852 700 Europe Fax: +44 (0)1865 852 739 | | Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 |
| anenea | | ales_us@bio-rad.com | Email: antibody_sales_uk@bio- | -rad.com | Email: antibody_sales_de@bio-rad.co |

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint