

Datasheet: STAR137P

BATCH NUMBER 157270

Description:	GOAT ANTI MOUSE IgA:HRP
Specificity:	IgA
Format:	HRP
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

## **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	•			
Immunohistology - Paraffin	•			
ELISA	•			1/4000 - 1/8000
Western Blotting	•			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse	
Product Form	Purified IgG conjugated to Horseradish Peroxidase (HRP) - lic	uid
Antiserum Preparation	n Antisera to mouse IgA were raised by repeated immunisation antigen. Purified IgG was prepared from whole serum by affin	
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.01% Thiomersal 50% Glycerol	
Immunogen	Mouse IgA paraproteins.	
External Database Links	UniProt:	

#### P01878 Related reagents

#### **Entrez Gene:**

16061 Igh-VJ558 Related reagents

RRID	AB_2075637
Specificity	Goat anti Mouse IgA antibody recognizes Mouse IgA and has been cross absorbed against mouse IgM, IgG1, IgG2a, IgG2b and IgG3.
References	1. Capoccia, B.J. <i>et al.</i> (2011) Transcription factor MIST1 in terminal differentiation of mouse and human plasma cells. <u>Physiol Genomics. 43 (3): 174-86.</u>
	2. Yamashita, H. <i>et al</i> (2012) Overcoming food allergy through acquired tolerance conferred by transfer of Tregs in a murine model. <u>Allergy</u> . 67: 201-9.
	3. Won, Y.S. <i>et al.</i> (2017) Green tea cultivar 'Benifuuki' potentiates split vaccine-induced immunoglobulin A production. <u>J Nat Med. 71 (1): 68-75.</u>
	4. Ramstead, A.G. et al. (2016) Roles of Toll-Like Receptor 2 (TLR2), TLR4, and MyD88
	during Pulmonary <i>Coxiella burnetii</i> Infection. <u>Infect Immun. 84 (4): 940-9.</u>
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted.
	Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing
	as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety	Material Safety Datasheet documentation #10097 available at:
Information	https://www.bio-rad-antibodies.com/SDS/STAR137P
	10097
Regulatory	For research purposes only

# **Related Products**

# **Recommended Useful Reagents**

AbGUARD® HRP STABILIZER PLUS (BUF052A) AbGUARD® HRP STABILIZER PLUS (BUF052B) AbGUARD® HRP STABILIZER PLUS (BUF052C) TMB CORE (BUF056A) TMB CORE+ (BUF062A) TMB SIGNAL+ (BUF054A)

North & South Tel: +1 800 265 7376 America

Fax: +1 919 878 3751

Email: antibody\_sales\_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody\_sales\_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Europe Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_de@bio-rad.com

## Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint