

Datasheet: STAR137P

Description:	GOAT ANTI MOUSE IgA:HRP
Specificity:	IgA
Format:	HRP
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	•			
Immunohistology - Paraffin	•			
ELISA	•			1/4000 - 1/8000
Western Blotting				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG conjugated to Horseradish Peroxidase (HRP) - liquid

Antiserum Preparation Antisera to mouse IgA were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.01% Thiomersal 50% Glycerol
Immunogen	Mouse IgA paraproteins.

External Database

Links UniProt:

P01878 Related reagents

Entrez Gene:

16061 Igh-VJ558 Related reagents

AB_2075637
Goat anti Mouse IgA antibody recognizes Mouse IgA and has been cross absorbed
against mouse IgM, IgG1, IgG2a, IgG2b and IgG3.
1. Capoccia, B.J. et al. (2011) Transcription factor MIST1 in terminal differentiation of
mouse and human plasma cells. Physiol Genomics. 43 (3): 174-86.
2. Yamashita, H. et al (2012) Overcoming food allergy through acquired tolerance
conferred by transfer of Tregs in a murine model. Allergy. 67: 201-9.
3. Won, Y.S. et al. (2017) Green tea cultivar 'Benifuuki' potentiates split vaccine-induced
immunoglobulin A production. <u>J Nat Med. 71 (1): 68-75.</u>
4. Ramstead, A.G. <i>et al.</i> (2016) Roles of Toll-Like Receptor 2 (TLR2), TLR4, and MyD88 during Pulmonary <i>Coxiella burnetii</i> Infection. <u>Infect Immun. 84 (4): 940-9.</u>
5. Sessevmez, M. et al. (2023) Induction of humoral and cell-mediated immunity in mice
by chitosan-curdlan composite nanoparticles administered intranasally and
subcutaneously <u>J Drug Deliv Sci Technol. 86: 104704.</u>
6. Zhang, S. <i>et al.</i> (2023) Select symbionts drive high IgA levels in the mouse intestine.
Cell Host Microbe. 31 (10): 1620-1638.e7.
7. Amaral, R. <i>et al.</i> (2025) Chitosan Nanoparticles for Enhanced Immune Response and
Delivery of Multi-Epitope <i>Helicobacter pylori</i> Vaccines in a BALB/c Mouse Model.
Pharmaceutics. 17 (1): 132.
This product is shipped at ambient temperature. It is recommended to aliquot and store at
-20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for
short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
Avoid repeated freezing and thawing as this may denature the antibody. Storage in
frost-free freezers is not recommended.
12 months from date of despatch
Material Safety Datasheet documentation #10097 available at:
https://www.bio-rad-antibodies.com/SDS/STAR137P 10097
For research purposes only

Related Products

Recommended Useful Reagents

AbGUARD® HRP STABILIZER PLUS (BUF052A)
AbGUARD® HRP STABILIZER PLUS (BUF052B)
AbGUARD® HRP STABILIZER PLUS (BUF052C)
TMB CORE (BUF056A)

TMB CORE+ (BUF062A) TMB SIGNAL+ (BUF054A)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M428701:240301'

Printed on 30 Jan 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint