

Datasheet: STAR141P

BATCH NUMBER 163914

| Description: | GOAT ANTI HUMAN IgA:HRP |
|---------------|-------------------------|
| Specificity: | lgA |
| Format: | HRP |
| Product Type: | Polyclonal Antibody |
| Isotype: | Polyclonal IgG |
| Quantity: | 1 ml |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Immunohistology - Frozen | | | | |
| Immunohistology - Paraffin | - | | | |
| ELISA | - | | | 1/4000 - 1/8000 |
| Western Blotting | | | | |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

| Target Species | Human |
|-----------------------|--|
| Product Form | Purified IgG conjugated to Horseradish Peroxidase (HRP) - liquid |
| Antiserum Preparation | ា Antisera to human IgA were raised by repeated immunisation of go |

rum Preparation Antisera to human IgA were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography on pooled human IgA covalently linked to agarose.

| Buffer Solution | Phosphate buffered saline |
|-----------------------------|----------------------------------|
| Preservative Stabilisers | 0.01% Thiomersal 50% Glycerol |
| Immunogen | Human IgA paraproteins. |

| External Database Links | UniProt: P01876 Related reagents P01877 Related reagents | | | | |
|----------------------------------|---|--|--|--|--|
| | Entrez Gene: 3493 IGHA1 Related reagents | | | | |
| | 3494 IGHA2 Related reagents | | | | |
| RRID | AB_1102621 | | | | |
| Specificity | Goat anti human IgA polyclonal antibody recognizes the heavy chain of human IgA. This anti human IgA antibody has been cross adsorbed against human IgM and IgG but might cross-react with IgA from other species. | | | | |
| References | 1. Whelan, S.F. <i>et al.</i> (2013) Distinct characteristics of antibody responses against factor VIII in healthy individuals and in different cohorts of hemophilia A patients. <u>Blood. 121:</u> 1039-48. | | | | |
| Storage | This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. | | | | |
| | Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. | | | | |
| Guarantee | 12 months from date of despatch | | | | |
| Health And Safety Information | Material Safety Datasheet documentation #10097 available at: https://www.bio-rad-antibodies.com/SDS/STAR141P 10097 | | | | |
| Regulatory | For research purposes only | | | | |

Related Products

Recommended Useful Reagents

AbGUARD® HRP STABILIZER PLUS (BUF052A)
AbGUARD® HRP STABILIZER PLUS (BUF052B)
AbGUARD® HRP STABILIZER PLUS (BUF052C)
TMB CORE (BUF056A)
TMB CORE+ (BUF062A)
TMB SIGNAL+ (BUF054A)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700

Europe Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M381883:210512'

Fax: +44 (0)1865 852 739

Printed on 08 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint