

Datasheet: STAR142F BATCH NUMBER 157744

GOAT F(ab')2 ANTI HUMAN IgA:FITC
IgA
FITC
Polyclonal Antibody
Polyclonal IgG
0.5 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal							
	communications from the originators. Please refer to references indicated for further							
	information. For general protocol recommendations, please visit <u>www.bio-</u>							
	rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry	•			Neat - 1/10			
	Immunohistology - Frozen							
	Immunohistology - Paraffi	n		•				
	Immunofluorescence	•			Neat - 1/10			
	Where this antibody ha	s not been	tested fo	r use in a particular te	chnique this does not			
	necessarily exclude its	use in such	n procedu	res. Suggested workin	ng dilutions are given as			
	a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.							
Target Species	Human							
Product Form	F(ab') ₂ fragments of purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid							
Max Ex/Em	Fluorophore	Excitation I	Max (nm)	Emission Max (nm)				
	FITC	490		525				
Antiserum Preparatio	n Antisera to human IgA antigen. Purified IgG wa fragments were prepare	as prepareo	d from wh	ole serum by affinity o	goats with purified chromatography. F(ab') ₂			
Buffer Solution	Phosphate buffered sal							
Preservative Stabilisers	0.1% Sodium Azide (Na	aN ₃)						

Approx. Protein Concentrations	F(ab') ₂ concentration 0.5mg/ml						
Immunogen	Human IgA.						
External Database Links	UniProt:P01877Related reagentsP01876Related reagentsEntrez Gene:3494IGHA2Related reagents3493IGHA1Related reagents						
RRID	AB_1102619						
Specificity	Goat F(ab')2 anti Human IgA antibody recognizes the heavy chain of human IgA and has been cross absorbed against human IgM, IgD and IgG. Goat F(ab')2 anti Human IgA antibody might cross react with IgA from other species.						
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.						
References	1. Lu, D.R. <i>et al.</i> (2014) Identifying functional anti- <i>Staphylococcus aureus</i> antibodies by sequencing antibody repertoires of patient plasmablasts. <u>Clin Immunol. 152 (1-2): 77-89.</u>						
Storage	Store at +4°C or at -20°C if preferred.						
	This product should be stored undiluted.						
	Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.						
	Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.						
Guarantee	Guaranteed until date of expiry. Please see product label.						
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/STAR142F 10040						
Regulatory	For research purposes only						

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & Sout	h Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21	
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50	То
	Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-ra	d. Mind a		
bate	h/lot specific datasheet f	or this product in	lease use our online sear	ch tool at: hio	rad-antibodies.com/datasheet	

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M373520:200921'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint