

## Datasheet: STAR145F BATCH NUMBER 155588

Description:	GOAT ANTI HUMAN IgM:FITC
Specificity:	IgM
Format:	FITC
Product Type:	Polyclonal Antibody
lsotype:	Polyclonal IgG
Quantity:	1 mg

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .								
	rad-antibodies.com/pro	Yes	No	Not Determined	Suggested Dilution				
	Flow Cytometry	-			Neat - 1/10				
	Immunohistology - Froze	n •							
	Immunohistology - Paraff			•					
	Immunofluorescence	-			Neat - 1/10				
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates								
	the antibody for use in their own system using appropriate negative/positive controls.								
Target Species	Human								
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid								
Max Ex/Em	Fluorophore	Excitation M		Emission Max (nm)					
	FITC	490		525					
Antiserum Preparation	n Antisera to human IgM antigen. Purified IgG w								
Buffer Solution	Phosphate buffered saline								
Preservative Stabilisers	0.1% Sodium Azide (NaN <sub>3</sub> )								
Approx. Protein Concentrations	IgG concentration 1.0								

Immunogen	Human IgM paraproteins.				
External Database Links	UniProt:         P01871       Related reagents         Entrez Gene:         3507       IGHM         Related reagents				
RRID	AB_1102678				
Specificity	<b>Goat anti Human IgM antibody</b> recognizes the heavy chain of human IgM. This antibody has been cross absorbed against human IgA and IgG. Goat anti Human IgM antibody might cross react with IgM from other species.				
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.				
References	<ol> <li>Sharp, C.P. <i>et al.</i> (2012) Virologic and clinical features of primary infection with human parvovirus 4 in subjects with hemophilia: frequent transmission by virally inactivated clotting factor concentrates. <u>Transfusion. 52: 1482-9.</u></li> <li>Whelan, S.F. <i>et al.</i> (2013) Distinct characteristics of antibody responses against factor VIII in healthy individuals and in different cohorts of hemophilia A patients. <u>Blood. 121:</u> <u>1039-48.</u></li> </ol>				
Storage	Store at +4°C or at -20°C if preferred.				
	This product should be stored undiluted.				
	Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.				
	Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.				
Guarantee	Guaranteed until date of expiry. Please see product label.				
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/STAR145F 10040				
Regulatory	For research purposes only				

# **Related Products**

### **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21	То			
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50	find a			
	Email: antibody_sales_us@bio-	Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com					
batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets									
'M358116:190911'									

#### Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint