

Datasheet: STAR145F BATCH NUMBER 160389

Description:	GOAT ANTI HUMAN IgM:FITC			
Specificity:	IgM			
Format:	FITC			
Product Type:	Polyclonal Antibody			
Isotype:	Polyclonal IgG			
Quantity:	1 mg			

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
	rau-antiboules.com/pro	Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry				Neat - 1/10			
	Immunohistology - Froze	n •						
	Immunohistology - Paraff			-				
	Immunofluorescence	•			Neat - 1/10			
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.							
Target Species	Human							
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid							
Max Ex/Em	Fluorophore	Excitation N		Emission Max (nm)				
	FITC	490		525				
Antiserum Preparation	ation Antisera to human IgM were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.							
Buffer Solution	Phosphate buffered saline							
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃)							
Approx. Protein Concentrations	IgG concentration 1.0	mg/ml						

Immunogen	Human IgM paraproteins.					
External Database Links	UniProt: <u>P01871</u> <u>Related reagents</u> Entrez Gene: <u>3507</u> IGHM <u>Related reagents</u>					
RRID	AB_1102678					
Specificity	Goat anti Human IgM antibody recognizes the heavy chain of human IgM. This antibody has been cross absorbed against human IgA and IgG. Goat anti Human IgM antibody might cross react with IgM from other species.					
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.					
References	 Sharp, C.P. <i>et al.</i> (2012) Virologic and clinical features of primary infection with human parvovirus 4 in subjects with hemophilia: frequent transmission by virally inactivated clotting factor concentrates. <u>Transfusion. 52: 1482-9.</u> Whelan, S.F. <i>et al.</i> (2013) Distinct characteristics of antibody responses against factor VIII in healthy individuals and in different cohorts of hemophilia A patients. <u>Blood. 121:</u> <u>1039-48.</u> 					
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.					
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.					
Guarantee	Guaranteed until date of expiry. Please see product label.					
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/STAR145F 10040					
Regulatory	For research purposes only					

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739	
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com	

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M387541:210629'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint