

Datasheet: STAR146F BATCH NUMBER 165734

Description:	GOAT F(ab')2 ANTI HUMAN IgM:FITC				
Specificity:	IgM				
Format:	FITC				
Product Type:	Polyclonal Antibody				
Isotype:	Polyclonal IgG				
Quantity:	0.5 mg				

Product Details

Applications	This product has been derived from testing wit communications from th	hin our lab	oratories,	peer-reviewed public	ations or personal		
	information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	•			Neat - 1/10		
	Immunohistology - Frozer	ו ד					
	Immunohistology - Paraffi	n		•			
	Immunofluorescence	•			Neat - 1/10		
	Where this antibody ha	s not been	tested for	use in a particular te	echnique this does not		
	necessarily exclude its	use in sucl	n procedu	res. It is recommende	ed that the user titrates		
	the antibody for use in t	their own s	ystem usi	ng appropriate negati	ive/positive controls.		
Target Species	Human						
Product Form	F(ab') ₂ fragments of purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid						
Max Ex/Em	Fluorophore	Excitation	Max (nm)	Emission Max (nm)			
	FITC	490)	525	-		
Antiserum Preparation	ⁿ Antisera to human IgM antigen. Purified IgG wa fragments were prepare	as prepare	d from wh	ole serum by affinity	goats with purified chromatography. F(ab') ₂		
Buffer Solution	Phosphate buffered sal						
Preservative Stabilisers	<0.1% Sodium Azide (N	NaN ₃)					

Approx. Protein Concentrations	F(ab') ₂ concentration 0.5 mg/ml
Immunogen	Human IgM.
External Database Links	UniProt: <u>P01871</u> <u>Related reagents</u> Entrez Gene: <u>3507</u> IGHM <u>Related reagents</u>
RRID	AB_1102673
Specificity	Goat F(ab')2 anti Human IgM antibody recognizes the heavy chain of human IgM and has been cross absorbed against human IgA and IgG. Goat F(ab')2 anti Human IgM antibody might cross react with IgM from other species.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
References	 Mpakou, V.E. <i>et al.</i> (2017) Quantitative and qualitative analysis of regulatory T cells in B cell chronic lymphocytic leukemia. <u>Leuk Res. 60: 74-81.</u> Lu, D.R. <i>et al.</i> (2014) Identifying functional anti-<i>Staphylococcus aureus</i> antibodies by sequencing antibody repertoires of patient plasmablasts. <u>Clin Immunol. 152 (1-2): 77-89.</u> Tan, Y.C. <i>et al.</i> (2014) High-throughput sequencing of natively paired antibody chains provides evidence for original antigenic sin shaping the antibody response to influenza vaccination. <u>Clin Immunol. 151 (1): 55-65.</u>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/STAR146F 10040
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.o	com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M401975:220718'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint