

Datasheet: STAR146PE

BATCH NUMBER 160201

Description:	GOAT F(ab') ₂ ANTI HUMAN IgM:RPE
Specificity:	IgM
Format:	RPE
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.5 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/20 - 1/30

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human		
Product Form	F(ab') ₂ fragment of IgG conjugated to R. Phycoerythrin (RPE) - liquid		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	RPE 488nm laser	496	578

Antiserum Preparation Antisera to human IgM were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. F(ab')₂ fragments were prepared by pepsin digestion.

Buffer Solution Phosphate buffered saline

Preservative 0.1% Sodium Azide (NaN₃)
Stabilisers Sucrose

Approx. Protein Concentrations F(ab')₂ concentration 0.25 mg/ml

Immunogen Human IgM.

External Database

Links

UniProt:

[P01871](#) [Related reagents](#)

Entrez Gene:

[3507](#) IGHM [Related reagents](#)

RRID

AB_1102674

Specificity

Goat F(ab')₂ anti Human IgM antibody recognizes the heavy chain of human IgM and has been cross absorbed against human IgA and IgG. Goat F(ab')₂ anti Human IgM antibody might cross react with IgM from other species.

Flow Cytometry

Use 10ul of the suggested working dilution to label 10⁶ cells in 100ul

References

1. Mpakou, V.E. *et al.* (2017) Quantitative and qualitative analysis of regulatory T cells in B cell chronic lymphocytic leukemia. [Leuk Res. 60: 74-81.](#)
 2. Lu, D.R. *et al.* (2014) Identifying functional anti-*Staphylococcus aureus* antibodies by sequencing antibody repertoires of patient plasmablasts. [Clin Immunol. 152 \(1-2\): 77-89.](#)
 3. Tan, Y.C. *et al.* (2014) High-throughput sequencing of natively paired antibody chains provides evidence for original antigenic sin shaping the antibody response to influenza vaccination. [Clin Immunol. 151 \(1\): 55-65.](#)
-

Storage

Store at +4°C.

DO NOT FREEZE.

This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

6 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10331 available at:
<https://www.bio-rad-antibodies.com/SDS/STAR146PE>
10331

Regulatory

For research purposes only

Related Products

Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

[HUMAN SEROBLOCK \(BUF070B\)](#)

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751

Worldwide Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739

Europe Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M344760:190118'

Printed on 01 Mar 2024
