

## Datasheet: STAR147

<b>Description:</b>	GOAT ANTI HUMAN IgE
<b>Specificity:</b>	IgE
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			
Western Blotting	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography.
<b>Antiserum Preparation</b>	Antisera to human IgE were raised by repeated immunisation of goats with highly purified antigen.
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml
<b>Immunogen</b>	Native human IgE.

**External Database  
Links**

**UniProt:**

[P01854](#)    [Related reagents](#)

**Entrez Gene:**

[3497](#)    IGHE    [Related reagents](#)

---

**RRID**

AB\_1172157

---

**Specificity**

**Goat anti Human IgE polyclonal antibody** recognizes human IgE. Minimal cross-reactivity (<0.1%) is expected with other human immunoglobulins and light chains.

Goat anti Human IgE in a biotinylated format has been successfully employed as a detection reagent in the development of a sensitive sandwich ELISA for the measurement of human IgE.

---

**References**

1. Khan, F.M. *et al.* (2012) Basophil activation test compared to skin prick test and fluorescence enzyme immunoassay for aeroallergen-specific Immunoglobulin-E. [Allergy Asthma Clin Immunol. 8 \(1\): 1.](#)
2. Pinot de Moira, A. *et al.* (2013) Effects of treatment on IgE responses against parasite allergen-like proteins and immunity to reinfection in childhood schistosome and hookworm coinfections. [Infect Immun. 81 \(1\): 23-32.](#)
3. Zheng, W. *et al.* (2016) Upregulated expression of substance P in basophils of the patients with chronic spontaneous urticaria: induction of histamine release and basophil accumulation by substance P. [Cell Biol Toxicol. 32 \(3\): 217-28.](#)
4. Jin Y *et al.* (2015) Allergenic response to squid (*Todarodes pacificus*) tropomyosin Tod p1 structure modifications induced by high hydrostatic pressure. [Food Chem Toxicol. 76: 86-93.](#)
5. Wei, J.F. *et al.* (2009) Induction of mast cell accumulation, histamine release and skin edema by N49 phospholipase A2. [BMC Immunol. 10: 21.](#)
6. Tsai, C.T. *et al.* (2018) Isotype-specific agglutination-PCR (ISAP): A sensitive and multiplex method for measuring allergen-specific IgE. [J Allergy Clin Immunol. 141 \(5\): 1901-4.e15.](#)

---

**Storage**

Store at +4°C. DO NOT FREEZE.

This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Guarantee**

12 months from date of despatch.

---

**Health And Safety  
Information**

Material Safety Datasheet documentation #10040 available at:  
<https://www.bio-rad-antibodies.com/SDS/STAR147>  
10040

---

**Regulatory**

For research purposes only.

---

## Related Products

## Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) [FITC](#), [HRP](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M428719:240301'

**Printed on 12 Sep 2024**

---

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)