

Datasheet: STAR147F BATCH NUMBER 166994

Description:	GOAT ANTI HUMAN IgE:FITC
Specificity:	lgE
Format:	FITC
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			
Immunohistology - Frozen				
Immunohistology - Paraffin				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

Target Species	Human			
Species Cross	Reacts with: Rhe	sus Monkey		
Reactivity	reactivity is derive	activity and working conditied from testing within our landstance in actions from the originated in.	aboratories, peer-re	viewed publications or
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid			
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)	
	FITC	490	525	
Preparation	Purified IgG prep	ared by affinity chromatog	raphy.	

Antiserum Preparation Antisera to human IgE were raised by repeated immunisations of goats with highly purified antigen.

Buffer Solution	Phosphate buffered saline.
Preservative	0.09% Sodium Azide
Stabilisers	0.2% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml.
Immunogen	Native human IgE.
External Database	
Links	UniProt:
	P01854 Related reagents
	Entrez Gene:
	3497 IGHE Related reagents
RRID	AB_1221599.
Specificity	Goat anti Human IgE polyclonal antibody recognizes human IgE. Minimal cross-reactivity (<0.1%) is expected with other human immunoglobulins and light chains.
	Goat anti Human IgE in a biotinylated format has been successfully employed as a detection reagent in the development of a sensitive sandwich ELISA for the measurement of human IgE.
Flow Cytometry	Use 10µl of the suggested working dilution to label 1x10 ⁶ cells in 100µl.
References	 Khan, F.M. <i>et al.</i> (2012) Basophil activation test compared to skin prick test and fluorescence enzyme immunoassay for aeroallergen-specific Immunoglobulin-E. <u>Allergy Asthma Clin Immunol. 8 (1): 1.</u> Pinot de Moira, A. <i>et al.</i> (2013) Effects of treatment on IgE responses against parasite allergen-like proteins and immunity to reinfection in childhood schistosome and hookworm coinfections. <u>Infect Immun. 81 (1): 23-32.</u>
	3. Zheng, W. <i>et al.</i> (2016) Upregulated expression of substance P in basophils of the
	patients with chronic spontaneous urticaria: induction of histamine release and basophil
	accumulation by substance P. Cell Biol Toxicol. 32 (3): 217-28.
	4. Jin Y et al. (2015) Allergenic response to squid (Todarodes pacificus) tropomyosin Tod
	p1 structure modifications induced by high hydrostatic pressure. <u>Food Chem Toxicol. 76:</u> 86-93.
	5. Wei, J.F. <i>et al.</i> (2009) Induction of mast cell accumulation, histamine release and skin
	edema by N49 phospholipase A2. <u>BMC Immunol. 10: 21.</u>
	6. Tsai, C.T. et al. (2018) Isotype-specific agglutination-PCR (ISAP): A sensitive and
	multiplex method for measuring allergen-specific IgE. <u>J Allergy Clin Immunol. 141 (5):</u>
	<u>1901-4.e15.</u>
Storage	Store at +4°C. DO NOT FREEZE.

This product should be stored undiluted. This product is photosensitive and should be

protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	12 months from date of despatch.
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/STAR147F 10041
Regulatory	For research purposes only.

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M421296:230706'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint