Datasheet: STAR164 BATCH NUMBER 166216

Description:	GOAT ANTI HUMAN KAPPA LIGHT CHAIN (MOUSE ADSORBED)
Specificity:	KAPPA LIGHT CHAIN
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

rad-antibodies.com/protocols. Yes No Not Determined Suggested Dilution Flow Cytometry • • Immunohistology - Prozen • Immunohistology - Paraffin • ELISA • Western Blotting • Immunofluorescence • Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. Target Species Human Product Form Purified IgG - liquid Antiserum Preparation Antisera to human kappa chains were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. Buffer Solution Borate buffered saline Preservative None present Approx. Protein IgG concentration 1.0 mg/ml	Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>							
Flow Cytometry • Immunohistology - Frozen • Immunohistology - Paraffin • ELISA • Western Blotting • Immunofluorescence • Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. Target Species Human Product Form Purified IgG - liquid Antiserum Preparation Antisera to human kappa chains were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. Buffer Solution Borate buffered saline Preservative Stabilisers None present Approx. Protein InG concentration 1.0 mo/ml		rad-antibodies.com/proto	rad-antibodies.com/protocols.						
Immunohistology - Frozen • Immunohistology - Paraffin • ELISA • Western Blotting • Immunofluorescence • Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. Target Species Human Product Form Purified IgG - liquid Antiserum Preparation Antisera to human kappa chains were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. Buffer Solution Borate buffered saline Preservative Stabilisers None present Approx. Protein InG concentration 1.0 m/ml			Yes	No	Not Determined	Suggested Dilution			
Immunohistology - Paraffin • ELISA • Western Blotting • Immunofluorescence • Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. Target Species Human Product Form Purified IgG - liquid Antiserum Preparation Antisera to human kappa chains were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. Buffer Solution Borate buffered saline Preservative Stabilisers None present Approx. Protein InG concentration 1.0 mg/ml					•				
ELISA • Western Blotting • Immunofluorescence • Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. Target Species Human Product Form Purified IgG - liquid Antiserum Preparation Antisera to human kappa chains were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. Buffer Solution Borate buffered saline Preservative Stabilisers None present Approx. Protein InG concentration 1.0 mg/ml					_				
Western Blotting • Immunofluorescence • Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. Target Species Human Product Form Purified IgG - liquid Antiserum Preparation Antisera to human kappa chains were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. Buffer Solution Borate buffered saline Preservative None present Approx. Protein InG concentration 1.0 mg/ml									
Immunofluorescence • Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. Target Species Human Product Form Purified IgG - liquid Antiserum Preparation Antisera to human kappa chains were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. Buffer Solution Borate buffered saline Preservative Stabilisers None present InG concentration 1.0 mg/ml									
Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.Target SpeciesHumanProduct FormPurified IgG - liquidAntiserum PreparationAntisera to human kappa chains were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.Buffer SolutionBorate buffered salinePreservative StabilisersNone presentApprox. ProteinInG concentration 1.0 mg/ml		, i i i i i i i i i i i i i i i i i i i	-						
necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.Target SpeciesHumanProduct FormPurified IgG - liquidAntiserum PreparationAntisera to human kappa chains were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.Buffer SolutionBorate buffered salinePreservative StabilisersNone presentApprox. ProteinInG concentration 1.0 mg/ml			•						
a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. Target Species Human Product Form Purified IgG - liquid Antiserum Preparation Antisera to human kappa chains were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. Buffer Solution Borate buffered saline Preservative Stabilisers None present InG. concentration 1.0 mg/ml		•			•	•			
Product Form Purified IgG - liquid Antiserum Preparation Antisera to human kappa chains were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. Buffer Solution Borate buffered saline Preservative Stabilisers None present Approx. Protein InG concentration 1.0 mo/ml		a guide only. It is recomm	nended th	at the use	r titrates the product f				
Antiserum Preparation Antisera to human kappa chains were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. Buffer Solution Borate buffered saline Preservative None present Approx. Protein IgG concentration 1.0 mg/ml	Target Species	Human							
purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. Buffer Solution Borate buffered saline Preservative Stabilisers None present Approx. Protein InG concentration 1.0 mg/ml	Product Form	Purified IgG - liquid							
Preservative Stabilisers None present Approx. Protein InG concentration 1.0 mg/ml	Antiserum Preparatio				• •	-			
Stabilisers None present Approx. Protein InG concentration 1.0 mg/ml	Buffer Solution	Borate buffered saline							
IgG concentration 1 () mg/ml		None present							
	••	IgG concentration 1.0 mg	j/ml						

Immunogen	Human myeloma proteins with kappa light chains.	
RRID	AB_10598751	
Specificity	Goat anti Human kappa light chain antibody recognizes hur has been cross adsorbed against pooled human myeloma prot chains and mouse immunoglobulins.	· · · -
Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezind denature the antibody. Should this product contain a precipitate microcentrifugation before use.	• • •
Guarantee	Guaranteed for 12 months from the date of despatch or until th comes first. Please see label for expiry date.	e date of expiry, whichever
Health And Safety Information	Material Safety Datasheet documentation #10123 available at: https://www.bio-rad-antibodies.com/SDS/STAR164 10123	
Regulatory	For research purposes only	

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M421311:230706'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint