

Datasheet: STAR4010PE

Description:	GOAT ANTI RABBIT IgG/IgM:RPE (HUMAN ADSORBED)
Specificity:	IgG IgM
Format:	RPE
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.5 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
FLISA	▪			1/500

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Rabbit
Species Cross Reactivity	Does not react with:Human
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - liquid

Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	RPE 488nm laser	496	578
RPE 561nm laser	546	578	

Antiserum Preparation Antisera to rabbit IgG and IgM were raised by repeated immunizations of goats with normal rabbit IgG and IgM.

The Ig fraction was purified by affinity chromatography on pooled rabbit IgG and IgM covalently linked to agarose.

The preparation has been cross absorbed with pooled human sera and purified human paraproteins to remove any potential cross reactivity.

Buffer Solution	Phosphate buffered saline
------------------------	---------------------------

Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃) Stabilizing agent (sucrose)
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml
Immunogen	Normal rabbit IgG + IgM.
External Database Links	UniProt: P01780 Related reagents P03988 Related reagents P04221 Related reagents
Specificity	Goat anti Rabbit IgG/IgM antibody reacts with the heavy and light chains of rabbit IgG and IgM and with the light chains of rabbit IgA as demonstrated by ELISA and flow cytometry.
References	<ol style="list-style-type: none"> 1. Campos-ordonez, T. <i>et al.</i> (2019) Cyclohexane Inhalation Produces Long-Lasting Alterations in the Hippocampal Integrity and Reward-Seeking Behavior in the Adult Mouse. Cell Mol Neurobiol. Feb 15 [Epub ahead of print]. 2. Iver, S. <i>et al.</i> (2019) Probing BAK and BAX Activation and Pore Assembly with Cytochrome c Release, Limited Proteolysis, and Oxidant-Induced Linkage. Methods Mol Biol. 1877: 201-16. 3. Campos-Ordoñez, T. <i>et al.</i> (2021) Chronic exposure to cyclohexane induces stereotypic circling, hyperlocomotion, and anxiety-like behavior associated with atypical c-Fos expression in motor- and anxiety-related brain regions. Behav Brain Res. Nov 12;113664.
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light.
Guarantee	Guaranteed until date of expiry. Please see product label.
Health And Safety Information	Material Safety Datasheet documentation #10045 available at: 10045: https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf
Regulatory	For research purposes only

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M387590:210629'

Printed on 21 Mar 2022